

Table Name	Column Name	Max Length	Data Type	Description
AccountFacilityLink	nAccountFacilityLinkUID	N/A	numeric	Unique record identifier
AccountFacilityLink	nFacilityUID	N/A	numeric	Indicates the facility this record is used for
AccountFacilityLink	nAccountUID	N/A	numeric	Indicates the account this record relates to
AccountFacilityLink	IActive	N/A	int	If value is -1 record is active in the system
AccountFacilityLink	IDeleted	N/A	int	Indicates if the record has been marked for deletion
AccountFacilityLink	IApproved	N/A	int	Indicates if changes to the record have been approved
AccountFacilityLink	IAdded	N/A	int	Indicates if the record has been added locally
AccountFacilityLink	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
AccountFacilityLink	nAddUserUID	N/A	numeric	UID of the user that added the record
AccountFacilityLink	tAddTime	N/A	datetime	Time the record was added
AccountFacilityLink	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
AccountFacilityLink	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
AccountFacilityLink	tUpdateTime	N/A	datetime	Time the record was last updated
AccountFacilityLink	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
AccountFacilityLink	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
Accounts	nAccountUID	N/A	numeric	Unique record identifier
Accounts	cUsername	50	nvarchar	User name used to log into xWeb
Accounts	cPassword	50	nvarchar	Password used to log into xWeb
Accounts	cAccessLevel	4	nvarchar	Access level for the account
Accounts	lLabProblemManager	N/A	int	
Accounts	IActive	N/A	int	If value is -1 record is active in the system
Accounts	IDeleted	N/A	int	Indicates if the record has been marked for deletion
Accounts	IApproved	N/A	int	Indicates if changes to the record have been approved
Accounts	IAdded	N/A	int	Indicates if the record has been added locally
Accounts	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
Accounts	nAddUserUID	N/A	numeric	UID of the user that added the record
Accounts	tAddTime	N/A	datetime	Time the record was added
Accounts	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
Accounts	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
Accounts	tUpdateTime	N/A	datetime	Time the record was last updated
Accounts	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
Accounts	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
Accreditations	nAccreditationUID	N/A	numeric	Unique record identifier
Accreditations	nCategoryUID	N/A	numeric	Indicates the category of the accreditation
Accreditations	nSubCategoryUID	N/A	numeric	Indicates the sub category of the accreditation
Accreditations	nFileUID	N/A	numeric	Indicates the File record related to the accreditation
Accreditations	cCode	50	nvarchar	Accreditation code
Accreditations	cDescription	50	nvarchar	Description of the accreditation
Accreditations	cType	50	nvarchar	Type of accreditation
Accreditations	tStartDate	N/A	datetime	Start date for the accreditation
Accreditations	tEndDate	N/A	datetime	Expiration date of the accreditation
Accreditations	mNotes	-1	nvarchar	Notes for the accreditation
Accreditations	IActive	N/A	int	If value is -1 record is active in the system
Accreditations	IDeleted	N/A	int	Indicates if the record has been marked for deletion
Accreditations	IApproved	N/A	int	Indicates if changes to the record have been approved
Accreditations	IAdded	N/A	int	Indicates if the record has been added locally
Accreditations	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
Accreditations	nAddUserUID	N/A	numeric	UID of the user that added the record
Accreditations	tAddTime	N/A	datetime	Time the record was added
Accreditations	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
Accreditations	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
Accreditations	tUpdateTime	N/A	datetime	Time the record was last updated
Accreditations	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
Accreditations	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
Addresses	nAddressUID	N/A	numeric	Unique record identifier
Addresses	nFacilityUID	N/A	numeric	Linked to Facility table - indicated the owner of the asset
Addresses	cType	50	nvarchar	Type of address - such as shipping, receiving, warehouse, etc.
Addresses	cAddress1	50	nvarchar	Address line one
Addresses	cAddress2	50	nvarchar	Address line two
Addresses	cAddress3	50	nvarchar	Address line three
Addresses	cAddress4	50	nvarchar	Address line four
Addresses	cCity	50	nvarchar	Name of city
Addresses	cState	50	nvarchar	Name of State
Addresses	cZip	50	nvarchar	Zip or postal code
Addresses	cCountry	50	nvarchar	Name of country
Addresses	cPhone1	50	nvarchar	Primary phone number
Addresses	cPhone2	50	nvarchar	Secondary phone number
Addresses	cFAX	50	nvarchar	Primary FAX number
Addresses	cEmail	50	nvarchar	Email Address
Addresses	mNotes	-1	nvarchar	Address notes
Addresses	IActive	N/A	int	If value is -1 record is active in the system
Addresses	IDeleted	N/A	int	Indicates if the record has been marked for deletion
Addresses	IApproved	N/A	int	Indicates if changes to the record have been approved
Addresses	IAdded	N/A	int	Indicates if the record has been added locally
Addresses	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
Addresses	nAddUserUID	N/A	numeric	UID of the user that added the record
Addresses	tAddTime	N/A	datetime	Time the record was added
Addresses	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
Addresses	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
Addresses	tUpdateTime	N/A	datetime	Time the record was last updated
Addresses	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
Addresses	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
AlertEvents	nAlertEventUID	N/A	numeric	
AlertEvents	nAlertUID	N/A	numeric	
AlertEvents	nIntervalType	10	nvarchar	
AlertEvents	nIntervalTarget	N/A	int	
AlertEvents	tDeliveryTime	N/A	datetime	
AlertEvents	tPriorRunTime	N/A	datetime	
AlertEvents	tNextRunTime	N/A	datetime	
AlertEvents	IActive	N/A	int	
AlertEvents	IDeleted	N/A	int	
AlertEvents	IApproved	N/A	int	
AlertEvents	IAdded	N/A	int	
AlertEvents	nAddFacilityUID	N/A	numeric	
AlertEvents	nAddUserUID	N/A	numeric	
AlertEvents	tAddTime	N/A	datetime	
AlertEvents	nUpdateFacilityUID	N/A	numeric	

Table Name	Column Name	Max Length	Data Type	Description
AlertEvents	nUpdateUserID	N/A	numeric	
AlertEvents	tUpdateTime	N/A	datetime	
AlertEvents	tMobileTime	N/A	datetime	
AlertEvents	tSystemUpdateTime	N/A	datetime	
AlertParameters	nAlertParameterUID	N/A	numeric	
AlertParameters	nAlertUID	N/A	numeric	
AlertParameters	nAlertRecipientUID	N/A	numeric	
AlertParameters	cName	50	nvarchar	
AlertParameters	cValue	50	nvarchar	
AlertParameters	cType	50	nvarchar	
AlertParameters	lAcceptsMultipleValues	N/A	int	
AlertParameters	lActive	N/A	int	
AlertParameters	lDeleted	N/A	int	
AlertParameters	lApproved	N/A	int	
AlertParameters	lAdded	N/A	int	
AlertParameters	nAddFacilityUID	N/A	numeric	
AlertParameters	nAddUserID	N/A	numeric	
AlertParameters	tAddTime	N/A	datetime	
AlertParameters	nUpdateFacilityUID	N/A	numeric	
AlertParameters	nUpdateUserID	N/A	numeric	
AlertParameters	tUpdateTime	N/A	datetime	
AlertParameters	tMobileTime	N/A	datetime	
AlertParameters	tSystemUpdateTime	N/A	datetime	
AlertRecipients	nAlertRecipientUID	N/A	numeric	
AlertRecipients	nContactUID	N/A	numeric	
AlertRecipients	nAlertUID	N/A	numeric	
AlertRecipients	cEmailType	50	nvarchar	
AlertRecipients	lActive	N/A	int	
AlertRecipients	lDeleted	N/A	int	
AlertRecipients	lApproved	N/A	int	
AlertRecipients	lAdded	N/A	int	
AlertRecipients	nAddFacilityUID	N/A	numeric	
AlertRecipients	nAddUserID	N/A	numeric	
AlertRecipients	tAddTime	N/A	datetime	
AlertRecipients	nUpdateFacilityUID	N/A	numeric	
AlertRecipients	nUpdateUserID	N/A	numeric	
AlertRecipients	tUpdateTime	N/A	datetime	
AlertRecipients	tMobileTime	N/A	datetime	
AlertRecipients	tSystemUpdateTime	N/A	datetime	
Alerts	nAlertUID	N/A	numeric	
Alerts	cAlertName	50	nvarchar	
Alerts	cAlertDescription	200	nvarchar	
Alerts	cAlertType	50	nvarchar	
Alerts	cReportName	50	nvarchar	
Alerts	cEmailSubject	200	nvarchar	
Alerts	cEmailBody	-1	nvarchar	
Alerts	cSQLQuery	-1	nvarchar	
Alerts	lSkipIfEmpty	N/A	int	
Alerts	lActive	N/A	int	
Alerts	lDeleted	N/A	int	
Alerts	lApproved	N/A	int	
Alerts	lAdded	N/A	int	
Alerts	nAddFacilityUID	N/A	numeric	
Alerts	nAddUserID	N/A	numeric	
Alerts	tAddTime	N/A	datetime	
Alerts	nUpdateFacilityUID	N/A	numeric	
Alerts	nUpdateUserID	N/A	numeric	
Alerts	tUpdateTime	N/A	datetime	
Alerts	tMobileTime	N/A	datetime	
Alerts	tSystemUpdateTime	N/A	datetime	
AssetEx	nAssetExUID	N/A	numeric	Unique record identifier
AssetEx	nAssetUID	N/A	numeric	Indicates asset this EX data relates to
AssetEx	cField1	50	nvarchar	Character field
AssetEx	cField2	50	nvarchar	Character field
AssetEx	cField3	50	nvarchar	Character field
AssetEx	cField4	50	nvarchar	Character field
AssetEx	cField5	50	nvarchar	Character field
AssetEx	cField6	50	nvarchar	Character field
AssetEx	cField7	50	nvarchar	Character field
AssetEx	cField8	50	nvarchar	Character field
AssetEx	cField9	50	nvarchar	Character field
AssetEx	cField10	50	nvarchar	Character field
AssetEx	cField11	50	nvarchar	Character field
AssetEx	cField12	50	nvarchar	Character field
AssetEx	cField13	50	nvarchar	Character field
AssetEx	cField14	50	nvarchar	Character field
AssetEx	cField15	50	nvarchar	Character field
AssetEx	cField16	50	nvarchar	Character field
AssetEx	cField17	50	nvarchar	Character field
AssetEx	cField18	50	nvarchar	Character field
AssetEx	cField19	50	nvarchar	Character field
AssetEx	cField20	50	nvarchar	Character field
AssetEx	cField21	100	nvarchar	Character field
AssetEx	cField22	100	nvarchar	Character field
AssetEx	cField23	100	nvarchar	Character field
AssetEx	cField24	100	nvarchar	Character field
AssetEx	cField25	100	nvarchar	Character field
AssetEx	cField26	100	nvarchar	
AssetEx	cField27	100	nvarchar	
AssetEx	cField28	100	nvarchar	
AssetEx	cField29	100	nvarchar	
AssetEx	cField30	100	nvarchar	
AssetEx	cField31	150	nvarchar	
AssetEx	cField32	150	nvarchar	
AssetEx	cField33	150	nvarchar	
AssetEx	cField34	150	nvarchar	
AssetEx	cField35	150	nvarchar	

Table Name	Column Name	Max Length	Data Type	Description
AssetEx	tField1	N/A	datetime	Date field
AssetEx	tField2	N/A	datetime	Date field
AssetEx	tField3	N/A	datetime	Date field
AssetEx	tField4	N/A	datetime	Date field
AssetEx	tField5	N/A	datetime	Date field
AssetEx	tField6	N/A	datetime	Date field
AssetEx	tField7	N/A	datetime	Date field
AssetEx	tField8	N/A	datetime	Date field
AssetEx	tField9	N/A	datetime	Date field
AssetEx	tField10	N/A	datetime	Date field
AssetEx	nField1	N/A	numeric	Numeric field
AssetEx	nField2	N/A	numeric	Numeric field
AssetEx	nField3	N/A	numeric	Numeric field
AssetEx	nField4	N/A	numeric	Numeric field
AssetEx	nField5	N/A	numeric	Numeric field
AssetEx	nField6	N/A	numeric	Numeric field
AssetEx	nField7	N/A	numeric	Numeric field
AssetEx	nField8	N/A	numeric	Numeric field
AssetEx	nField9	N/A	numeric	Numeric field
AssetEx	nField10	N/A	numeric	Numeric field
AssetEx	lField1	N/A	int	
AssetEx	lField2	N/A	int	
AssetEx	lField3	N/A	int	
AssetEx	lField4	N/A	int	
AssetEx	lField5	N/A	int	
AssetEx	lField6	N/A	int	
AssetEx	lField7	N/A	int	
AssetEx	lField8	N/A	int	
AssetEx	lField9	N/A	int	
AssetEx	lField10	N/A	int	
AssetEx	mField1	-1	nvarchar	Memo field
AssetEx	mField2	-1	nvarchar	Memo field
AssetEx	lActive	N/A	int	If value is -1 record is active in the system
AssetEx	lDeleted	N/A	int	Indicates if the record has been marked for deletion
AssetEx	lApproved	N/A	int	Indicates if changes to the record have been approved
AssetEx	lAdded	N/A	int	Indicates if the record has been added locally
AssetEx	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
AssetEx	nAddUserUID	N/A	numeric	UID of the user that added the record
AssetEx	tAddTime	N/A	datetime	Time the record was added
AssetEx	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
AssetEx	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
AssetEx	tUpdateTime	N/A	datetime	Time the record was last updated
AssetEx	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
AssetEx	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
AssetLog	nAssetLogUID	N/A	numeric	Unique identifier for the record
AssetLog	nAssetUID	N/A	numeric	Indicates asset used
AssetLog	cPhysicalLocation	50	nvarchar	Physical location at the facility site
AssetLog	cDisposition	50	nvarchar	Customer disposition of Asset
AssetLog	cChangedBy	50	nvarchar	User who made changes. (EMX or Web)
AssetLog	cChangeNotes	200	nvarchar	Notes about the change.
AssetLog	cBarcode	100	nvarchar	
AssetLog	cID	100	nvarchar	
AssetLog	tNextMaintDate	N/A	datetime	Date next maintenance is due
AssetLog	tLogDate	N/A	datetime	Date the change was made.
AssetLog	lAssetActive	N/A	int	Indicates if the asset is active.
AssetLog	lActive	N/A	int	If value is -1 record is active in the system
AssetLog	lDeleted	N/A	int	Indicates if the record has been marked for deletion
AssetLog	lApproved	N/A	int	Indicates if changes to the record have been approved
AssetLog	lAdded	N/A	int	Indicates if the record has been added locally
AssetLog	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
AssetLog	nAddUserUID	N/A	numeric	UID of the user that added the record
AssetLog	tAddTime	N/A	datetime	Time the record was added
AssetLog	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
AssetLog	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
AssetLog	tUpdateTime	N/A	datetime	Time the record was last updated
AssetLog	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
AssetLog	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the Enterprise server
Assets	nAssetUID	N/A	numeric	Unique identifier for the asset used only by the system
Assets	nFacilityUID	N/A	numeric	Linked to Facility table - indicated the owner of the asset
Assets	nDepartmentUID	N/A	numeric	Linked to Facility table - indicated the department responsible for the asset
Assets	nTypeUID	N/A	numeric	Linked to the type table - UID of record used to create the asset when the asset was entered into the system
Assets	nManufacturerUID	N/A	numeric	Linked to Facilities table to indicate asset manufacturer
Assets	nCategoryUID	N/A	numeric	Link to category table - indicates asset category
Assets	nSubCategoryUID	N/A	numeric	Linked to sub category table - indicates sub category of asset
Assets	nInventoryByUID	N/A	numeric	Linked to Users - indicates who last inventoried this asset
Assets	nParentUID	N/A	numeric	Linked to asset table - would indicate UID of parent asset
Assets	nMaintenanceFacUID	N/A	numeric	Linked to facilities - indicates the facility that is supposed to perform maintenance on this asset
Assets	nAssignedFacUID	N/A	numeric	Linked to facilities - indicates the facility that assigns maintenance for this asset
Assets	nAuthorizedFacUID	N/A	numeric	Linked to facilities - indicated the facility that is authorizing maintenance for this asset
Assets	cBarcode	100	nvarchar	Unique Barcode assigned to this asset
Assets	cID	100	nvarchar	Customer ID number
Assets	cSerialNumber	50	nvarchar	Manufacturers or customers serial number
Assets	cModelNumber	50	nvarchar	Manufacturers model number
Assets	cPartNumber	50	nvarchar	Manufacturers or customers part number
Assets	cStockNumber	50	nvarchar	Customer Stock number (NSN)
Assets	cStatus	50	nvarchar	Customer defined status of asset - Inactive in Pool, inop for repair, etc
Assets	cDisposition	50	nvarchar	Customer disposition of Asset - Active, Lost, DRMO, Inactive, etc.
Assets	cAssignedGroup	50	nvarchar	Customer assigned grouping - used for such things as tool rooms, ship board assignments, syscal, etc.
Assets	cClass	50	nvarchar	Customer defined class of asset - may indicate funding type, usage, etc.
Assets	cGroup	50	nvarchar	Customer defined group - Electronic, Dimensional, Flow, etc.
Assets	cFamily	50	nvarchar	Customer defined grouping mechanism
Assets	cStandardType	50	nvarchar	Indicates type of standard - Critical, high use, reference, type one, type two, etc.
Assets	cDescription	100	nvarchar	Description of asset - originally brought forward from the type table
Assets	cPhysicalLocation	50	nvarchar	Physical location at the facility site
Assets	cWeightUOM	50	nvarchar	Unit of measure for weight
Assets	cWeight	50	nvarchar	Weight of asset
Assets	cDimension	50	nvarchar	Dimensions of Asset

Table Name	Column Name	Max Length	Data Type	Description
Assets	cNextMaintType	50	nvarchar	Indicates next type of maintenance due, periodical, preventative, yearly, etc.
Assets	cInterval	50	nvarchar	Interval in which the maintenance is done
Assets	cIntervalUOM	50	nvarchar	Unit of measure for the interval
Assets	nReplacementCost	N/A	numeric	Cost to replace the asset - today
Assets	nItemCost	N/A	numeric	Cost of the item
Assets	tInventoryDate	N/A	datetime	Date the item was inventoried
Assets	tInServiceDate	N/A	datetime	Date item was placed into service
Assets	tStatusDate	N/A	datetime	Date of the last status - ties to cStatus
Assets	tPurchaseDate	N/A	datetime	Date the item was purchased
Assets	tNextMaintDate	N/A	datetime	Date next maintenance is due
Assets	tAssignedGroupDate	N/A	datetime	Date the item was assigned to a group ties to cAssignedGroup
Assets	tWarrantyDate	N/A	datetime	Date the warranty expires
Assets	mWarrantyInfo	-1	nvarchar	Information about the warranty
Assets	mAccuracy	-1	nvarchar	Accuracy information
Assets	mUncertaintyNotes	-1	nvarchar	Uncertainty Notes
Assets	mNotes	-1	nvarchar	Notes about the asset
Assets	lStandard	N/A	int	Indicates if this asset is a standard. Ties to nFacilityUID and nMaintenanceFacUID if the same then it is lab standard
Assets	lRecallMaintenanceType	N/A	int	Indicates if this asset is to be considered for recall (-1), if skipped on recal report value will be (0)
Assets	lInAbeyance	N/A	int	
Assets	nAbeyanceInterval	N/A	int	
Assets	nUseCount	N/A	int	
Assets	nQuantity	N/A	int	Quantity of pieces in asset
Assets	lOnSite	N/A	int	Determines if asset maintenance has to be done on site
Assets	lNonTracked	N/A	int	Indicates if the asset is to be ignored by the system for maintenance
Assets	lActive	N/A	int	If value is -1 record is active in the system
Assets	lDeleted	N/A	int	Indicates if the record has been marked for deletion
Assets	lApproved	N/A	int	Indicates if changes to the record have been approved
Assets	lAdded	N/A	int	Indicates if the record has been added locally
Assets	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
Assets	nAddUserUID	N/A	numeric	UID of the user that added the record
Assets	tAddTime	N/A	datetime	Time the record was added
Assets	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
Assets	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
Assets	tUpdateTime	N/A	datetime	Time the record was last updated
Assets	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
Assets	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the Enterprise server
AssetServices	nAssetServiceUID	N/A	numeric	
AssetServices	nAssetUID	N/A	numeric	
AssetServices	nServiceTypeUID	N/A	numeric	
AssetServices	tMaintDate	N/A	datetime	
AssetServices	tNextMaintDate	N/A	datetime	
AssetServices	cInterval	50	nvarchar	
AssetServices	cIntervalUOM	50	nvarchar	
AssetServices	lActive	N/A	int	
AssetServices	lDeleted	N/A	int	
AssetServices	lApproved	N/A	int	
AssetServices	lAdded	N/A	int	
AssetServices	nAddFacilityUID	N/A	numeric	
AssetServices	nAddUserUID	N/A	numeric	
AssetServices	tAddTime	N/A	datetime	
AssetServices	nUpdateFacilityUID	N/A	numeric	
AssetServices	nUpdateUserUID	N/A	numeric	
AssetServices	tUpdateTime	N/A	datetime	
AssetServices	tMobileTime	N/A	datetime	
AssetServices	tSystemUpdateTime	N/A	datetime	
AuditColumns	AuditColumnID	N/A	uniqueidentifier	
AuditColumns	TableID	N/A	int	
AuditColumns	ColumnID	N/A	int	
AuditColumns	ColumnName	128	nvarchar	
AuditColumns	AuditColumn	N/A	bit	
AuditColumns	CaptureColumn	N/A	bit	
AuditColumns	IsLookup	N/A	bit	
AuditColumns	KeyColumn	N/A	tinyint	
AuditColumns	lActive	N/A	int	
AuditColumns	lDeleted	N/A	int	
AuditColumns	lApproved	N/A	int	
AuditColumns	lAdded	N/A	int	
AuditColumns	nAddFacilityUID	N/A	numeric	
AuditColumns	nAddUserUID	N/A	numeric	
AuditColumns	tAddTime	N/A	datetime	
AuditColumns	nUpdateFacilityUID	N/A	numeric	
AuditColumns	nUpdateUserUID	N/A	numeric	
AuditColumns	tUpdateTime	N/A	datetime	
AuditColumns	tMobileTime	N/A	datetime	
AuditColumns	tSystemUpdateTime	N/A	datetime	
AuditConfig	Name	100	nvarchar	
AuditConfig	Value	2000	nvarchar	
AuditConfig	lActive	N/A	int	
AuditConfig	lDeleted	N/A	int	
AuditConfig	lApproved	N/A	int	
AuditConfig	lAdded	N/A	int	
AuditConfig	nAddFacilityUID	N/A	numeric	
AuditConfig	nAddUserUID	N/A	numeric	
AuditConfig	tAddTime	N/A	datetime	
AuditConfig	nUpdateFacilityUID	N/A	numeric	
AuditConfig	nUpdateUserUID	N/A	numeric	
AuditConfig	tUpdateTime	N/A	datetime	
AuditConfig	tMobileTime	N/A	datetime	
AuditConfig	tSystemUpdateTime	N/A	datetime	
AuditHistory	AuditLogID	N/A	uniqueidentifier	
AuditHistory	Owner	128	nvarchar	
AuditHistory	TableID	N/A	int	
AuditHistory	TableName	128	nvarchar	
AuditHistory	ColumnID	N/A	int	
AuditHistory	ColumnName	128	nvarchar	
AuditHistory	RowKey	512	varchar	
AuditHistory	Status	N/A	tinyint	

Table Name	Column Name	Max Length	Data Type	Description
AuditHistory	OldValue	-1	nvarchar	
AuditHistory	NewValue	-1	nvarchar	
AuditHistory	Event	1	char	
AuditHistory	PostedDateTime	N/A	datetime	
AuditHistory	UserName	128	nvarchar	
AuditHistory	HostName	128	nvarchar	
AuditHistory	ApplicationName	128	nvarchar	
AuditHistory	ValuesText	N/A	int	
AuditHistory	ValuesImage	N/A	int	
AuditHistory	ValuesNText	N/A	int	
AuditHistory	ValuesCapture	N/A	int	
AuditHistory	ValuesLookup	N/A	int	
AuditHistory2	AuditLogID	N/A	uniqueidentifier	
AuditHistory2	Owner	128	nvarchar	
AuditHistory2	TableID	N/A	int	
AuditHistory2	TableName	128	nvarchar	
AuditHistory2	ColumnID	N/A	int	
AuditHistory2	ColumnName	128	nvarchar	
AuditHistory2	RowKey	512	varchar	
AuditHistory2	Status	N/A	tinyint	
AuditHistory2	OldValue	1073741823	ntext	
AuditHistory2	NewValue	1073741823	ntext	
AuditHistory2	Event	1	char	
AuditHistory2	PostedDateTime	N/A	datetime	
AuditHistory2	UserName	128	nvarchar	
AuditHistory2	HostName	128	nvarchar	
AuditHistory2	ApplicationName	128	nvarchar	
AuditHistory2	ValuesText	N/A	int	
AuditHistory2	ValuesImage	N/A	int	
AuditHistory2	ValuesNText	N/A	int	
AuditHistory2	ValuesCapture	N/A	int	
AuditHistory2	ValuesLookup	N/A	int	
AuditLink	nAuditLinkUID	N/A	numeric	
AuditLink	cColumnName	50	nvarchar	
AuditLink	cTableName	50	nvarchar	
AuditLink	cReturnValue	50	nvarchar	
AuditLink	mCustomSelect	-1	nvarchar	
AuditLink	lActive	N/A	int	
AuditLink	lDeleted	N/A	int	
AuditLink	lApproved	N/A	int	
AuditLink	lAdded	N/A	int	
AuditLink	nAddFacilityUID	N/A	numeric	
AuditLink	nAddUserUID	N/A	numeric	
AuditLink	tAddTime	N/A	datetime	
AuditLink	nUpdateFacilityUID	N/A	numeric	
AuditLink	nUpdateUserUID	N/A	numeric	
AuditLink	tUpdateTime	N/A	datetime	
AuditLink	tMobileTime	N/A	datetime	
AuditLink	tSystemUpdateTime	N/A	datetime	
AuditLog	AuditLogID	N/A	uniqueidentifier	
AuditLog	TableID	N/A	int	
AuditLog	RowsAffected	N/A	int	
AuditLog	Event	1	char	
AuditLog	PostedDateTime	N/A	datetime	
AuditLog	UserName	128	nvarchar	
AuditLog	HostName	128	nvarchar	
AuditLog	ApplicationName	128	nvarchar	
AuditLog	Reason	2500	varchar	
AuditLog	lActive	N/A	int	
AuditLog	lDeleted	N/A	int	
AuditLog	lApproved	N/A	int	
AuditLog	lAdded	N/A	int	
AuditLog	nAddFacilityUID	N/A	numeric	
AuditLog	nAddUserUID	N/A	numeric	
AuditLog	tAddTime	N/A	datetime	
AuditLog	nUpdateFacilityUID	N/A	numeric	
AuditLog	nUpdateUserUID	N/A	numeric	
AuditLog	tUpdateTime	N/A	datetime	
AuditLog	tMobileTime	N/A	datetime	
AuditLog	tSystemUpdateTime	N/A	datetime	
AuditLogAutoKeys	TableName	128	char	
AuditLogAutoKeys	KeyValue	N/A	int	
AuditLogAutoKeys	Filler	6000	char	
AuditLogAutoKeys	lActive	N/A	int	
AuditLogAutoKeys	lDeleted	N/A	int	
AuditLogAutoKeys	lApproved	N/A	int	
AuditLogAutoKeys	lAdded	N/A	int	
AuditLogAutoKeys	nAddFacilityUID	N/A	numeric	
AuditLogAutoKeys	nAddUserUID	N/A	numeric	
AuditLogAutoKeys	tAddTime	N/A	datetime	
AuditLogAutoKeys	nUpdateFacilityUID	N/A	numeric	
AuditLogAutoKeys	nUpdateUserUID	N/A	numeric	
AuditLogAutoKeys	tUpdateTime	N/A	datetime	
AuditLogAutoKeys	tMobileTime	N/A	datetime	
AuditLogAutoKeys	tSystemUpdateTime	N/A	datetime	
AuditLogDetail	AuditLogDetailID	N/A	uniqueidentifier	
AuditLogDetail	AuditLogID	N/A	uniqueidentifier	
AuditLogDetail	RowKey	512	varchar	
AuditLogDetail	ColumnID	N/A	int	
AuditLogDetail	Status	N/A	tinyint	
AuditLogDetail	OldValue	-1	nvarchar	
AuditLogDetail	NewValue	-1	nvarchar	
AuditLogDetail	lActive	N/A	int	
AuditLogDetail	lDeleted	N/A	int	
AuditLogDetail	lApproved	N/A	int	
AuditLogDetail	lAdded	N/A	int	
AuditLogDetail	nAddFacilityUID	N/A	numeric	

Table Name	Column Name	Max Length	Data Type	Description
AuditLogDetail	nAddUserID	N/A	numeric	
AuditLogDetail	tAddTime	N/A	datetime	
AuditLogDetail	nUpdateFacilityUID	N/A	numeric	
AuditLogDetail	nUpdateUserID	N/A	numeric	
AuditLogDetail	tUpdateTime	N/A	datetime	
AuditLogDetail	tMobileTime	N/A	datetime	
AuditLogDetail	tSystemUpdateTime	N/A	datetime	
AuditLogImage	AuditLogImageID	N/A	uniqueidentifier	
AuditLogImage	AuditLogID	N/A	uniqueidentifier	
AuditLogImage	RowKey	512	varchar	
AuditLogImage	ColumnID	N/A	int	
AuditLogImage	Value	-1	varbinary	
AuditLogImage	IActive	N/A	int	
AuditLogImage	IDeleted	N/A	int	
AuditLogImage	IApproved	N/A	int	
AuditLogImage	IAdded	N/A	int	
AuditLogImage	nAddFacilityUID	N/A	numeric	
AuditLogImage	nAddUserID	N/A	numeric	
AuditLogImage	tAddTime	N/A	datetime	
AuditLogImage	nUpdateFacilityUID	N/A	numeric	
AuditLogImage	nUpdateUserID	N/A	numeric	
AuditLogImage	tUpdateTime	N/A	datetime	
AuditLogImage	tMobileTime	N/A	datetime	
AuditLogImage	tSystemUpdateTime	N/A	datetime	
AuditLogNText	AuditLogID	N/A	uniqueidentifier	
AuditLogNText	RowKey	512	varchar	
AuditLogNText	ColumnID	N/A	int	
AuditLogNText	Value	1073741823	ntext	
AuditLogNText	IActive	N/A	int	
AuditLogNText	IDeleted	N/A	int	
AuditLogNText	IApproved	N/A	int	
AuditLogNText	IAdded	N/A	int	
AuditLogNText	nAddFacilityUID	N/A	numeric	
AuditLogNText	nAddUserID	N/A	numeric	
AuditLogNText	tAddTime	N/A	datetime	
AuditLogNText	nUpdateFacilityUID	N/A	numeric	
AuditLogNText	nUpdateUserID	N/A	numeric	
AuditLogNText	tUpdateTime	N/A	datetime	
AuditLogNText	tMobileTime	N/A	datetime	
AuditLogNText	tSystemUpdateTime	N/A	datetime	
AuditLogText	AuditLogTextID	N/A	uniqueidentifier	
AuditLogText	AuditLogID	N/A	uniqueidentifier	
AuditLogText	RowKey	512	varchar	
AuditLogText	ColumnID	N/A	int	
AuditLogText	Value	2147483647	text	
AuditLogText	IActive	N/A	int	
AuditLogText	IDeleted	N/A	int	
AuditLogText	IApproved	N/A	int	
AuditLogText	IAdded	N/A	int	
AuditLogText	nAddFacilityUID	N/A	numeric	
AuditLogText	nAddUserID	N/A	numeric	
AuditLogText	tAddTime	N/A	datetime	
AuditLogText	nUpdateFacilityUID	N/A	numeric	
AuditLogText	nUpdateUserID	N/A	numeric	
AuditLogText	tUpdateTime	N/A	datetime	
AuditLogText	tMobileTime	N/A	datetime	
AuditLogText	tSystemUpdateTime	N/A	datetime	
AuditLookups	LookupID	N/A	int	
AuditLookups	RelationshipID	N/A	int	
AuditLookups	ExpressionIsColumn	N/A	bit	
AuditLookups	LookupExpression	1024	nvarchar	
AuditLookups	IActive	N/A	int	
AuditLookups	IDeleted	N/A	int	
AuditLookups	IApproved	N/A	int	
AuditLookups	IAdded	N/A	int	
AuditLookups	nAddFacilityUID	N/A	numeric	
AuditLookups	nAddUserID	N/A	numeric	
AuditLookups	tAddTime	N/A	datetime	
AuditLookups	nUpdateFacilityUID	N/A	numeric	
AuditLookups	nUpdateUserID	N/A	numeric	
AuditLookups	tUpdateTime	N/A	datetime	
AuditLookups	tMobileTime	N/A	datetime	
AuditLookups	tSystemUpdateTime	N/A	datetime	
AuditRelationships	TableID	N/A	int	
AuditRelationships	RelationshipID	N/A	int	
AuditRelationships	TableName	128	nvarchar	
AuditRelationships	JoinExpression	1024	nvarchar	
AuditRelationships	IActive	N/A	int	
AuditRelationships	IDeleted	N/A	int	
AuditRelationships	IApproved	N/A	int	
AuditRelationships	IAdded	N/A	int	
AuditRelationships	nAddFacilityUID	N/A	numeric	
AuditRelationships	nAddUserID	N/A	numeric	
AuditRelationships	tAddTime	N/A	datetime	
AuditRelationships	nUpdateFacilityUID	N/A	numeric	
AuditRelationships	nUpdateUserID	N/A	numeric	
AuditRelationships	tUpdateTime	N/A	datetime	
AuditRelationships	tMobileTime	N/A	datetime	
AuditRelationships	tSystemUpdateTime	N/A	datetime	
AuditTables	TableID	N/A	int	
AuditTables	Owner	128	nvarchar	
AuditTables	TableName	128	nvarchar	
AuditTables	AuditTable	N/A	bit	
AuditTables	AuditInserts	N/A	bit	
AuditTables	AuditUpdates	N/A	bit	
AuditTables	AuditDeletes	N/A	bit	
AuditTables	AuditDeletesAll	N/A	bit	

Table Name	Column Name	Max Length	Data Type	Description
AuditTables	UniqueKeyType	1	char	
AuditTables	UserColumn	128	nvarchar	
AuditTables	IActive	N/A	int	
AuditTables	IDeleted	N/A	int	
AuditTables	IApproved	N/A	int	
AuditTables	IAdded	N/A	int	
AuditTables	nAddFacilityUID	N/A	numeric	
AuditTables	nAddUserUID	N/A	numeric	
AuditTables	tAddTime	N/A	datetime	
AuditTables	nUpdateFacilityUID	N/A	numeric	
AuditTables	nUpdateUserUID	N/A	numeric	
AuditTables	tUpdateTime	N/A	datetime	
AuditTables	tMobileTime	N/A	datetime	
AuditTables	tSystemUpdateTime	N/A	datetime	
AvailableComboData	nAvailableComboDataUID	N/A	numeric	Unique system identifier used by the system
AvailableComboData	cText	50	nvarchar	Text displayed in the combos
AvailableComboData	cItemData	50	nvarchar	(Currently not used)
AvailableComboData	IActive	N/A	int	If value is -1 record is active in the system
AvailableComboData	IDeleted	N/A	int	Indicates if the record has been marked for deletion
AvailableComboData	IApproved	N/A	int	Indicates if changes to the record have been approved
AvailableComboData	IAdded	N/A	int	Indicates if the record has been added locally
AvailableComboData	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
AvailableComboData	nAddUserUID	N/A	numeric	UID of the user that added the record
AvailableComboData	tAddTime	N/A	datetime	Time the record was added
AvailableComboData	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
AvailableComboData	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
AvailableComboData	tUpdateTime	N/A	datetime	Time the record was last updated
AvailableComboData	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
AvailableComboData	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the Enterprise server
Calendar	nCalendarUID	N/A	numeric	Unique record indicator used by the system
Calendar	ITaskComplete	N/A	int	Indicates if the task is done
Calendar	INonWorkday	N/A	int	
Calendar	tTaskDueDate	N/A	datetime	Date the task is due to be completed
Calendar	cTaskSubject	1000	nvarchar	Subject of the task
Calendar	mNotes	-1	nvarchar	Notes about the event.
Calendar	IActive	N/A	int	If value is -1 record is active in the system
Calendar	IDeleted	N/A	int	Indicates if the record has been marked for deletion
Calendar	IApproved	N/A	int	Indicates if changes to the record have been approved
Calendar	IAdded	N/A	int	Indicates if the record has been added locally
Calendar	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
Calendar	nAddUserUID	N/A	numeric	UID of the user that added the record
Calendar	tAddTime	N/A	datetime	Time the record was added
Calendar	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
Calendar	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
Calendar	tUpdateTime	N/A	datetime	
Calendar	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
Calendar	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the Enterprise server
CallSheetAccreditationLink	nCallSheetAccreditationLinkUID	N/A	numeric	Unique system identifier used by the system
CallSheetAccreditationLink	nCallSheetUID	N/A	numeric	Call Sheet accreditation applies to
CallSheetAccreditationLink	nAccreditationUID	N/A	numeric	Accreditation used
CallSheetAccreditationLink	IActive	N/A	int	If value is -1 record is active in the system
CallSheetAccreditationLink	IDeleted	N/A	int	Indicates if the record has been marked for deletion
CallSheetAccreditationLink	IApproved	N/A	int	Indicates if changes to the record have been approved
CallSheetAccreditationLink	IAdded	N/A	int	Indicates if the record has been added locally
CallSheetAccreditationLink	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
CallSheetAccreditationLink	nAddUserUID	N/A	numeric	UID of the user that added the record
CallSheetAccreditationLink	tAddTime	N/A	datetime	Time the record was added
CallSheetAccreditationLink	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
CallSheetAccreditationLink	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
CallSheetAccreditationLink	tUpdateTime	N/A	datetime	Time the record was last updated
CallSheetAccreditationLink	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
CallSheetAccreditationLink	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the Enterprise server
CallSheetAttributes	nCallSheetAttributeUID	N/A	numeric	Unique system identifier used by the system
CallSheetAttributes	nFileUID	N/A	numeric	Indicates the File record related to the accreditation
CallSheetAttributes	cFileType	50	nvarchar	Indicates type of attribute
CallSheetAttributes	cFileName	50	nvarchar	Name of the attribute file
CallSheetAttributes	cFilePath	50	nvarchar	Path to the procedure file (if applicable)
CallSheetAttributes	iFile	-1	varbinary	Actual attribute file
CallSheetAttributes	IActive	N/A	int	If value is -1 record is active in the system
CallSheetAttributes	IDeleted	N/A	int	Indicates if the record has been marked for deletion
CallSheetAttributes	IApproved	N/A	int	Indicates if changes to the record have been approved
CallSheetAttributes	IAdded	N/A	int	Indicates if the record has been added locally
CallSheetAttributes	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
CallSheetAttributes	nAddUserUID	N/A	numeric	UID of the user that added the record
CallSheetAttributes	tAddTime	N/A	datetime	Time the record was added
CallSheetAttributes	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
CallSheetAttributes	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
CallSheetAttributes	tUpdateTime	N/A	datetime	Time the record was last updated
CallSheetAttributes	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
CallSheetAttributes	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the Enterprise server
CallSheetEx	nCallSheetExUID	N/A	numeric	Unique system identifier used by the system
CallSheetEx	nCallSheetUID	N/A	numeric	Indicates callsheet this EX data relates to
CallSheetEx	cField1	50	nvarchar	Character field
CallSheetEx	cField2	50	nvarchar	Character field
CallSheetEx	cField3	50	nvarchar	Character field
CallSheetEx	cField4	50	nvarchar	Character field
CallSheetEx	cField5	50	nvarchar	Character field
CallSheetEx	cField6	50	nvarchar	Character field
CallSheetEx	cField7	50	nvarchar	Character field
CallSheetEx	cField8	50	nvarchar	Character field
CallSheetEx	cField9	50	nvarchar	Character field
CallSheetEx	cField10	50	nvarchar	Character field
CallSheetEx	cField11	50	nvarchar	Character field
CallSheetEx	cField12	50	nvarchar	Character field
CallSheetEx	cField13	50	nvarchar	Character field
CallSheetEx	cField14	50	nvarchar	Character field
CallSheetEx	cField15	50	nvarchar	Character field

Table Name	Column Name	Max Length	Data Type	Description
CallSheetEx	cField16	100	nvarchar	Character field
CallSheetEx	cField17	100	nvarchar	Character field
CallSheetEx	cField18	100	nvarchar	Character field
CallSheetEx	cField19	100	nvarchar	Character field
CallSheetEx	cField20	100	nvarchar	Character field
CallSheetEx	cField21	100	nvarchar	Character field
CallSheetEx	cField22	100	nvarchar	Character field
CallSheetEx	cField23	100	nvarchar	Character field
CallSheetEx	cField24	100	nvarchar	Character field
CallSheetEx	cField25	100	nvarchar	Character field
CallSheetEx	cField26	150	nvarchar	
CallSheetEx	tField1	N/A	datetime	Date field
CallSheetEx	tField2	N/A	datetime	Date field
CallSheetEx	tField3	N/A	datetime	Date field
CallSheetEx	tField4	N/A	datetime	Date field
CallSheetEx	tField5	N/A	datetime	Date field
CallSheetEx	tField6	N/A	datetime	Date field
CallSheetEx	tField7	N/A	datetime	Date field
CallSheetEx	tField8	N/A	datetime	Date field
CallSheetEx	tField9	N/A	datetime	Date field
CallSheetEx	tField10	N/A	datetime	Date field
CallSheetEx	nField1	N/A	numeric	Numeric field
CallSheetEx	nField2	N/A	numeric	Numeric field
CallSheetEx	nField3	N/A	numeric	Numeric field
CallSheetEx	nField4	N/A	numeric	Numeric field
CallSheetEx	nField5	N/A	numeric	Numeric field
CallSheetEx	nField6	N/A	numeric	Numeric field
CallSheetEx	nField7	N/A	numeric	Numeric field
CallSheetEx	nField8	N/A	numeric	Numeric field
CallSheetEx	nField9	N/A	numeric	Numeric field
CallSheetEx	nField10	N/A	numeric	Numeric field
CallSheetEx	nField11	N/A	numeric	
CallSheetEx	nField12	N/A	numeric	
CallSheetEx	nField13	N/A	numeric	
CallSheetEx	nField14	N/A	numeric	
CallSheetEx	nField15	N/A	numeric	
CallSheetEx	nField16	N/A	numeric	
CallSheetEx	nField17	N/A	numeric	
CallSheetEx	nField18	N/A	numeric	
CallSheetEx	nField19	N/A	numeric	
CallSheetEx	nField20	N/A	numeric	
CallSheetEx	nField21	N/A	numeric	
CallSheetEx	nField22	N/A	numeric	
CallSheetEx	nField23	N/A	numeric	
CallSheetEx	nField24	N/A	numeric	
CallSheetEx	nField25	N/A	numeric	
CallSheetEx	nField26	N/A	numeric	
CallSheetEx	nField27	N/A	numeric	
CallSheetEx	nField28	N/A	numeric	
CallSheetEx	nField29	N/A	numeric	
CallSheetEx	nField30	N/A	numeric	
CallSheetEx	nField31	N/A	numeric	
CallSheetEx	nField32	N/A	numeric	
CallSheetEx	nField33	N/A	numeric	
CallSheetEx	nField34	N/A	numeric	
CallSheetEx	nField35	N/A	numeric	
CallSheetEx	lField1	N/A	int	Logical (boolean) field
CallSheetEx	lField2	N/A	int	Logical (boolean) field
CallSheetEx	lField3	N/A	int	Logical (boolean) field
CallSheetEx	lField4	N/A	int	Logical (boolean) field
CallSheetEx	lField5	N/A	int	Logical (boolean) field
CallSheetEx	lField6	N/A	int	Logical (boolean) field
CallSheetEx	lField7	N/A	int	Logical (boolean) field
CallSheetEx	lField8	N/A	int	Logical (boolean) field
CallSheetEx	lField9	N/A	int	Logical (boolean) field
CallSheetEx	lField10	N/A	int	Logical (boolean) field
CallSheetEx	mField1	-1	nvarchar	
CallSheetEx	mField2	-1	nvarchar	
CallSheetEx	mField3	-1	nvarchar	
CallSheetEx	lActive	N/A	int	If value is -1 record is active in the system
CallSheetEx	lDeleted	N/A	int	Indicates if the record has been marked for deletion
CallSheetEx	lApproved	N/A	int	Indicates if changes to the record have been approved
CallSheetEx	lAdded	N/A	int	Indicates if the record has been added locally
CallSheetEx	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
CallSheetEx	nAddUserUID	N/A	numeric	UID of the user that added the record
CallSheetEx	tAddTime	N/A	datetime	Time the record was added
CallSheetEx	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
CallSheetEx	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
CallSheetEx	tUpdateTime	N/A	datetime	Time the record was last updated
CallSheetEx	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
CallSheetEx	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the Enterprise server
CallSheetFiles	nCallSheetFileUID	N/A	numeric	Unique system identifier used by the system
CallSheetFiles	nCallSheetUID	N/A	numeric	Relates to the callsheets table
CallSheetFiles	nFileUID	N/A	numeric	
CallSheetFiles	lPrivate	N/A	int	
CallSheetFiles	lActive	N/A	int	If value is -1 record is active in the system
CallSheetFiles	lDeleted	N/A	int	Indicates if the record has been marked for deletion
CallSheetFiles	lApproved	N/A	int	Indicates if changes to the record have been approved
CallSheetFiles	lAdded	N/A	int	Indicates if the record has been added locally
CallSheetFiles	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
CallSheetFiles	nAddUserUID	N/A	numeric	UID of the user that added the record
CallSheetFiles	tAddTime	N/A	datetime	Time the record was added
CallSheetFiles	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
CallSheetFiles	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
CallSheetFiles	tUpdateTime	N/A	datetime	Time the record was last updated
CallSheetFiles	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
CallSheetFiles	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the Enterprise server

Table Name	Column Name	Max Length	Data Type	Description
CallSheetLog	nCallSheetLogUID	N/A	numeric	Unique system identifier used by the system
CallSheetLog	nCallSheetUID	N/A	numeric	Relates to the callsheets table
CallSheetLog	nUserID	N/A	numeric	Indicates the user adding the log event
CallSheetLog	tDate	N/A	datetime	Date the log was added
CallSheetLog	cStatus	50	nvarchar	Status of the log event
CallSheetLog	cType	50	nvarchar	Type of the event
CallSheetLog	cLocation	50	nvarchar	Location of asset for event
CallSheetLog	mLogNote	-1	nvarchar	Notes on the event
CallSheetLog	lActive	N/A	int	If value is -1 record is active in the system
CallSheetLog	lDeleted	N/A	int	Indicates if the record has been marked for deletion
CallSheetLog	lApproved	N/A	int	Indicates if changes to the record have been approved
CallSheetLog	lAdded	N/A	int	Indicates if the record has been added locally
CallSheetLog	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
CallSheetLog	nAddUserID	N/A	numeric	UID of the user that added the record
CallSheetLog	tAddTime	N/A	datetime	Time the record was added
CallSheetLog	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
CallSheetLog	nUpdateUserID	N/A	numeric	UID of the last user to update the record
CallSheetLog	tUpdateTime	N/A	datetime	Time the record was last updated
CallSheetLog	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
CallSheetLog	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the Enterprise server
CallSheetPartsLink	nCallSheetPartLinkUID	N/A	numeric	Unique system identifier used by the system
CallSheetPartsLink	nCallSheetUID	N/A	numeric	Indicates the call sheet the part was used on
CallSheetPartsLink	nPartUID	N/A	numeric	Indicates the part used
CallSheetPartsLink	nJobNumberUID	N/A	numeric	Indicates the job number this part is to be charged to
CallSheetPartsLink	tUsedDate	N/A	datetime	Date the part was used
CallSheetPartsLink	nQuantity	N/A	int	Quantity of parts used
CallSheetPartsLink	nCost	N/A	numeric	Cost of the parts used
CallSheetPartsLink	lActive	N/A	int	If value is -1 record is active in the system
CallSheetPartsLink	lDeleted	N/A	int	Indicates if the record has been marked for deletion
CallSheetPartsLink	lApproved	N/A	int	Indicates if changes to the record have been approved
CallSheetPartsLink	lAdded	N/A	int	Indicates if the record has been added locally
CallSheetPartsLink	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
CallSheetPartsLink	nAddUserID	N/A	numeric	UID of the user that added the record
CallSheetPartsLink	tAddTime	N/A	datetime	Time the record was added
CallSheetPartsLink	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
CallSheetPartsLink	nUpdateUserID	N/A	numeric	UID of the last user to update the record
CallSheetPartsLink	tUpdateTime	N/A	datetime	Time the record was last updated
CallSheetPartsLink	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
CallSheetPartsLink	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the Enterprise server
CallSheetReadings	nCallSheetReadingUID	N/A	numeric	Unique system identifier used by the system
CallSheetReadings	nCallSheetUID	N/A	numeric	Indicates the CallSheet the readings belong to
CallSheetReadings	nTemplateItemUID	N/A	numeric	Indicates the TemplateItem the reading was created from (if NULL it was a user added reading)
CallSheetReadings	cReadingName	50	nvarchar	Name of the reading, (Not Null)
CallSheetReadings	cStepNumber	50	nvarchar	Step number of the reading
CallSheetReadings	cMinimum	50	nvarchar	The minimum value for reading to be considered in tolerance
CallSheetReadings	cMaximum	50	nvarchar	The maximum value for reading to be considered in tolerance
CallSheetReadings	cNominal	50	nvarchar	The nominal reading value
CallSheetReadings	cAsFound	50	nvarchar	The value measured when the item was first tested
CallSheetReadings	cAsLeft	50	nvarchar	The value measured when the item was finished
CallSheetReadings	ctemNote	100	nvarchar	Area for notes about the measurement, intended to be for the technician
CallSheetReadings	cMeasurementType	10	nvarchar	Type of measurement (Standard, Pass Fail, Variable, Min Only, Max Only)
CallSheetReadings	cMinimumAdj	50	nvarchar	For "Variable" measurement types this contains the value subtracted from cNominal
CallSheetReadings	cMaximumAdj	50	nvarchar	For "Variable" measurement types this contains the value added to Nominal
CallSheetReadings	nOrder	N/A	int	Indicates the order the reading is to be displayed
CallSheetReadings	cFoundInTolerance	50	nvarchar	0 indicates item was out of tolerance when first tested, -1 indicates it was in tolerance
CallSheetReadings	cLeftInTolerance	50	nvarchar	0 indicates item was out of tolerance when finished, -1 indicates it was in tolerance
CallSheetReadings	lFoundSOT	N/A	int	Indicates that the item was found Significantly Out of Tolerance if -1 and 0 if wasn't
CallSheetReadings	lLeftSOT	N/A	int	Indicates that the item was left Significantly Out of Tolerance if -1 and 0 if wasn't
CallSheetReadings	lHeader	N/A	int	Indicates this is a header record and will not contain any measurement data
CallSheetReadings	lActive	N/A	int	If value is -1 record is active in the system
CallSheetReadings	lDeleted	N/A	int	Indicates if the record has been marked for deletion
CallSheetReadings	lApproved	N/A	int	Indicates if changes to the record have been approved
CallSheetReadings	lAdded	N/A	int	Indicates if the record has been added locally
CallSheetReadings	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
CallSheetReadings	nAddUserID	N/A	numeric	UID of the user that added the record
CallSheetReadings	tAddTime	N/A	datetime	Time the record was added
CallSheetReadings	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
CallSheetReadings	nUpdateUserID	N/A	numeric	UID of the last user to update the record
CallSheetReadings	tUpdateTime	N/A	datetime	Time the record was last updated
CallSheetReadings	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
CallSheetReadings	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
CallSheetResultEx	nCallSheetResultExUID	N/A	numeric	
CallSheetResultEx	nCallSheetResultUID	N/A	numeric	
CallSheetResultEx	nField001UnitUID	N/A	numeric	
CallSheetResultEx	nField001FormatUID	N/A	numeric	
CallSheetResultEx	nField002UnitUID	N/A	numeric	
CallSheetResultEx	nField002FormatUID	N/A	numeric	
CallSheetResultEx	nField003UnitUID	N/A	numeric	
CallSheetResultEx	nField003FormatUID	N/A	numeric	
CallSheetResultEx	nField004UnitUID	N/A	numeric	
CallSheetResultEx	nField004FormatUID	N/A	numeric	
CallSheetResultEx	nField005UnitUID	N/A	numeric	
CallSheetResultEx	nField005FormatUID	N/A	numeric	
CallSheetResultEx	nField006UnitUID	N/A	numeric	
CallSheetResultEx	nField006FormatUID	N/A	numeric	
CallSheetResultEx	nField007UnitUID	N/A	numeric	
CallSheetResultEx	nField007FormatUID	N/A	numeric	
CallSheetResultEx	nField008UnitUID	N/A	numeric	
CallSheetResultEx	nField008FormatUID	N/A	numeric	
CallSheetResultEx	nField009UnitUID	N/A	numeric	
CallSheetResultEx	nField009FormatUID	N/A	numeric	
CallSheetResultEx	nField010UnitUID	N/A	numeric	
CallSheetResultEx	nField010FormatUID	N/A	numeric	
CallSheetResultEx	nField011UnitUID	N/A	numeric	
CallSheetResultEx	nField011FormatUID	N/A	numeric	
CallSheetResultEx	nField012UnitUID	N/A	numeric	
CallSheetResultEx	nField012FormatUID	N/A	numeric	



Table Name	Column Name	Max Length	Data Type	Description
CallSheetResultEx	cField032	255	nvarchar	
CallSheetResultEx	cField033	255	nvarchar	
CallSheetResultEx	cField034	255	nvarchar	
CallSheetResultEx	cField035	255	nvarchar	
CallSheetResultEx	cField036	255	nvarchar	
CallSheetResultEx	cField037	255	nvarchar	
CallSheetResultEx	cField038	255	nvarchar	
CallSheetResultEx	cField039	255	nvarchar	
CallSheetResultEx	cField040	255	nvarchar	
CallSheetResultEx	cField041	255	nvarchar	
CallSheetResultEx	cField042	255	nvarchar	
CallSheetResultEx	cField043	255	nvarchar	
CallSheetResultEx	cField044	255	nvarchar	
CallSheetResultEx	cField045	255	nvarchar	
CallSheetResultEx	cField046	255	nvarchar	
CallSheetResultEx	cField047	255	nvarchar	
CallSheetResultEx	cField048	255	nvarchar	
CallSheetResultEx	cField049	255	nvarchar	
CallSheetResultEx	cField050	255	nvarchar	
CallSheetResultEx	fField001	N/A	int	
CallSheetResultEx	fField002	N/A	int	
CallSheetResultEx	fField003	N/A	int	
CallSheetResultEx	fField004	N/A	int	
CallSheetResultEx	fField005	N/A	int	
CallSheetResultEx	tField001	N/A	datetime	
CallSheetResultEx	tField002	N/A	datetime	
CallSheetResultEx	tField003	N/A	datetime	
CallSheetResultEx	tField004	N/A	datetime	
CallSheetResultEx	tField005	N/A	datetime	
CallSheetResultEx	mField001	-1	nvarchar	
CallSheetResultEx	mField002	-1	nvarchar	
CallSheetResultEx	mField003	-1	nvarchar	
CallSheetResultEx	lActive	N/A	int	
CallSheetResultEx	lDeleted	N/A	int	
CallSheetResultEx	lApproved	N/A	int	
CallSheetResultEx	lAdded	N/A	int	
CallSheetResultEx	nAddFacilityUID	N/A	numeric	
CallSheetResultEx	nAddUserUID	N/A	numeric	
CallSheetResultEx	tAddTime	N/A	datetime	
CallSheetResultEx	nUpdateFacilityUID	N/A	numeric	
CallSheetResultEx	nUpdateUserUID	N/A	numeric	
CallSheetResultEx	tUpdateTime	N/A	datetime	
CallSheetResultEx	tMobileTime	N/A	datetime	
CallSheetResultEx	tSystemUpdateTime	N/A	datetime	
CallSheetResults	nCallSheetResultUID	N/A	numeric	
CallSheetResults	nCallSheetUID	N/A	numeric	
CallSheetResults	nProcedureUID	N/A	numeric	
CallSheetResults	nTechnicianUID	N/A	numeric	
CallSheetResults	nRunAtFacilityUID	N/A	numeric	
CallSheetResults	nCallSheetResultOrdinal	N/A	numeric	
CallSheetResults	cWorkstationName	50	nvarchar	
CallSheetResults	cDescription	300	nvarchar	
CallSheetResults	cStatus	50	nvarchar	
CallSheetResults	cDataOrigin	50	nvarchar	
CallSheetResults	mNotes	-1	nvarchar	
CallSheetResults	lActive	N/A	int	
CallSheetResults	lDeleted	N/A	int	
CallSheetResults	lApproved	N/A	int	
CallSheetResults	lAdded	N/A	int	
CallSheetResults	nAddFacilityUID	N/A	numeric	
CallSheetResults	nAddUserUID	N/A	numeric	
CallSheetResults	tAddTime	N/A	datetime	
CallSheetResults	nUpdateFacilityUID	N/A	numeric	
CallSheetResults	nUpdateUserUID	N/A	numeric	
CallSheetResults	tUpdateTime	N/A	datetime	
CallSheetResults	tMobileTime	N/A	datetime	
CallSheetResults	tSystemUpdateTime	N/A	datetime	
CallSheets	nCallSheetUID	N/A	numeric	Unique system identifier used by the system
CallSheets	nGroupUID	N/A	numeric	The number used to group items together during the returning process
CallSheets	nAssetUID	N/A	numeric	Indicates the Asset the maintenance is for
CallSheets	nTypeUID	N/A	numeric	
CallSheets	nFacilityUID	N/A	numeric	Indicates the Current Owner of the Asset
CallSheets	nDepartmentUID	N/A	numeric	Indicates the Current department responsible for the Asset
CallSheets	nWorkingFacilityUID	N/A	numeric	Indicates the Facility actually doing the work
CallSheets	nOwningLabUID	N/A	numeric	
CallSheets	nCategoryUID	N/A	numeric	Indicates the category of the maintenance
CallSheets	nSubCategoryUID	N/A	numeric	Indicates the sub category of the maintenance
CallSheets	nProcedureUID	N/A	numeric	Indicates the procedure being used to perform the maintenance
CallSheets	nTypeProcedureDefaultUID	N/A	numeric	Indicates the Link record for interval and procedure
CallSheets	nAssignedTechUID	N/A	numeric	Indicates the Technician assigned from the users table
CallSheets	nTechnicianUID	N/A	numeric	Indicates the Technician that performed the maintenance
CallSheets	nQCApprovedByUID	N/A	numeric	Indicates the person Qcing the record
CallSheets	nReturnedByUID	N/A	numeric	Indicates the person who returne the asset to the owner
CallSheets	nSubContractorUID	N/A	numeric	Indicates the subcontractor used - if needed
CallSheets	nJobNumberUID	N/A	numeric	Indicates the job number charged for the maintenance
CallSheets	nCalendarUID	N/A	numeric	Indicated the calendar event for followup
CallSheets	nInvoiceUID	N/A	numeric	Indicates the invoice used for the Call Sheet
CallSheets	nCallSheetAttributeUID	N/A	numeric	Unique system identifier used by the system
CallSheets	nSubContHours	N/A	numeric	Hours used by the subcontractor
CallSheets	nSubContCost	N/A	numeric	Cost associated with using the subcontractor
CallSheets	nSubContLabCost	N/A	numeric	
CallSheets	nCost	N/A	numeric	other costs for maintenance
CallSheets	nAllocated	N/A	numeric	Amount of allocated labor
CallSheets	nAllocatedParts	N/A	numeric	Dollar amount of allocated parts
CallSheets	cContactInfo	50	nvarchar	Information stored for contacting someone with questions
CallSheets	cInitialCondition	50	nvarchar	The Initial Condition of the Asset
CallSheets	cServiceReason	50	nvarchar	The Reason for Service of the Asset

Table Name	Column Name	Max Length	Data Type	Description
CallSheets	cCallSheetType	50	nvarchar	Call Sheet Type
CallSheets	cStickerType	50	nvarchar	Sticker Type --ties to notes
CallSheets	cCallSheetStatus	50	nvarchar	Status of the maintenance
CallSheets	cCallSheetNumber	50	nvarchar	Incrementing number for this call sheet
CallSheets	cCertificationNumber	50	nvarchar	Cert number for maintenance
CallSheets	cInterval	50	nvarchar	Interval of maintenance
CallSheets	cIntervalUOM	50	nvarchar	Unit of measure for the interval
CallSheets	cTemperature	50	nvarchar	Temperature recorded during maintenance
CallSheets	cTemperatureUOM	50	nvarchar	
CallSheets	cHumidity	50	nvarchar	Humidity recorded during maintenance
CallSheets	cHumidityUOM	50	nvarchar	
CallSheets	cPressure	50	nvarchar	Pressure recorded during maintenance
CallSheets	cPressureUOM	50	nvarchar	
CallSheets	cLocation	50	nvarchar	Indicates who entered the record - system number controlled
CallSheets	cArea	50	nvarchar	The area of the lab scheduled to perform work
CallSheets	cCertFormat	50	nvarchar	Custom Cert format if any
CallSheets	cWorkOrderResults	50	nvarchar	
CallSheets	tOpenDate	N/A	datetime	Date the work began
CallSheets	tRequiredDate	N/A	datetime	Date customer needs it done
CallSheets	tDelayDate	N/A	datetime	Date it has been delayed to
CallSheets	tMaintDate	N/A	datetime	Date maintenance was actually done
CallSheets	tMaintNextDate	N/A	datetime	Date next maintenance is due
CallSheets	tQCApprovedDate	N/A	datetime	Date the QC approved the maintenance
CallSheets	tClosedDate	N/A	datetime	Date the maintenance was concluded
CallSheets	tReturnedDate	N/A	datetime	Date the asset was returned to the customer
CallSheets	nQuantity	N/A	int	The quantity of pieces received
CallSheets	nPriority	N/A	int	Indicates priority of Item
CallSheets	nTechnicianPriority	N/A	int	Indicates Priority for Technician
CallSheets	lExpedite	N/A	int	Indicates if customer needs this event expedited
CallSheets	lISOcert	N/A	int	Determines whether cal is performed onsite
CallSheets	lOnSite	N/A	int	Indicates if the maintenance must be performed onsite
CallSheets	lReturnNoMaint	N/A	int	Indicates if the asset has been returned without any maintenance
CallSheets	lSubContracted	N/A	int	Indicates if the maintenance has been subcontracted
CallSheets	lOOT	N/A	int	Indicates if the asset was Out Of Tolerance
CallSheets	lClosed	N/A	int	Indicates if the call sheet has been closed
CallSheets	lDelayed	N/A	int	Indicates if the call sheet has been delayed
CallSheets	lCancelled	N/A	int	Indicates if the call sheet has been cancelled
CallSheets	mCallSheetNotes	-1	nvarchar	Call sheet notes
CallSheets	mAccuracyNotes	-1	nvarchar	Notes about the accuracy
CallSheets	mUncertaintyNotes	-1	nvarchar	Notes about the Uncertainty
CallSheets	mSubContractorNotes	-1	nvarchar	Notes about the Subcontractor
CallSheets	mOOTNotes	-1	nvarchar	Notes for Out of Tolerance
CallSheets	mStickerNotes	-1	nvarchar	Notes for sticker
CallSheets	lActive	N/A	int	If value is -1 record is active in the system
CallSheets	lDeleted	N/A	int	Indicates if the record has been marked for deletion
CallSheets	lApproved	N/A	int	Indicates if changes to the record have been approved
CallSheets	lAdded	N/A	int	Indicates if the record has been added locally
CallSheets	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
CallSheets	nAddUserUID	N/A	numeric	UID of the user that added the record
CallSheets	tAddTime	N/A	datetime	Time the record was added
CallSheets	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
CallSheets	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
CallSheets	tUpdateTime	N/A	datetime	Time the record was last updated
CallSheets	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
CallSheets	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
CallSheetStandardLink	nCallSheetStandardLinkUID	N/A	numeric	Unique system identifier used by the system
CallSheetStandardLink	nCallSheetUID	N/A	numeric	Links to the call sheet
CallSheetStandardLink	nAssetUID	N/A	numeric	Links to the standard used on the call sheet
CallSheetStandardLink	tMaintDate	N/A	datetime	Last maintenance date of the standard
CallSheetStandardLink	tMaintNextDate	N/A	datetime	Next maintenance date of the standard
CallSheetStandardLink	nLastStandardCallSheetUID	N/A	numeric	Last call sheet number of the standard (calibration type of service)
CallSheetStandardLink	lActive	N/A	int	If value is -1 record is active in the system
CallSheetStandardLink	lDeleted	N/A	int	Indicates if the record has been marked for deletion
CallSheetStandardLink	lApproved	N/A	int	Indicates if changes to the record have been approved
CallSheetStandardLink	lAdded	N/A	int	Indicates if the record has been added locally
CallSheetStandardLink	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
CallSheetStandardLink	nAddUserUID	N/A	numeric	UID of the user that added the record
CallSheetStandardLink	tAddTime	N/A	datetime	Time the record was added
CallSheetStandardLink	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
CallSheetStandardLink	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
CallSheetStandardLink	tUpdateTime	N/A	datetime	Time the record was last updated
CallSheetStandardLink	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
CallSheetStandardLink	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
Category	nCategoryUID	N/A	numeric	Unique system identifier used by the system
Category	cDescription	80	nvarchar	Description of the category
Category	cCode	10	nvarchar	Code associated with the category
Category	cType	20	nvarchar	Type of category (used as filter by the system)
Category	nNumber	N/A	numeric	Order that is used by the system for order of display
Category	lActive	N/A	int	If value is -1 record is active in the system
Category	lDeleted	N/A	int	Indicates if the record has been marked for deletion
Category	lApproved	N/A	int	Indicates if changes to the record have been approved
Category	lAdded	N/A	int	Indicates if the record has been added locally
Category	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
Category	nAddUserUID	N/A	numeric	UID of the user that added the record
Category	tAddTime	N/A	datetime	Time the record was added
Category	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
Category	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
Category	tUpdateTime	N/A	datetime	Time the record was last updated
Category	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
Category	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
ComboData	nComboDataUID	N/A	numeric	Unique system identifier used by the system
ComboData	nAvailableComboDataUID	N/A	numeric	Identifies the AvailableComboData record used
ComboData	nFacilityUID	N/A	numeric	Identifies the Facility record used
ComboData	cAuthority	50	nvarchar	Indicates the Authority the combo data applies to.
ComboData	cModel	50	nvarchar	
ComboData	cField	100	nvarchar	
ComboData	nOrder	N/A	int	Order this record is placed in the list

Table Name	Column Name	Max Length	Data Type	Description
ComboData	lActive	N/A	int	If value is -1 record is active in the system
ComboData	lDeleted	N/A	int	Indicates if the record has been marked for deletion
ComboData	lApproved	N/A	int	Indicates if changes to the record have been approved
ComboData	lAdded	N/A	int	Indicates if the record has been added locally
ComboData	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
ComboData	nAddUserUID	N/A	numeric	UID of the user that added the record
ComboData	tAddTime	N/A	datetime	Time the record was added
ComboData	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
ComboData	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
ComboData	tUpdateTime	N/A	datetime	Time the record was last updated
ComboData	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
ComboData	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
ComboDataLink	nLinkUID	N/A	numeric	
ComboDataLink	cModel	50	nvarchar	
ComboDataLink	cField	100	nvarchar	
ComboDataLink	cLinkModel	50	nvarchar	
ComboDataLink	cLinkField	100	nvarchar	
ComboDataLink	lActive	N/A	int	
ComboDataLink	lDeleted	N/A	int	
ComboDataLink	lApproved	N/A	int	
ComboDataLink	lAdded	N/A	int	
ComboDataLink	nAddFacilityUID	N/A	numeric	
ComboDataLink	nAddUserUID	N/A	numeric	
ComboDataLink	tAddTime	N/A	datetime	
ComboDataLink	nUpdateFacilityUID	N/A	numeric	
ComboDataLink	nUpdateUserUID	N/A	numeric	
ComboDataLink	tUpdateTime	N/A	datetime	
ComboDataLink	tMobileTime	N/A	datetime	
ComboDataLink	tSystemUpdateTime	N/A	datetime	
Components	nComponentUID	N/A	numeric	Unique system identifier used by the system
Components	nAssetUID	N/A	numeric	Links to the Asset Table
Components	nCategoryUID	N/A	numeric	Links to the category table
Components	nSubCategoryUID	N/A	numeric	Links to the sub category table
Components	cSerialNumber	50	nvarchar	Serial number of the component
Components	cManufacturer	50	nvarchar	Manufacturer of the component
Components	cModelNumber	50	nvarchar	Model number of the component
Components	tManufacturerDate	N/A	datetime	Manufacturer date of the component
Components	tInstallDate	N/A	datetime	Date the component was installed in the Parent asset
Components	tWarrantyDate	N/A	datetime	Expiration date of the warranty
Components	mWarrantyInfo	-1	nvarchar	Information about the warranty
Components	mNotes	-1	nvarchar	Notes about the component
Components	lActive	N/A	int	If value is -1 record is active in the system
Components	lDeleted	N/A	int	Indicates if the record has been marked for deletion
Components	lApproved	N/A	int	Indicates if changes to the record have been approved
Components	lAdded	N/A	int	Indicates if the record has been added locally
Components	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
Components	nAddUserUID	N/A	numeric	UID of the user that added the record
Components	tAddTime	N/A	datetime	Time the record was added
Components	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
Components	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
Components	tUpdateTime	N/A	datetime	Time the record was last updated
Components	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
Components	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
Contacts	nContactUID	N/A	numeric	Unique system identifier used by the system
Contacts	nManagerUID	N/A	numeric	
Contacts	nUserUID	N/A	numeric	
Contacts	cFirstName	50	nvarchar	Firstname of the contact
Contacts	cMiddleName	50	nvarchar	Middlename of the contact
Contacts	cLastName	50	nvarchar	Lastname of the contact
Contacts	cSuffix	50	nvarchar	Suffix of the contact
Contacts	cDescription	50	nvarchar	Description of the contact
Contacts	cType	50	nvarchar	Type of Contact stored.
Contacts	cPhone1	50	nvarchar	Primary phone number
Contacts	cPhone2	50	nvarchar	Secondary phone number
Contacts	cExtension	50	nvarchar	Phone extension
Contacts	cFax	50	nvarchar	Primary Fax
Contacts	mNotes	-1	nvarchar	Notes about the contact
Contacts	cEmail1	100	nvarchar	Primary email address
Contacts	cEmail2	100	nvarchar	Secondary email address
Contacts	cCellPhone	50	nvarchar	Cell phone number
Contacts	lActive	N/A	int	If value is -1 record is active in the system
Contacts	lDeleted	N/A	int	Indicates if the record has been marked for deletion
Contacts	lApproved	N/A	int	Indicates if changes to the record have been approved
Contacts	lAdded	N/A	int	Indicates if the record has been added locally
Contacts	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
Contacts	nAddUserUID	N/A	numeric	UID of the user that added the record
Contacts	tAddTime	N/A	datetime	Time the record was added
Contacts	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
Contacts	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
Contacts	tUpdateTime	N/A	datetime	Time the record was last updated
Contacts	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
Contacts	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
Context	nContextUID	N/A	numeric	Unique system identifier used by the system
Context	cContext	50	nvarchar	Name of context
Context	cMode	50	nvarchar	Mode context applies to
Context	lActive	N/A	int	If value is -1 record is active in the system
Context	lDeleted	N/A	int	Indicates if the record has been marked for deletion
Context	lApproved	N/A	int	Indicates if changes to the record have been approved
Context	lAdded	N/A	int	Indicates if the record has been added locally
Context	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
Context	nAddUserUID	N/A	numeric	UID of the user that added the record
Context	tAddTime	N/A	datetime	Time the record was added
Context	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
Context	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
Context	tUpdateTime	N/A	datetime	Time the record was last updated
Context	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
Context	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse

Table Name	Column Name	Max Length	Data Type	Description
ContextElementLink	nContextElementLinkUID	N/A	numeric	Unique system identifier used by the system
ContextElementLink	nContextUID	N/A	numeric	Indicates the related context record
ContextElementLink	nContextElementUID	N/A	numeric	Indicates the related context element record
ContextElementLink	cOperator	50	nvarchar	Indicates the type of join
ContextElementLink	nOrder	N/A	int	Order the system will display the elements
ContextElementLink	lHidden	N/A	int	Indicates that the field is hidden
ContextElementLink	nActivation	N/A	int	Indicates the activation parameter
ContextElementLink	lDefault	N/A	int	Indicates if it is a default element
ContextElementLink	lActive	N/A	int	If value is -1 record is active in the system
ContextElementLink	lDeleted	N/A	int	Indicates if the record has been marked for deletion
ContextElementLink	lApproved	N/A	int	Indicates if changes to the record have been approved
ContextElementLink	lAdded	N/A	int	Indicates if the record has been added locally
ContextElementLink	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
ContextElementLink	nAddUserUID	N/A	numeric	UID of the user that added the record
ContextElementLink	tAddTime	N/A	datetime	Time the record was added
ContextElementLink	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
ContextElementLink	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
ContextElementLink	tUpdateTime	N/A	datetime	Time the record was last updated
ContextElementLink	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
ContextElementLink	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
ContextElements	nContextElementUID	N/A	numeric	Unique system identifier used by the system
ContextElements	nUCIDataUID	N/A	numeric	
ContextElements	cProperty	50	nvarchar	Property name
ContextElements	cValue	-1	nvarchar	Data that is acted on depending on nAction data
ContextElements	cDefaultLabel	50	nvarchar	Standard Label
ContextElements	nWidth	N/A	int	Width of the field
ContextElements	cForm	50	nvarchar	Name of form
ContextElements	cControl	50	nvarchar	Name of control on the form
ContextElements	cFormat	50	nvarchar	Format of the column
ContextElements	nStyle	N/A	int	Style of the element
ContextElements	nTextAlign	N/A	int	Formats text alignment
ContextElements	lActive	N/A	int	If value is -1 record is active in the system
ContextElements	lDeleted	N/A	int	Indicates if the record has been marked for deletion
ContextElements	lApproved	N/A	int	Indicates if changes to the record have been approved
ContextElements	lAdded	N/A	int	Indicates if the record has been added locally
ContextElements	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
ContextElements	nAddUserUID	N/A	numeric	UID of the user that added the record
ContextElements	tAddTime	N/A	datetime	Time the record was added
ContextElements	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
ContextElements	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
ContextElements	tUpdateTime	N/A	datetime	Time the record was last updated
ContextElements	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
ContextElements	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
CustomerAssets	nCustomerAssetUID	N/A	numeric	
CustomerAssets	nCustomerFacilityUID	N/A	numeric	
CustomerAssets	tSystemUpdateTime	N/A	datetime	
CustomerAssets	nMaintenanceFacUID	N/A	numeric	
CustomerAssets	cBarcode	100	nvarchar	
CustomerAssets	cID	100	nvarchar	
CustomerAssets	cManufacturer	50	nvarchar	
CustomerAssets	cSerialNumber	50	nvarchar	
CustomerAssets	cModelNumber	50	nvarchar	
CustomerAssets	cPartNumber	50	nvarchar	
CustomerAssets	cStockNumber	50	nvarchar	
CustomerAssets	cStatus	50	nvarchar	
CustomerAssets	cDisposition	50	nvarchar	
CustomerAssets	cFamily	50	nvarchar	
CustomerAssets	cStandardType	50	nvarchar	
CustomerAssets	cDescription	100	nvarchar	
CustomerAssets	cDepartment	50	nvarchar	
CustomerAssets	cPhysicalLocation	50	nvarchar	
CustomerAssets	cNextMaintType	50	nvarchar	
CustomerAssets	cInterval	50	nvarchar	
CustomerAssets	cIntervalUOM	50	nvarchar	
CustomerAssets	tStatusDate	N/A	datetime	
CustomerAssets	tPurchaseDate	N/A	datetime	
CustomerAssets	tNextMaintDate	N/A	datetime	
CustomerAssets	tWarrantyDate	N/A	datetime	
CustomerAssets	mNotes	2500	nvarchar	
CustomerAssets	lOnSite	N/A	int	
CustomerAssets	lNonTracked	N/A	int	
CustomerAssets	lActive	N/A	int	
CustomerAssets	lDeleted	N/A	int	
CustomerAssets	lApproved	N/A	int	
CustomerAssets	lAdded	N/A	int	
CustomerAssets	lStandard	N/A	int	
CustomerAssets	nAddFacilityUID	N/A	numeric	
CustomerAssets	nAddUserUID	N/A	numeric	
CustomerAssets	tAddTime	N/A	datetime	
CustomerAssets	nUpdateFacilityUID	N/A	numeric	
CustomerAssets	nUpdateUserUID	N/A	numeric	
CustomerAssets	tUpdateTime	N/A	datetime	
CustomerAssets	tMobileTime	N/A	datetime	
CustomerCallSheetReadings	nCustomerCallSheetReadingUID	N/A	numeric	
CustomerCallSheetReadings	nCallSheetUID	N/A	numeric	
CustomerCallSheetReadings	nTemplateItemUID	N/A	numeric	
CustomerCallSheetReadings	cReadingName	50	nvarchar	
CustomerCallSheetReadings	cStepNumber	50	nvarchar	
CustomerCallSheetReadings	cMinimum	50	nvarchar	
CustomerCallSheetReadings	cMaximum	50	nvarchar	
CustomerCallSheetReadings	cNominal	50	nvarchar	
CustomerCallSheetReadings	cAsFound	50	nvarchar	
CustomerCallSheetReadings	cAsLeft	50	nvarchar	
CustomerCallSheetReadings	clttnote	100	nvarchar	
CustomerCallSheetReadings	nOrder	N/A	int	
CustomerCallSheetReadings	lFoundInTolerance	N/A	int	
CustomerCallSheetReadings	lLeftInTolerance	N/A	int	

Table Name	Column Name	Max Length	Data Type	Description
CustomerCallSheetReadings	lFoundSOT	N/A	int	
CustomerCallSheetReadings	lLeftSOT	N/A	int	
CustomerCallSheetReadings	lActive	N/A	int	
CustomerCallSheetReadings	lDeleted	N/A	int	
CustomerCallSheetReadings	lApproved	N/A	int	
CustomerCallSheetReadings	lAdded	N/A	int	
CustomerCallSheetReadings	nAddFacilityUID	N/A	numeric	
CustomerCallSheetReadings	nAddUserUID	N/A	numeric	
CustomerCallSheetReadings	tAddTime	N/A	datetime	
CustomerCallSheetReadings	nUpdateFacilityUID	N/A	numeric	
CustomerCallSheetReadings	nUpdateUserUID	N/A	numeric	
CustomerCallSheetReadings	tUpdateTime	N/A	datetime	
CustomerCallSheetReadings	tMobileTime	N/A	datetime	
CustomerCallSheetReadings	tSystemUpdateTime	N/A	datetime	
CustomerCallSheets	nCustomerCallSheetUID	N/A	numeric	
CustomerCallSheets	nCustomerAssetUID	N/A	numeric	
CustomerCallSheets	nCustomerFacilityUID	N/A	numeric	
CustomerCallSheets	cTechnicianName	50	nvarchar	
CustomerCallSheets	cQualityManager	50	nvarchar	
CustomerCallSheets	cProcedure	50	nvarchar	
CustomerCallSheets	cContactInfo	50	nvarchar	
CustomerCallSheets	clInitialCondition	50	nvarchar	
CustomerCallSheets	cServiceReason	50	nvarchar	
CustomerCallSheets	cCallSheetType	50	nvarchar	
CustomerCallSheets	cStickerType	50	nvarchar	
CustomerCallSheets	cCallSheetStatus	50	nvarchar	
CustomerCallSheets	cCallSheetNumber	50	nvarchar	
CustomerCallSheets	cCertificationNumber	50	nvarchar	
CustomerCallSheets	cInterval	50	nvarchar	
CustomerCallSheets	cIntervalUOM	50	nvarchar	
CustomerCallSheets	cTemperature	50	nvarchar	
CustomerCallSheets	cHumidity	50	nvarchar	
CustomerCallSheets	cPressure	50	nvarchar	
CustomerCallSheets	cLocation	50	nvarchar	
CustomerCallSheets	tOpenDate	N/A	datetime	
CustomerCallSheets	tRequiredDate	N/A	datetime	
CustomerCallSheets	tDelayDate	N/A	datetime	
CustomerCallSheets	tMaintDate	N/A	datetime	
CustomerCallSheets	tMaintNextDate	N/A	datetime	
CustomerCallSheets	tClosedDate	N/A	datetime	
CustomerCallSheets	nQuantity	N/A	int	
CustomerCallSheets	lOnSite	N/A	int	
CustomerCallSheets	lSubContracted	N/A	int	
CustomerCallSheets	lReturnNoMaint	N/A	int	
CustomerCallSheets	lOOT	N/A	int	
CustomerCallSheets	lClosed	N/A	int	
CustomerCallSheets	mCallSheetNotes	2500	nvarchar	
CustomerCallSheets	mOOTNotes	2500	nvarchar	
CustomerCallSheets	lActive	N/A	int	
CustomerCallSheets	lDeleted	N/A	int	
CustomerCallSheets	lApproved	N/A	int	
CustomerCallSheets	lAdded	N/A	int	
CustomerCallSheets	nAddFacilityUID	N/A	numeric	
CustomerCallSheets	nAddUserUID	N/A	numeric	
CustomerCallSheets	tAddTime	N/A	datetime	
CustomerCallSheets	nUpdateFacilityUID	N/A	numeric	
CustomerCallSheets	nUpdateUserUID	N/A	numeric	
CustomerCallSheets	tUpdateTime	N/A	datetime	
CustomerCallSheets	tMobileTime	N/A	datetime	
CustomerCallSheets	tSystemUpdateTime	N/A	datetime	
CustomerCallSheetStandardLink	nCustomerCallSheetStandardLinkUID	N/A	numeric	
CustomerCallSheetStandardLink	nCallSheetUID	N/A	numeric	
CustomerCallSheetStandardLink	nAssetUID	N/A	numeric	
CustomerCallSheetStandardLink	tMaintDate	N/A	datetime	
CustomerCallSheetStandardLink	tMaintNextDate	N/A	datetime	
CustomerCallSheetStandardLink	nLastStandardCallSheetUID	N/A	numeric	
CustomerCallSheetStandardLink	lActive	N/A	int	
CustomerCallSheetStandardLink	lDeleted	N/A	int	
CustomerCallSheetStandardLink	lApproved	N/A	int	
CustomerCallSheetStandardLink	lAdded	N/A	int	
CustomerCallSheetStandardLink	nAddFacilityUID	N/A	numeric	
CustomerCallSheetStandardLink	nAddUserUID	N/A	numeric	
CustomerCallSheetStandardLink	tAddTime	N/A	datetime	
CustomerCallSheetStandardLink	nUpdateFacilityUID	N/A	numeric	
CustomerCallSheetStandardLink	nUpdateUserUID	N/A	numeric	
CustomerCallSheetStandardLink	tUpdateTime	N/A	datetime	
CustomerCallSheetStandardLink	tMobileTime	N/A	datetime	
CustomerCallSheetStandardLink	tSystemUpdateTime	N/A	datetime	
CustomerCallSheetStandards	nCustomerCallSheetStandardsUID	N/A	numeric	
CustomerCallSheetStandards	nCustomerCallSheetUID	N/A	numeric	
CustomerCallSheetStandards	clD	50	nvarchar	
CustomerCallSheetStandards	tMaintDate	N/A	datetime	
CustomerCallSheetStandards	tMaintNextDate	N/A	datetime	
CustomerCallSheetStandards	lActive	N/A	int	
CustomerCallSheetStandards	lDeleted	N/A	int	
CustomerCallSheetStandards	lApproved	N/A	int	
CustomerCallSheetStandards	lAdded	N/A	int	
CustomerCallSheetStandards	nAddFacilityUID	N/A	numeric	
CustomerCallSheetStandards	nAddUserUID	N/A	numeric	
CustomerCallSheetStandards	tAddTime	N/A	datetime	
CustomerCallSheetStandards	nUpdateFacilityUID	N/A	numeric	
CustomerCallSheetStandards	nUpdateUserUID	N/A	numeric	
CustomerCallSheetStandards	tUpdateTime	N/A	datetime	
CustomerCallSheetStandards	tMobileTime	N/A	datetime	
CustomerCallSheetStandards	tSystemUpdateTime	N/A	datetime	
CustomerFacilities	nCustomerFacilityUID	N/A	numeric	
CustomerFacilities	cFacilityName	100	nvarchar	

Table Name	Column Name	Max Length	Data Type	Description
CustomerFacilities	cFacilityType	50	nvarchar	
CustomerFacilities	cFacilityNumber	50	nvarchar	
CustomerFacilities	iManufacturer	N/A	int	
CustomerFacilities	iSubContractor	N/A	int	
CustomerFacilities	iLab	N/A	int	
CustomerFacilities	mNotes	2500	nvarchar	
CustomerFacilities	iActive	N/A	int	
CustomerFacilities	iDeleted	N/A	int	
CustomerFacilities	iApproved	N/A	int	
CustomerFacilities	iAdded	N/A	int	
CustomerFacilities	nAddFacilityUID	N/A	numeric	
CustomerFacilities	nAddUserUID	N/A	numeric	
CustomerFacilities	tAddTime	N/A	datetime	
CustomerFacilities	nUpdateFacilityUID	N/A	numeric	
CustomerFacilities	nUpdateUserUID	N/A	numeric	
CustomerFacilities	tUpdateTime	N/A	datetime	
CustomerFacilities	tMobileTime	N/A	datetime	
CustomerFacilities	tSystemUpdateTime	N/A	datetime	
CustomerParts	nCustomerPartUID	N/A	numeric	
CustomerParts	nCustomerCallsheetUID	N/A	numeric	
CustomerParts	nQuantity	N/A	int	
CustomerParts	cManufacturer	50	nvarchar	
CustomerParts	cDescription	50	nvarchar	
CustomerParts	cPartNumber	50	nvarchar	
CustomerParts	nItemPrice	N/A	numeric	
CustomerParts	cUOM	50	nvarchar	
CustomerParts	iActive	N/A	int	
CustomerParts	iDeleted	N/A	int	
CustomerParts	iApproved	N/A	int	
CustomerParts	iAdded	N/A	int	
CustomerParts	nAddFacilityUID	N/A	numeric	
CustomerParts	nAddUserUID	N/A	numeric	
CustomerParts	tAddTime	N/A	datetime	
CustomerParts	nUpdateFacilityUID	N/A	numeric	
CustomerParts	nUpdateUserUID	N/A	numeric	
CustomerParts	tUpdateTime	N/A	datetime	
CustomerParts	tMobileTime	N/A	datetime	
CustomerParts	tSystemUpdateTime	N/A	datetime	
Deletions	nDeletionUID	N/A	numeric	Unique system identifier used by the system
Deletions	cTableName	50	nvarchar	EMX table this record will effect
Deletions	nTableUID	N/A	numeric	Record to be deleted
Deletions	cUserName	50	nvarchar	Login name
Deletions	iActive	N/A	int	If value is -1 record is active in the system
Deletions	iDeleted	N/A	int	Indicates if the record has been marked for deletion
Deletions	iApproved	N/A	int	Indicates if changes to the record have been approved
Deletions	iAdded	N/A	int	Indicates if the record has been added locally
Deletions	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
Deletions	nAddUserUID	N/A	numeric	UID of the user that added the record
Deletions	tAddTime	N/A	datetime	Time the record was added
Deletions	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
Deletions	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
Deletions	tUpdateTime	N/A	datetime	Time the record was last updated
Deletions	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
Deletions	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
EstimateItems	nEstimateItemUID	N/A	numeric	
EstimateItems	nEstimateUID	N/A	numeric	
EstimateItems	nTypeUID	N/A	numeric	
EstimateItems	nTypeProcedureDefaultUID	N/A	numeric	
EstimateItems	nProcedureUID	N/A	numeric	
EstimateItems	nContractUID	N/A	numeric	
EstimateItems	nPartUID	N/A	numeric	
EstimateItems	cReference	50	nvarchar	
EstimateItems	cDescription	100	nvarchar	
EstimateItems	nCost	N/A	numeric	
EstimateItems	nTotal	N/A	numeric	
EstimateItems	nQuantity	N/A	numeric	
EstimateItems	mNotes	1000	nvarchar	
EstimateItems	iEstISO Cert	N/A	int	
EstimateItems	iActive	N/A	int	
EstimateItems	iDeleted	N/A	int	
EstimateItems	iApproved	N/A	int	
EstimateItems	iAdded	N/A	int	
EstimateItems	nAddFacilityUID	N/A	numeric	
EstimateItems	nAddUserUID	N/A	numeric	
EstimateItems	tAddTime	N/A	datetime	
EstimateItems	nUpdateFacilityUID	N/A	numeric	
EstimateItems	nUpdateUserUID	N/A	numeric	
EstimateItems	tUpdateTime	N/A	datetime	
EstimateItems	tMobileTime	N/A	datetime	
EstimateItems	tSystemUpdateTime	N/A	datetime	
Estimates	nEstimateUID	N/A	numeric	
Estimates	nFacilityUID	N/A	numeric	
Estimates	nEstimatorUID	N/A	numeric	
Estimates	nJobNumberUID	N/A	numeric	
Estimates	nLabAcceptedByUID	N/A	numeric	
Estimates	nCallSheetUID	N/A	numeric	
Estimates	nContactUID	N/A	numeric	
Estimates	cEstimateNumber	50	nvarchar	
Estimates	cAcceptedBy	50	nvarchar	
Estimates	cEstimateStatus	50	nvarchar	
Estimates	cAccountType	50	nvarchar	
Estimates	nCustomerDiscount	N/A	numeric	
Estimates	nTotal	N/A	numeric	
Estimates	nEstDeliveryDays	N/A	int	
Estimates	iAccepted	N/A	int	
Estimates	iLabAccepted	N/A	int	
Estimates	tExpirationDate	N/A	datetime	

Table Name	Column Name	Max Length	Data Type	Description
Estimates	tEstimateDate	N/A	datetime	
Estimates	tStartDate	N/A	datetime	
Estimates	tEndDate	N/A	datetime	
Estimates	tAcceptedDate	N/A	datetime	
Estimates	tLabAcceptedDate	N/A	datetime	
Estimates	mLabNotes	-1	nvarchar	
Estimates	mCustomerNotes	-1	nvarchar	
Estimates	lActive	N/A	int	
Estimates	lDeleted	N/A	int	
Estimates	lApproved	N/A	int	
Estimates	lAdded	N/A	int	
Estimates	nAddFacilityUID	N/A	numeric	
Estimates	nAddUserUID	N/A	numeric	
Estimates	tAddTime	N/A	datetime	
Estimates	nUpdateFacilityUID	N/A	numeric	
Estimates	nUpdateUserUID	N/A	numeric	
Estimates	tUpdateTime	N/A	datetime	
Estimates	tMobileTime	N/A	datetime	
Estimates	tSystemUpdateTime	N/A	datetime	
ExDef	nExDefUID	N/A	numeric	Unique system identifier used by the system
ExDef	cExType	50	nvarchar	Name of table being defined (AssetEx, CallSheetEx...)
ExDef	cExName	50	nvarchar	Name (Name of the field being defined (cField1, tField2 ...))
ExDef	cDisplayName	50	nvarchar	Display name of the attribute
ExDef	cMode	50	nvarchar	For forms that have modes (frmFind's receiving and Asset modes)
ExDef	cDataType	50	nvarchar	Indicates how the data will be displayed for edit (Text, Combo, Date, Time, Currency, Memo, Boolean)
ExDef	nDataType	N/A	int	Indicates how the data will be displayed for edit (Text, Combo, Date, Time, Currency, Memo, Boolean)
ExDef	nOrder	N/A	int	Order the system will display the elements
ExDef	lVisible	N/A	int	Determines if the element is displayed
ExDef	lActive	N/A	int	If value is -1 record is active in the system
ExDef	lDeleted	N/A	int	Indicates if the record has been marked for deletion
ExDef	lApproved	N/A	int	Indicates if changes to the record have been approved
ExDef	lAdded	N/A	int	Indicates if the record has been added locally
ExDef	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
ExDef	nAddUserUID	N/A	numeric	UID of the user that added the record
ExDef	tAddTime	N/A	datetime	Time the record was added
ExDef	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
ExDef	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
ExDef	tUpdateTime	N/A	datetime	Time the record was last updated
ExDef	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
ExDef	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
Facilities	nFacilityUID	N/A	numeric	Unique system identifier used by the system
Facilities	nCategoryUID	N/A	numeric	Links to the category table
Facilities	nSubCategoryUID	N/A	numeric	Links to the subcategory table
Facilities	nParentFacilityUID	N/A	numeric	Links back to this table to indicate the parent facility
Facilities	nRate1	N/A	numeric	Rate one - such as hourly labor rate for civilian
Facilities	nRate2	N/A	numeric	Rate two - such as hourly labor rate for military
Facilities	nRate3	N/A	numeric	Rate three - such as subcontractors rate
Facilities	nTaxRate	N/A	numeric	Rate four - such as the Tax Rate
Facilities	cFacilityName	100	nvarchar	Name of the facility
Facilities	cFacilityType	50	nvarchar	Type of the facility
Facilities	cFacilityNumber	50	nvarchar	Facility number - such as customer number UIC, RUC
Facilities	cFacilityWebSite	50	nvarchar	Facility's web site
Facilities	cTaxNumber	50	nvarchar	Tax Number
Facilities	cIndustryCode	50	nvarchar	Cage code
Facilities	cCompanyCode	50	nvarchar	Company code - such as billing
Facilities	cDivision	50	nvarchar	Division
Facilities	cDistrict	50	nvarchar	District
Facilities	cAccountNumber	50	nvarchar	AR Account Code
Facilities	cFedNumber	50	nvarchar	Federal Tax Number
Facilities	lManufacturer	N/A	int	Indicates if this facility is a manufacturer
Facilities	lCustomer	N/A	int	Indicates if this facility is a customer
Facilities	lSubContractor	N/A	int	Indicates if this facility is a sub contractor
Facilities	lLab	N/A	int	Indicates if this facility is a lab
Facilities	lHandHeldUse	N/A	int	
Facilities	lNoRecall	N/A	int	
Facilities	lNoTax	N/A	int	
Facilities	lInspectionRate	N/A	int	
Facilities	mNotes	-1	nvarchar	Notes about the facility
Facilities	lActive	N/A	int	If value is -1 record is active in the system
Facilities	lDeleted	N/A	int	Indicates if the record has been marked for deletion
Facilities	lApproved	N/A	int	Indicates if changes to the record have been approved
Facilities	lAdded	N/A	int	Indicates if the record has been added locally
Facilities	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
Facilities	nAddUserUID	N/A	numeric	UID of the user that added the record
Facilities	tAddTime	N/A	datetime	Time the record was added
Facilities	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
Facilities	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
Facilities	tUpdateTime	N/A	datetime	Time the record was last updated
Facilities	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
Facilities	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
FacilityContactLink	nFacilityContactLinkUID	N/A	numeric	
FacilityContactLink	nFacilityUID	N/A	numeric	
FacilityContactLink	nContactUID	N/A	numeric	
FacilityContactLink	nStartOffset	N/A	int	
FacilityContactLink	nEndOffset	N/A	int	
FacilityContactLink	cGroup	50	nvarchar	
FacilityContactLink	lEnableRecall	N/A	int	
FacilityContactLink	lActive	N/A	int	
FacilityContactLink	lDeleted	N/A	int	
FacilityContactLink	lApproved	N/A	int	
FacilityContactLink	lAdded	N/A	int	
FacilityContactLink	nAddFacilityUID	N/A	numeric	
FacilityContactLink	nAddUserUID	N/A	numeric	
FacilityContactLink	tAddTime	N/A	datetime	
FacilityContactLink	nUpdateFacilityUID	N/A	numeric	
FacilityContactLink	nUpdateUserUID	N/A	numeric	
FacilityContactLink	tUpdateTime	N/A	datetime	

Table Name	Column Name	Max Length	Data Type	Description
FacilityContactLink	tMobileTime	N/A	datetime	
FacilityContactLink	tSystemUpdateTime	N/A	datetime	
FacilityEX	nFacilityEXUID	N/A	numeric	Unique system identifier used by the system
FacilityEX	nFacilityUID	N/A	numeric	Indicates facility this EX data relates to
FacilityEX	cField1	50	nvarchar	Character field
FacilityEX	cField2	50	nvarchar	Character field
FacilityEX	cField3	50	nvarchar	Character field
FacilityEX	cField4	50	nvarchar	Character field
FacilityEX	cField5	50	nvarchar	Character field
FacilityEX	cField6	50	nvarchar	Character field
FacilityEX	cField7	50	nvarchar	Character field
FacilityEX	cField8	50	nvarchar	Character field
FacilityEX	cField9	50	nvarchar	Character field
FacilityEX	cField10	50	nvarchar	Character field
FacilityEX	cField11	50	nvarchar	Character field
FacilityEX	cField12	50	nvarchar	Character field
FacilityEX	cField13	50	nvarchar	Character field
FacilityEX	cField14	50	nvarchar	Character field
FacilityEX	cField15	50	nvarchar	Character field
FacilityEX	cField16	50	nvarchar	Character field
FacilityEX	cField17	50	nvarchar	Character field
FacilityEX	cField18	50	nvarchar	Character field
FacilityEX	cField19	50	nvarchar	Character field
FacilityEX	cField20	50	nvarchar	Character field
FacilityEX	cField21	50	nvarchar	Character field
FacilityEX	cField22	50	nvarchar	Character field
FacilityEX	cField23	50	nvarchar	Character field
FacilityEX	cField24	50	nvarchar	Character field
FacilityEX	cField25	100	nvarchar	Character field
FacilityEX	tField1	N/A	datetime	Date field
FacilityEX	tField2	N/A	datetime	Date field
FacilityEX	tField3	N/A	datetime	Date field
FacilityEX	tField4	N/A	datetime	Date field
FacilityEX	tField5	N/A	datetime	Date field
FacilityEX	tField6	N/A	datetime	Date field
FacilityEX	tField7	N/A	datetime	Date field
FacilityEX	tField8	N/A	datetime	Date field
FacilityEX	tField9	N/A	datetime	Date field
FacilityEX	tField10	N/A	datetime	Date field
FacilityEX	nField1	N/A	numeric	Numeric field
FacilityEX	nField2	N/A	numeric	Numeric field
FacilityEX	nField3	N/A	numeric	Numeric field
FacilityEX	nField4	N/A	numeric	Numeric field
FacilityEX	nField5	N/A	numeric	Numeric field
FacilityEX	nField6	N/A	numeric	Numeric field
FacilityEX	nField7	N/A	numeric	Numeric field
FacilityEX	nField8	N/A	numeric	Numeric field
FacilityEX	nField9	N/A	numeric	Numeric field
FacilityEX	nField10	N/A	numeric	Numeric field
FacilityEX	lField1	N/A	int	Logical (boolean) field
FacilityEX	lField2	N/A	int	Logical (boolean) field
FacilityEX	lField3	N/A	int	Logical (boolean) field
FacilityEX	lField4	N/A	int	Logical (boolean) field
FacilityEX	lField5	N/A	int	Logical (boolean) field
FacilityEX	lField6	N/A	int	Logical (boolean) field
FacilityEX	lField7	N/A	int	Logical (boolean) field
FacilityEX	lField8	N/A	int	Logical (boolean) field
FacilityEX	lField9	N/A	int	Logical (boolean) field
FacilityEX	lField10	N/A	int	Logical (boolean) field
FacilityEX	mField1	-1	nvarchar	Memo field
FacilityEX	mField2	-1	nvarchar	Memo field
FacilityEX	lActive	N/A	int	If value is -1 record is active in the system
FacilityEX	lDeleted	N/A	int	Indicates if the record has been marked for deletion
FacilityEX	lApproved	N/A	int	Indicates if changes to the record have been approved
FacilityEX	lAdded	N/A	int	Indicates if the record has been added locally
FacilityEX	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
FacilityEX	nAddUserUID	N/A	numeric	UID of the user that added the record
FacilityEX	tAddTime	N/A	datetime	Time the record was added
FacilityEX	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
FacilityEX	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
FacilityEX	tUpdateTime	N/A	datetime	Time the record was last updated
FacilityEX	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
FacilityEX	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
FacilityJobLink	nFacilityJobLinkUID	N/A	numeric	Unique system identifier used by the system
FacilityJobLink	nFacilityUID	N/A	numeric	Links to the Facility table
FacilityJobLink	nJobNumberUID	N/A	numeric	Links to the JobNumber table
FacilityJobLink	nWorkingFacilityUID	N/A	numeric	Indicates the Facility actually doing the work
FacilityJobLink	lDefault	N/A	int	Determines if this is the default jobnumber for this facility
FacilityJobLink	lActive	N/A	int	If value is -1 record is active in the system
FacilityJobLink	lDeleted	N/A	int	Indicates if the record has been marked for deletion
FacilityJobLink	lApproved	N/A	int	Indicates if changes to the record have been approved
FacilityJobLink	lAdded	N/A	int	Indicates if the record has been added locally
FacilityJobLink	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
FacilityJobLink	nAddUserUID	N/A	numeric	UID of the user that added the record
FacilityJobLink	tAddTime	N/A	datetime	Time the record was added
FacilityJobLink	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
FacilityJobLink	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
FacilityJobLink	tUpdateTime	N/A	datetime	Time the record was last updated
FacilityJobLink	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
FacilityJobLink	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
FacilityUserLink	nFacilityUserLinkUID	N/A	numeric	Unique system identifier used by the system
FacilityUserLink	nFacilityUID	N/A	numeric	Link to the facility table
FacilityUserLink	nUserUID	N/A	numeric	Link to the User table
FacilityUserLink	lDefault	N/A	int	Indicates if this is the default facility for this user
FacilityUserLink	lActive	N/A	int	If value is -1 record is active in the system
FacilityUserLink	lDeleted	N/A	int	Indicates if the record has been marked for deletion
FacilityUserLink	lApproved	N/A	int	Indicates if changes to the record have been approved

Table Name	Column Name	Max Length	Data Type	Description
FacilityUserLink	IAdded	N/A	int	Indicates if the record has been added locally
FacilityUserLink	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
FacilityUserLink	nAddUserUID	N/A	numeric	UID of the user that added the record
FacilityUserLink	tAddTime	N/A	datetime	Time the record was added
FacilityUserLink	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
FacilityUserLink	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
FacilityUserLink	tUpdateTime	N/A	datetime	Time the record was last updated
FacilityUserLink	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
FacilityUserLink	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
Files	nFileUID	N/A	numeric	Indicates the File record related to the accreditation
Files	cFileType	50	nvarchar	Type of file record
Files	cFileName	150	nvarchar	Name of the file to be recorded
Files	cFilePath	200	nvarchar	Location of the procedure file
Files	cAuthority	50	nvarchar	Indicates who the image author is
Files	nAccessLevel	N/A	tinyint	Access level
Files	iFile	-1	varbinary	Actual attribute file
Files	mNotes	-1	nvarchar	Notes on the file to be recorded
Files	ICheckedOut	N/A	int	Indicates file is checked out
Files	IActive	N/A	int	If value is -1 record is active in the system
Files	IDeleted	N/A	int	Indicates if the record has been marked for deletion
Files	IApproved	N/A	int	Indicates if changes to the record have been approved
Files	IAdded	N/A	int	Indicates if the record has been added locally
Files	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
Files	nAddUserUID	N/A	numeric	UID of the user that added the record
Files	tAddTime	N/A	datetime	Time the record was added
Files	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
Files	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
Files	tUpdateTime	N/A	datetime	Time the record was last updated
Files	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
Files	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
Formats	nFormatUID	N/A	numeric	
Formats	cFormatUI	50	nvarchar	
Formats	nScale	N/A	int	
Formats	IActive	N/A	int	
Formats	IDeleted	N/A	int	
Formats	IApproved	N/A	int	
Formats	IAdded	N/A	int	
Formats	nAddFacilityUID	N/A	numeric	
Formats	nAddUserUID	N/A	numeric	
Formats	tAddTime	N/A	datetime	
Formats	nUpdateFacilityUID	N/A	numeric	
Formats	nUpdateUserUID	N/A	numeric	
Formats	tUpdateTime	N/A	datetime	
Formats	tMobileTime	N/A	datetime	
Formats	tSystemUpdateTime	N/A	datetime	
GLCodes	nGLCodeUID	N/A	numeric	
GLCodes	cGLCode	50	nvarchar	
GLCodes	cGLDescription	50	nvarchar	
GLCodes	mNotes	-1	nvarchar	
GLCodes	IActive	N/A	int	
GLCodes	IDeleted	N/A	int	
GLCodes	IApproved	N/A	int	
GLCodes	IAdded	N/A	int	
GLCodes	nAddFacilityUID	N/A	numeric	
GLCodes	nAddUserUID	N/A	numeric	
GLCodes	tAddTime	N/A	datetime	
GLCodes	nUpdateFacilityUID	N/A	numeric	
GLCodes	nUpdateUserUID	N/A	numeric	
GLCodes	tUpdateTime	N/A	datetime	
GLCodes	tMobileTime	N/A	datetime	
GLCodes	tSystemUpdateTime	N/A	datetime	
Help	nHelpUID	N/A	numeric	
Help	nHelpParentUID	N/A	numeric	
Help	cTitle	250	nvarchar	
Help	IActive	N/A	int	
Help	IDeleted	N/A	int	
Help	IApproved	N/A	int	
Help	IAdded	N/A	int	
Help	nAddFacilityUID	N/A	numeric	
Help	nAddUserUID	N/A	numeric	
Help	tAddTime	N/A	datetime	
Help	nUpdateFacilityUID	N/A	numeric	
Help	nUpdateUserUID	N/A	numeric	
Help	tUpdateTime	N/A	datetime	
Help	tMobileTime	N/A	datetime	
Help	tSystemUpdateTime	N/A	datetime	
HelpNode	nHelpNodeUID	N/A	numeric	
HelpNode	nHelpParentUID	N/A	numeric	
HelpNode	cModel	150	nvarchar	
HelpNode	cView	150	nvarchar	
HelpNode	cTitle	150	nvarchar	
HelpNode	cContent	-1	nvarchar	
HelpNode	IActive	N/A	int	
HelpNode	IDeleted	N/A	int	
HelpNode	IApproved	N/A	int	
HelpNode	IAdded	N/A	int	
HelpNode	nAddFacilityUID	N/A	numeric	
HelpNode	nAddUserUID	N/A	numeric	
HelpNode	tAddTime	N/A	datetime	
HelpNode	nUpdateFacilityUID	N/A	numeric	
HelpNode	nUpdateUserUID	N/A	numeric	
HelpNode	tUpdateTime	N/A	datetime	
HelpNode	tMobileTime	N/A	datetime	
HelpNode	tSystemUpdateTime	N/A	datetime	
Images	nImageUID	N/A	numeric	Unique system identifier used by the system
Images	cImagePath	150	nvarchar	Contains the path information for the image
Images	cImageType	50	nvarchar	Indicates the image type

Table Name	Column Name	Max Length	Data Type	Description
Images	cAuthority	50	nvarchar	Indicates who the image author is
Images	iActive	N/A	int	If value is -1 record is active in the system
Images	iDeleted	N/A	int	Indicates if the record has been marked for deletion
Images	iApproved	N/A	int	Indicates if changes to the record have been approved
Images	iAdded	N/A	int	Indicates if the record has been added locally
Images	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
Images	nAddUserUID	N/A	numeric	UID of the user that added the record
Images	tAddTime	N/A	datetime	Time the record was added
Images	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
Images	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
Images	tUpdateTime	N/A	datetime	Time the record was last updated
Images	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
Images	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
InvoiceItemDetails	nInvoiceItemDetailUID	N/A	numeric	
InvoiceItemDetails	nCallSheetUID	N/A	numeric	
InvoiceItemDetails	nInvoiceUID	N/A	numeric	
InvoiceItemDetails	nCallSheetPartLinkUID	N/A	numeric	
InvoiceItemDetails	nAdjustedByUID	N/A	numeric	
InvoiceItemDetails	nCost	N/A	numeric	
InvoiceItemDetails	nQuantity	N/A	numeric	
InvoiceItemDetails	nExtendedAmount	N/A	numeric	
InvoiceItemDetails	cDescription	100	nvarchar	
InvoiceItemDetails	cTransActionType	50	nvarchar	
InvoiceItemDetails	iActive	N/A	int	If value is -1 record is active in the system
InvoiceItemDetails	iDeleted	N/A	int	Indicates if the record has been marked for deletion
InvoiceItemDetails	iApproved	N/A	int	Indicates if changes to the record have been approved
InvoiceItemDetails	iAdded	N/A	int	Indicates if the record has been added locally
InvoiceItemDetails	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
InvoiceItemDetails	nAddUserUID	N/A	numeric	UID of the user that added the record
InvoiceItemDetails	tAddTime	N/A	datetime	Time the record was added
InvoiceItemDetails	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
InvoiceItemDetails	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
InvoiceItemDetails	tUpdateTime	N/A	datetime	Time the record was last updated
InvoiceItemDetails	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
InvoiceItemDetails	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
InvoiceItems	nInvoiceItemUID	N/A	numeric	Unique system identifier used by the system
InvoiceItems	nInvoiceUID	N/A	numeric	Indicates the invoice this item is part of
InvoiceItems	nCallSheetUID	N/A	numeric	Indicates the call sheet being invoiced
InvoiceItems	nPartUID	N/A	numeric	Indicates the part being invoiced
InvoiceItems	nLaborUID	N/A	numeric	Indicates the labor record being invoiced
InvoiceItems	nJobNumberUID	N/A	numeric	Indicates the job number charged for the maintenance
InvoiceItems	nAdjustedByUID	N/A	numeric	Indicates the user that adjusted the cost.
InvoiceItems	nCost	N/A	numeric	Shows the cost to customer
InvoiceItems	nQuantity	N/A	numeric	Quantity of items
InvoiceItems	nTaxRate	N/A	numeric	Tax rate for item
InvoiceItems	nExtendedAmount	N/A	numeric	Quantity times cost
InvoiceItems	iTaxable	N/A	int	Is it taxable
InvoiceItems	nDiscount	N/A	numeric	Discount for item
InvoiceItems	cDescription	100	nvarchar	Item Description
InvoiceItems	cTransActionType	50	nvarchar	Indicates the type of transaction
InvoiceItems	iActive	N/A	int	If value is -1 record is active in the system
InvoiceItems	iDeleted	N/A	int	Indicates if the record has been marked for deletion
InvoiceItems	iApproved	N/A	int	Indicates if changes to the record have been approved
InvoiceItems	iAdded	N/A	int	Indicates if the record has been added locally
InvoiceItems	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
InvoiceItems	nAddUserUID	N/A	numeric	UID of the user that added the record
InvoiceItems	tAddTime	N/A	datetime	Time the record was added
InvoiceItems	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
InvoiceItems	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
InvoiceItems	tUpdateTime	N/A	datetime	Time the record was last updated
InvoiceItems	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
InvoiceItems	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
Invoices	nInvoiceUID	N/A	numeric	Unique system identifier used by the system
Invoices	nFacilityUID	N/A	numeric	Indicates the facility being invoiced
Invoices	nShipToUID	N/A	numeric	
Invoices	nJobNumberUID	N/A	numeric	Indicates the job number the invoice is charged to
Invoices	nWorkingFacilityUID	N/A	numeric	Indicates the Facility actually doing the work
Invoices	nShipmentUID	N/A	numeric	Indicates shipment related to the invoice
Invoices	cinvoiceNo	50	nvarchar	Number for invoice
Invoices	cStatus	50	nvarchar	Status of the invoice
Invoices	cAccountType	50	nvarchar	Type of account
Invoices	cFOB	100	nvarchar	Freight charges (currently not used)
Invoices	nDiscount	N/A	numeric	Discount for Invoice
Invoices	nTaxRate	N/A	numeric	Tax rate for invoice
Invoices	nTaxAmount	N/A	numeric	Tax total for invoice
Invoices	nInvoiceAmount	N/A	numeric	Invoice total
Invoices	nDiscountAmount	N/A	numeric	Amount of discount
Invoices	nPaidAmount	N/A	numeric	Amount paid on invoice
Invoices	nBalance	N/A	numeric	Balance for invoice
Invoices	nShippingCost	N/A	numeric	Shipping Cost on invoice
Invoices	nHandlingCost	N/A	numeric	Handling Cost on invoice
Invoices	nVATRate	N/A	numeric	VAT rate
Invoices	nVATAmount	N/A	numeric	VAT amount
Invoices	tInvoiceDate	N/A	datetime	Date invoice was created
Invoices	iBilled	N/A	int	Indicates invoice has been billed
Invoices	iClosed	N/A	int	Indicates if the invoice has been closed
Invoices	mNotes	-1	nvarchar	Notes on invoice
Invoices	iActive	N/A	int	If value is -1 record is active in the system
Invoices	iDeleted	N/A	int	Indicates if the record has been marked for deletion
Invoices	iApproved	N/A	int	Indicates if changes to the record have been approved
Invoices	iAdded	N/A	int	Indicates if the record has been added locally
Invoices	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
Invoices	nAddUserUID	N/A	numeric	UID of the user that added the record
Invoices	tAddTime	N/A	datetime	Time the record was added
Invoices	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
Invoices	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
Invoices	tUpdateTime	N/A	datetime	Time the record was last updated

Table Name	Column Name	Max Length	Data Type	Description
Invoices	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
Invoices	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
JobNumbers	nJobNumberUID	N/A	numeric	Unique system identifier used by the system
JobNumbers	nFundingAuthorityUID	N/A	numeric	Indicates source of funds
JobNumbers	nProjectUID	N/A	numeric	
JobNumbers	nAmount	N/A	numeric	Indicates the amount attached to this job number
JobNumbers	nMinAmount	N/A	numeric	Indicates the warning amount of the job number
JobNumbers	nAllocateAmount	N/A	numeric	Indicates the amount set aside on the job number
JobNumbers	nUsedAmount	N/A	numeric	Indicates the amount of the money used on this job number
JobNumbers	cJobOrderNumber	50	nvarchar	This is the tracking number used by the system
JobNumbers	cClientAuthCode	50	nvarchar	This is an authorization code from the client
JobNumbers	tStartDate	N/A	datetime	Starting date of the job number
JobNumbers	tEndDate	N/A	datetime	Expiration date of the job number
JobNumbers	mNotes	-1	nvarchar	Notes on activity of the Job number
JobNumbers	iLevelOfEffort	N/A	int	Determines whether funds are removed based upon level of effort or Standard hours
JobNumbers	iActive	N/A	int	If value is -1 record is active in the system
JobNumbers	iDeleted	N/A	int	Indicates if the record has been marked for deletion
JobNumbers	iApproved	N/A	int	Indicates if changes to the record have been approved
JobNumbers	iAdded	N/A	int	Indicates if the record has been added locally
JobNumbers	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
JobNumbers	nAddUserUID	N/A	numeric	UID of the user that added the record
JobNumbers	tAddTime	N/A	datetime	Time the record was added
JobNumbers	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
JobNumbers	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
JobNumbers	tUpdateTime	N/A	datetime	Time the record was last updated
JobNumbers	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
JobNumbers	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
Labor	nLaborUID	N/A	numeric	Unique system identifier used by the system
Labor	nCallSheetUID	N/A	numeric	Indicates the call sheet the labor is attached to
Labor	nUserUID	N/A	numeric	Indicates the user that did the work
Labor	nJobNumberUID	N/A	numeric	Indicates the job number the labor is charged to
Labor	nCost	N/A	numeric	Shows the cost to customer (nRate * nDuration unless record was marked "No Charge")
Labor	nRate	N/A	numeric	Shows the rate at time record was created
Labor	nCategoryUID	N/A	numeric	Category indicator
Labor	nSubCategoryUID	N/A	numeric	Sub category indicator
Labor	cLaborAccount	50	nvarchar	User defined labor account - Vacation, Overtime, Regular, etc
Labor	nDuration	N/A	numeric	Length in hours
Labor	tStartTime	N/A	datetime	Starting time
Labor	tEndTime	N/A	datetime	Ending time
Labor	iActive	N/A	int	If value is -1 record is active in the system
Labor	iDeleted	N/A	int	Indicates if the record has been marked for deletion
Labor	iApproved	N/A	int	Indicates if changes to the record have been approved
Labor	iAdded	N/A	int	Indicates if the record has been added locally
Labor	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
Labor	nAddUserUID	N/A	numeric	UID of the user that added the record
Labor	tAddTime	N/A	datetime	Time the record was added
Labor	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
Labor	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
Labor	tUpdateTime	N/A	datetime	Time the record was last updated
Labor	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
Labor	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
Licenses	nLicenseUID	N/A	numeric	
Licenses	cApplication	255	nvarchar	
Licenses	cModule	50	nvarchar	
Licenses	iLicenseData	-1	varbinary	
Licenses	iActive	N/A	int	
Licenses	iDeleted	N/A	int	
Licenses	iApproved	N/A	int	
Licenses	iAdded	N/A	int	
Licenses	nAddFacilityUID	N/A	numeric	
Licenses	nAddUserUID	N/A	numeric	
Licenses	tAddTime	N/A	datetime	
Licenses	nUpdateFacilityUID	N/A	numeric	
Licenses	nUpdateUserUID	N/A	numeric	
Licenses	tUpdateTime	N/A	datetime	
Licenses	tMobileTime	N/A	datetime	
Licenses	tSystemUpdateTime	N/A	datetime	
PackageFields	nPackageFieldsUID	N/A	numeric	
PackageFields	nParentPackageFieldsUID	N/A	numeric	
PackageFields	nOrder	N/A	tinyint	
PackageFields	nTransferType	N/A	tinyint	
PackageFields	nAction	N/A	tinyint	
PackageFields	nCompareResult	N/A	tinyint	
PackageFields	cValue	-1	nvarchar	
PackageFields	cTableName	50	nvarchar	
PackageFields	cFieldName	50	nvarchar	
PackageFields	cAuthority	50	nvarchar	
PackageFields	iActive	N/A	int	
PackageFields	iDeleted	N/A	int	
PackageFields	iApproved	N/A	int	
PackageFields	iAdded	N/A	int	
PackageFields	nAddFacilityUID	N/A	numeric	
PackageFields	nAddUserUID	N/A	numeric	
PackageFields	tAddTime	N/A	datetime	
PackageFields	nUpdateFacilityUID	N/A	numeric	
PackageFields	nUpdateUserUID	N/A	numeric	
PackageFields	tUpdateTime	N/A	datetime	
PackageFields	tMobileTime	N/A	datetime	
PackageFields	tSystemUpdateTime	N/A	datetime	
PackageHistory	nPackageHistoryUID	N/A	numeric	
PackageHistory	nServerUID	N/A	numeric	
PackageHistory	nWorkstationUID	N/A	numeric	
PackageHistory	nPackageNumber	N/A	int	
PackageHistory	cSourceName	50	nvarchar	
PackageHistory	nPackageType	N/A	tinyint	
PackageHistory	tExportDate	N/A	datetime	
PackageHistory	tImportDate	N/A	datetime	

Table Name	Column Name	Max Length	Data Type	Description
PackageHistory	iPackageImage	-1	varbinary	
PackageHistory	lActive	N/A	int	
PackageHistory	lDeleted	N/A	int	
PackageHistory	lApproved	N/A	int	
PackageHistory	lAdded	N/A	int	
PackageHistory	nAddFacilityUID	N/A	numeric	
PackageHistory	nAddUserUID	N/A	numeric	
PackageHistory	tAddTime	N/A	datetime	
PackageHistory	nUpdateFacilityUID	N/A	numeric	
PackageHistory	nUpdateUserUID	N/A	numeric	
PackageHistory	tUpdateTime	N/A	datetime	
PackageHistory	tMobileTime	N/A	datetime	
PackageHistory	tSystemUpdateTime	N/A	datetime	
PackageTables	nPackageTableUID	N/A	numeric	
PackageTables	nTransferType	N/A	tinyint	
PackageTables	cTableName	50	nvarchar	
PackageTables	cCustomWhere	-1	nvarchar	
PackageTables	cAuthority	50	nvarchar	
PackageTables	nOrder	N/A	int	
PackageTables	nAddAction	N/A	tinyint	
PackageTables	nUpdateAction	N/A	tinyint	
PackageTables	nDeleteAction	N/A	tinyint	
PackageTables	mNotes	-1	nvarchar	
PackageTables	lActive	N/A	int	
PackageTables	lDeleted	N/A	int	
PackageTables	lApproved	N/A	int	
PackageTables	lAdded	N/A	int	
PackageTables	nAddFacilityUID	N/A	numeric	
PackageTables	nAddUserUID	N/A	numeric	
PackageTables	tAddTime	N/A	datetime	
PackageTables	nUpdateFacilityUID	N/A	numeric	
PackageTables	nUpdateUserUID	N/A	numeric	
PackageTables	tUpdateTime	N/A	datetime	
PackageTables	tMobileTime	N/A	datetime	
PackageTables	tSystemUpdateTime	N/A	datetime	
PartEx	nPartExUID	N/A	numeric	Unique system identifier used by the system
PartEx	nPartUID	N/A	numeric	Indicates part this EX data relates to
PartEx	cField1	50	nvarchar	Character field
PartEx	cField2	50	nvarchar	Character field
PartEx	cField3	50	nvarchar	Character field
PartEx	cField4	50	nvarchar	Character field
PartEx	cField5	50	nvarchar	Character field
PartEx	cField6	50	nvarchar	Character field
PartEx	cField7	50	nvarchar	Character field
PartEx	cField8	50	nvarchar	Character field
PartEx	cField9	50	nvarchar	Character field
PartEx	cField10	50	nvarchar	Character field
PartEx	cField11	50	nvarchar	Character field
PartEx	cField12	50	nvarchar	Character field
PartEx	cField13	50	nvarchar	Character field
PartEx	cField14	50	nvarchar	Character field
PartEx	cField15	50	nvarchar	Character field
PartEx	cField16	50	nvarchar	Character field
PartEx	cField17	50	nvarchar	Character field
PartEx	cField18	50	nvarchar	Character field
PartEx	cField19	50	nvarchar	Character field
PartEx	cField20	50	nvarchar	Character field
PartEx	cField21	50	nvarchar	Character field
PartEx	cField22	50	nvarchar	Character field
PartEx	cField23	50	nvarchar	Character field
PartEx	cField24	50	nvarchar	Character field
PartEx	cField25	50	nvarchar	Character field
PartEx	tField1	N/A	datetime	Date field
PartEx	tField2	N/A	datetime	Date field
PartEx	tField3	N/A	datetime	Date field
PartEx	tField4	N/A	datetime	Date field
PartEx	tField5	N/A	datetime	Date field
PartEx	tField6	N/A	datetime	Date field
PartEx	tField7	N/A	datetime	Date field
PartEx	tField8	N/A	datetime	Date field
PartEx	tField9	N/A	datetime	Date field
PartEx	tField10	N/A	datetime	Date field
PartEx	nField1	N/A	numeric	Numeric field
PartEx	nField2	N/A	numeric	Numeric field
PartEx	nField3	N/A	numeric	Numeric field
PartEx	nField4	N/A	numeric	Numeric field
PartEx	nField5	N/A	numeric	Numeric field
PartEx	nField6	N/A	numeric	Numeric field
PartEx	nField7	N/A	numeric	Numeric field
PartEx	nField8	N/A	numeric	Numeric field
PartEx	nField9	N/A	numeric	Numeric field
PartEx	nField10	N/A	numeric	Numeric field
PartEx	lField1	N/A	int	Logical (boolean) field
PartEx	lField2	N/A	int	Logical (boolean) field
PartEx	lField3	N/A	int	Logical (boolean) field
PartEx	lField4	N/A	int	Logical (boolean) field
PartEx	lField5	N/A	int	Logical (boolean) field
PartEx	lField6	N/A	int	Logical (boolean) field
PartEx	lField7	N/A	int	Logical (boolean) field
PartEx	lField8	N/A	int	Logical (boolean) field
PartEx	lField9	N/A	int	Logical (boolean) field
PartEx	lField10	N/A	int	Logical (boolean) field
PartEx	mField1	-1	nvarchar	Memo field
PartEx	mField2	-1	nvarchar	Memo field
PartEx	lActive	N/A	int	If value is -1 record is active in the system
PartEx	lDeleted	N/A	int	Indicates if the record has been marked for deletion
PartEx	lApproved	N/A	int	Indicates if changes to the record have been approved

Table Name	Column Name	Max Length	Data Type	Description
PartEx	lAdded	N/A	int	Indicates if the record has been added locally
PartEx	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
PartEx	nAddUserUID	N/A	numeric	UID of the user that added the record
PartEx	tAddTime	N/A	datetime	Time the record was added
PartEx	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
PartEx	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
PartEx	tUpdateTime	N/A	datetime	Time the record was last updated
PartEx	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
PartEx	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
PartOrders	nPartOrderUID	N/A	numeric	Unique system identifier used by the system
PartOrders	nPartUID	N/A	numeric	Ties to the parts table
PartOrders	nCallSheetUID	N/A	numeric	Ties to the call sheet using the part
PartOrders	nJobNumberUID	N/A	numeric	Indicates the job number this part is to be charged to
PartOrders	nSupplierUID	N/A	numeric	Supplier for part
PartOrders	nApprovedByUID	N/A	numeric	Who approved part order
PartOrders	cOrderStatus	50	nvarchar	Status of the parts order
PartOrders	cUOM	50	nvarchar	Part Unit of Measure - sold in
PartOrders	cStockNumber	50	nvarchar	Stock number (NSN)
PartOrders	cDocument1	50	nvarchar	Document number 1
PartOrders	cDocument2	50	nvarchar	Document number 2
PartOrders	cDeliverTo	50	nvarchar	Who it was delivered to
PartOrders	cCircuitSymbol	50	nvarchar	Circuit symbol
PartOrders	nQuantity	N/A	numeric	Indicates the quantity of parts needed
PartOrders	nItemCost	N/A	numeric	Cost of the part
PartOrders	nTotalCost	N/A	numeric	Total cost
PartOrders	tRequestDate	N/A	datetime	Date requested
PartOrders	tApprovedDate	N/A	datetime	Date approved
PartOrders	tOrderDate	N/A	datetime	Date the part was ordered
PartOrders	tRequiredDate	N/A	datetime	Date customer needs it done
PartOrders	tExpectedDate	N/A	datetime	Date Expected
PartOrders	tStatusDate	N/A	datetime	Date the status was last updated
PartOrders	tReceivedDate	N/A	datetime	Date the part was received in the shop
PartOrders	lNoSubstitution	N/A	int	Do not substitute indicator
PartOrders	lExchangeRequired	N/A	int	Indicates exchange required
PartOrders	lExchangeProvided	N/A	int	Indicates exchange returned
PartOrders	mNotes	-1	nvarchar	Notes on the part
PartOrders	lActive	N/A	int	If value is -1 record is active in the system
PartOrders	lDeleted	N/A	int	Indicates if the record has been marked for deletion
PartOrders	lApproved	N/A	int	Indicates if changes to the record have been approved
PartOrders	lAdded	N/A	int	Indicates if the record has been added locally
PartOrders	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
PartOrders	nAddUserUID	N/A	numeric	UID of the user that added the record
PartOrders	tAddTime	N/A	datetime	Time the record was added
PartOrders	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
PartOrders	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
PartOrders	tUpdateTime	N/A	datetime	Time the record was last updated
PartOrders	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
PartOrders	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
Parts	nPartUID	N/A	numeric	Unique system identifier used by the system
Parts	nManufacturerUID	N/A	numeric	Ties to facility table to indicate the manufacturer
Parts	nCategoryUID	N/A	numeric	Indicates the part category
Parts	nInventoryByUID	N/A	numeric	Who inventoried the part last - ties to users table
Parts	cDescription	50	nvarchar	Description of the part
Parts	cPhysicalLocation	50	nvarchar	Location of the parts - bin, bench, etc
Parts	cSupplier	50	nvarchar	Who you bought the parts from
Parts	cStockNumber	50	nvarchar	Stock number (NSN)
Parts	cLastPurchaseAmount	50	nvarchar	Last amount you paid for this part
Parts	cPartNumber	50	nvarchar	Part number
Parts	cLeadTime	50	nvarchar	Lead time to get the parts in days
Parts	cClass	50	nvarchar	User defined parts class
Parts	cGroup	50	nvarchar	User defined parts group
Parts	cFamily	50	nvarchar	User defined parts family
Parts	cUOM	50	nvarchar	Part Unit of Measure - sold in
Parts	cCostmethod	50	nvarchar	Cost method FIFO - LIFO
Parts	cWeight	50	nvarchar	Weight of the part
Parts	cShippingCode	50	nvarchar	Shipping code (UPS, FedEx)
Parts	nQuantityonhand	N/A	numeric	Quantity on hand
Parts	nItemCost	N/A	numeric	Cost of the part
Parts	nForeignItemCost	N/A	numeric	Cost conversion into foreign funds
Parts	nQuantityReOrder	N/A	numeric	Minimum re-order level
Parts	nOrderLevel	N/A	numeric	Amount that you order each time
Parts	nItemPrice	N/A	numeric	Resale amount
Parts	nSoldToDate	N/A	numeric	Number used since you started tracking
Parts	nSoldFromDate	N/A	numeric	Period tracking on count used
Parts	nSoldLastYear	N/A	numeric	Number of this part sold last year
Parts	tLastDatePurchased	N/A	datetime	Last date you purchased this part
Parts	tSellFromDate	N/A	datetime	Date you can start selling or using the part
Parts	tActiveDate	N/A	datetime	Date part is activated
Parts	tInventoryDate	N/A	datetime	Last dated inventoried
Parts	lTaxable	N/A	int	Is it taxable
Parts	lShippable	N/A	int	Is it shippable
Parts	lNonTracked	N/A	int	Indicator if the part is tracked by the inventory system
Parts	lDiscontinued	N/A	int	Indicates if the vendor has discontinued the part
Parts	mNotes	-1	nvarchar	Notes on the part
Parts	lActive	N/A	int	If value is -1 record is active in the system
Parts	lDeleted	N/A	int	Indicates if the record has been marked for deletion
Parts	lApproved	N/A	int	Indicates if changes to the record have been approved
Parts	lAdded	N/A	int	Indicates if the record has been added locally
Parts	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
Parts	nAddUserUID	N/A	numeric	UID of the user that added the record
Parts	tAddTime	N/A	datetime	Time the record was added
Parts	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
Parts	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
Parts	tUpdateTime	N/A	datetime	Time the record was last updated
Parts	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
Parts	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
PointAmbients	nPointAmbientUID	N/A	numeric	

Table Name	Column Name	Max Length	Data Type	Description
PointAmbients	nPointUID	N/A	numeric	
PointAmbients	nAmbientPressureUnitUID	N/A	numeric	
PointAmbients	nAmbientPressureFormatUID	N/A	numeric	
PointAmbients	nAmbientTemperatureUnitUID	N/A	numeric	
PointAmbients	nAmbientTemperatureFormatUID	N/A	numeric	
PointAmbients	nAmbientHumidityUnitUID	N/A	numeric	
PointAmbients	nAmbientHumidityFormatUID	N/A	numeric	
PointAmbients	nAmbientPressure	N/A	float	
PointAmbients	nAmbientTemperature	N/A	float	
PointAmbients	nAmbientHumidity	N/A	float	
PointAmbients	lActive	N/A	int	
PointAmbients	lDeleted	N/A	int	
PointAmbients	lApproved	N/A	int	
PointAmbients	lAdded	N/A	int	
PointAmbients	nAddFacilityUID	N/A	numeric	
PointAmbients	nAddUserUID	N/A	numeric	
PointAmbients	tAddTime	N/A	datetime	
PointAmbients	nUpdateFacilityUID	N/A	numeric	
PointAmbients	nUpdateUserUID	N/A	numeric	
PointAmbients	tUpdateTime	N/A	datetime	
PointAmbients	tMobileTime	N/A	datetime	
PointAmbients	tSystemUpdateTime	N/A	datetime	
PointExLogicals	nPointExLogicalUID	N/A	numeric	
PointExLogicals	nPointUID	N/A	numeric	
PointExLogicals	lField001	N/A	int	
PointExLogicals	lField002	N/A	int	
PointExLogicals	lField003	N/A	int	
PointExLogicals	lField004	N/A	int	
PointExLogicals	lField005	N/A	int	
PointExLogicals	lField006	N/A	int	
PointExLogicals	lField007	N/A	int	
PointExLogicals	lField008	N/A	int	
PointExLogicals	lField009	N/A	int	
PointExLogicals	lField010	N/A	int	
PointExLogicals	lField011	N/A	int	
PointExLogicals	lField012	N/A	int	
PointExLogicals	lField013	N/A	int	
PointExLogicals	lField014	N/A	int	
PointExLogicals	lField015	N/A	int	
PointExLogicals	lField016	N/A	int	
PointExLogicals	lField017	N/A	int	
PointExLogicals	lField018	N/A	int	
PointExLogicals	lField019	N/A	int	
PointExLogicals	lField020	N/A	int	
PointExLogicals	lField021	N/A	int	
PointExLogicals	lField022	N/A	int	
PointExLogicals	lField023	N/A	int	
PointExLogicals	lField024	N/A	int	
PointExLogicals	lField025	N/A	int	
PointExLogicals	lField026	N/A	int	
PointExLogicals	lField027	N/A	int	
PointExLogicals	lField028	N/A	int	
PointExLogicals	lField029	N/A	int	
PointExLogicals	lField030	N/A	int	
PointExLogicals	lField031	N/A	int	
PointExLogicals	lField032	N/A	int	
PointExLogicals	lField033	N/A	int	
PointExLogicals	lField034	N/A	int	
PointExLogicals	lField035	N/A	int	
PointExLogicals	lField036	N/A	int	
PointExLogicals	lField037	N/A	int	
PointExLogicals	lField038	N/A	int	
PointExLogicals	lField039	N/A	int	
PointExLogicals	lField040	N/A	int	
PointExLogicals	lField041	N/A	int	
PointExLogicals	lField042	N/A	int	
PointExLogicals	lField043	N/A	int	
PointExLogicals	lField044	N/A	int	
PointExLogicals	lField045	N/A	int	
PointExLogicals	lField046	N/A	int	
PointExLogicals	lField047	N/A	int	
PointExLogicals	lField048	N/A	int	
PointExLogicals	lField049	N/A	int	
PointExLogicals	lField050	N/A	int	
PointExLogicals	lField051	N/A	int	
PointExLogicals	lField052	N/A	int	
PointExLogicals	lField053	N/A	int	
PointExLogicals	lField054	N/A	int	
PointExLogicals	lField055	N/A	int	
PointExLogicals	lField056	N/A	int	
PointExLogicals	lField057	N/A	int	
PointExLogicals	lField058	N/A	int	
PointExLogicals	lField059	N/A	int	
PointExLogicals	lField060	N/A	int	
PointExLogicals	lActive	N/A	int	
PointExLogicals	lDeleted	N/A	int	
PointExLogicals	lApproved	N/A	int	
PointExLogicals	lAdded	N/A	int	
PointExLogicals	nAddFacilityUID	N/A	numeric	
PointExLogicals	nAddUserUID	N/A	numeric	
PointExLogicals	tAddTime	N/A	datetime	
PointExLogicals	nUpdateFacilityUID	N/A	numeric	
PointExLogicals	nUpdateUserUID	N/A	numeric	
PointExLogicals	tUpdateTime	N/A	datetime	
PointExLogicals	tMobileTime	N/A	datetime	
PointExLogicals	tSystemUpdateTime	N/A	datetime	
PointExNumerics	nPointExNumericUID	N/A	numeric	



Table Name	Column Name	Max Length	Data Type	Description
PointExNumerics	nField033	N/A	float	
PointExNumerics	nField033UnitUID	N/A	numeric	
PointExNumerics	nField033FormatUID	N/A	numeric	
PointExNumerics	nField034	N/A	float	
PointExNumerics	nField034UnitUID	N/A	numeric	
PointExNumerics	nField034FormatUID	N/A	numeric	
PointExNumerics	nField035	N/A	float	
PointExNumerics	nField035UnitUID	N/A	numeric	
PointExNumerics	nField035FormatUID	N/A	numeric	
PointExNumerics	nField036	N/A	float	
PointExNumerics	nField036UnitUID	N/A	numeric	
PointExNumerics	nField036FormatUID	N/A	numeric	
PointExNumerics	nField037	N/A	float	
PointExNumerics	nField037UnitUID	N/A	numeric	
PointExNumerics	nField037FormatUID	N/A	numeric	
PointExNumerics	nField038	N/A	float	
PointExNumerics	nField038UnitUID	N/A	numeric	
PointExNumerics	nField038FormatUID	N/A	numeric	
PointExNumerics	nField039	N/A	float	
PointExNumerics	nField039UnitUID	N/A	numeric	
PointExNumerics	nField039FormatUID	N/A	numeric	
PointExNumerics	nField040	N/A	float	
PointExNumerics	nField040UnitUID	N/A	numeric	
PointExNumerics	nField040FormatUID	N/A	numeric	
PointExNumerics	nField041	N/A	float	
PointExNumerics	nField041UnitUID	N/A	numeric	
PointExNumerics	nField041FormatUID	N/A	numeric	
PointExNumerics	nField042	N/A	float	
PointExNumerics	nField042UnitUID	N/A	numeric	
PointExNumerics	nField042FormatUID	N/A	numeric	
PointExNumerics	nField043	N/A	float	
PointExNumerics	nField043UnitUID	N/A	numeric	
PointExNumerics	nField043FormatUID	N/A	numeric	
PointExNumerics	nField044	N/A	float	
PointExNumerics	nField044UnitUID	N/A	numeric	
PointExNumerics	nField044FormatUID	N/A	numeric	
PointExNumerics	nField045	N/A	float	
PointExNumerics	nField045UnitUID	N/A	numeric	
PointExNumerics	nField045FormatUID	N/A	numeric	
PointExNumerics	nField046	N/A	float	
PointExNumerics	nField046UnitUID	N/A	numeric	
PointExNumerics	nField046FormatUID	N/A	numeric	
PointExNumerics	nField047	N/A	float	
PointExNumerics	nField047UnitUID	N/A	numeric	
PointExNumerics	nField047FormatUID	N/A	numeric	
PointExNumerics	nField048	N/A	float	
PointExNumerics	nField048UnitUID	N/A	numeric	
PointExNumerics	nField048FormatUID	N/A	numeric	
PointExNumerics	nField049	N/A	float	
PointExNumerics	nField049UnitUID	N/A	numeric	
PointExNumerics	nField049FormatUID	N/A	numeric	
PointExNumerics	nField050	N/A	float	
PointExNumerics	nField050UnitUID	N/A	numeric	
PointExNumerics	nField050FormatUID	N/A	numeric	
PointExNumerics	nField051	N/A	float	
PointExNumerics	nField051UnitUID	N/A	numeric	
PointExNumerics	nField051FormatUID	N/A	numeric	
PointExNumerics	nField052	N/A	float	
PointExNumerics	nField052UnitUID	N/A	numeric	
PointExNumerics	nField052FormatUID	N/A	numeric	
PointExNumerics	nField053	N/A	float	
PointExNumerics	nField053UnitUID	N/A	numeric	
PointExNumerics	nField053FormatUID	N/A	numeric	
PointExNumerics	nField054	N/A	float	
PointExNumerics	nField054UnitUID	N/A	numeric	
PointExNumerics	nField054FormatUID	N/A	numeric	
PointExNumerics	nField055	N/A	float	
PointExNumerics	nField055UnitUID	N/A	numeric	
PointExNumerics	nField055FormatUID	N/A	numeric	
PointExNumerics	nField056	N/A	float	
PointExNumerics	nField056UnitUID	N/A	numeric	
PointExNumerics	nField056FormatUID	N/A	numeric	
PointExNumerics	nField057	N/A	float	
PointExNumerics	nField057UnitUID	N/A	numeric	
PointExNumerics	nField057FormatUID	N/A	numeric	
PointExNumerics	nField058	N/A	float	
PointExNumerics	nField058UnitUID	N/A	numeric	
PointExNumerics	nField058FormatUID	N/A	numeric	
PointExNumerics	nField059	N/A	float	
PointExNumerics	nField059UnitUID	N/A	numeric	
PointExNumerics	nField059FormatUID	N/A	numeric	
PointExNumerics	nField060	N/A	float	
PointExNumerics	nField060UnitUID	N/A	numeric	
PointExNumerics	nField060FormatUID	N/A	numeric	
PointExNumerics	lActive	N/A	int	
PointExNumerics	lDeleted	N/A	int	
PointExNumerics	lApproved	N/A	int	
PointExNumerics	lAdded	N/A	int	
PointExNumerics	nAddFacilityUID	N/A	numeric	
PointExNumerics	nAddUserUID	N/A	numeric	
PointExNumerics	tAddTime	N/A	datetime	
PointExNumerics	nUpdateFacilityUID	N/A	numeric	
PointExNumerics	nUpdateUserUID	N/A	numeric	
PointExNumerics	tUpdateTime	N/A	datetime	
PointExNumerics	tMobileTime	N/A	datetime	
PointExNumerics	tSystemUpdateTime	N/A	datetime	
PointExStrings	nPointExStringUID	N/A	numeric	

Table Name	Column Name	Max Length	Data Type	Description
PointExStrings	nPointUID	N/A	numeric	
PointExStrings	cField001	255	nvarchar	
PointExStrings	cField002	255	nvarchar	
PointExStrings	cField003	255	nvarchar	
PointExStrings	cField004	255	nvarchar	
PointExStrings	cField005	255	nvarchar	
PointExStrings	cField006	255	nvarchar	
PointExStrings	cField007	255	nvarchar	
PointExStrings	cField008	255	nvarchar	
PointExStrings	cField009	255	nvarchar	
PointExStrings	cField010	255	nvarchar	
PointExStrings	cField011	255	nvarchar	
PointExStrings	cField012	255	nvarchar	
PointExStrings	cField013	255	nvarchar	
PointExStrings	cField014	255	nvarchar	
PointExStrings	cField015	255	nvarchar	
PointExStrings	cField016	255	nvarchar	
PointExStrings	cField017	255	nvarchar	
PointExStrings	cField018	255	nvarchar	
PointExStrings	cField019	255	nvarchar	
PointExStrings	cField020	255	nvarchar	
PointExStrings	cField021	255	nvarchar	
PointExStrings	cField022	255	nvarchar	
PointExStrings	cField023	255	nvarchar	
PointExStrings	cField024	255	nvarchar	
PointExStrings	cField025	255	nvarchar	
PointExStrings	cField026	255	nvarchar	
PointExStrings	cField027	255	nvarchar	
PointExStrings	cField028	255	nvarchar	
PointExStrings	cField029	255	nvarchar	
PointExStrings	cField030	255	nvarchar	
PointExStrings	cField031	255	nvarchar	
PointExStrings	cField032	255	nvarchar	
PointExStrings	cField033	255	nvarchar	
PointExStrings	cField034	255	nvarchar	
PointExStrings	cField035	255	nvarchar	
PointExStrings	cField036	255	nvarchar	
PointExStrings	cField037	255	nvarchar	
PointExStrings	cField038	255	nvarchar	
PointExStrings	cField039	255	nvarchar	
PointExStrings	cField040	255	nvarchar	
PointExStrings	cField041	255	nvarchar	
PointExStrings	cField042	255	nvarchar	
PointExStrings	cField043	255	nvarchar	
PointExStrings	cField044	255	nvarchar	
PointExStrings	cField045	255	nvarchar	
PointExStrings	cField046	255	nvarchar	
PointExStrings	cField047	255	nvarchar	
PointExStrings	cField048	255	nvarchar	
PointExStrings	cField049	255	nvarchar	
PointExStrings	cField050	255	nvarchar	
PointExStrings	cField051	255	nvarchar	
PointExStrings	cField052	255	nvarchar	
PointExStrings	cField053	255	nvarchar	
PointExStrings	cField054	255	nvarchar	
PointExStrings	cField055	255	nvarchar	
PointExStrings	cField056	255	nvarchar	
PointExStrings	cField057	255	nvarchar	
PointExStrings	cField058	255	nvarchar	
PointExStrings	cField059	255	nvarchar	
PointExStrings	cField060	255	nvarchar	
PointExStrings	lActive	N/A	int	
PointExStrings	lDeleted	N/A	int	
PointExStrings	lApproved	N/A	int	
PointExStrings	lAdded	N/A	int	
PointExStrings	nAddFacilityUID	N/A	numeric	
PointExStrings	nAddUserUID	N/A	numeric	
PointExStrings	tAddTime	N/A	datetime	
PointExStrings	nUpdateFacilityUID	N/A	numeric	
PointExStrings	nUpdateUserUID	N/A	numeric	
PointExStrings	tUpdateTime	N/A	datetime	
PointExStrings	tMobileTime	N/A	datetime	
PointExStrings	tSystemUpdateTime	N/A	datetime	
PointReadings	nPointReadingUID	N/A	numeric	
PointReadings	nPointUID	N/A	numeric	
PointReadings	nAssetUID	N/A	numeric	
PointReadings	nReadingUnitUID	N/A	numeric	
PointReadings	nReadingFormatUID	N/A	numeric	
PointReadings	tReadingDateTime	N/A	datetime	
PointReadings	nReadingOrdinal	N/A	int	
PointReadings	nReading	N/A	float	
PointReadings	cReadingUnit	50	nvarchar	
PointReadings	cReadingLabel	50	nvarchar	
PointReadings	cReadingType	50	nvarchar	
PointReadings	lActive	N/A	int	
PointReadings	lDeleted	N/A	int	
PointReadings	lApproved	N/A	int	
PointReadings	lAdded	N/A	int	
PointReadings	nAddFacilityUID	N/A	numeric	
PointReadings	nAddUserUID	N/A	numeric	
PointReadings	tAddTime	N/A	datetime	
PointReadings	nUpdateFacilityUID	N/A	numeric	
PointReadings	nUpdateUserUID	N/A	numeric	
PointReadings	tUpdateTime	N/A	datetime	
PointReadings	tMobileTime	N/A	datetime	
PointReadings	tSystemUpdateTime	N/A	datetime	
Points	nPointUID	N/A	numeric	

Table Name	Column Name	Max Length	Data Type	Description
Points	nCallSheetResultUID	N/A	numeric	
Points	nUUTUnitUID	N/A	numeric	
Points	nUUTFormatUID	N/A	numeric	
Points	nReferenceUnitUID	N/A	numeric	
Points	nReferenceFormatUID	N/A	numeric	
Points	nCardinalPointUnitUID	N/A	numeric	
Points	nCardinalPointFormatUID	N/A	numeric	
Points	nCorrectionUnitUID	N/A	numeric	
Points	nCorrectionFormatUID	N/A	numeric	
Points	nUUTRangeUnitUID	N/A	numeric	
Points	nUUTRangeFormatUID	N/A	numeric	
Points	nSystemAccuracyUnitUID	N/A	numeric	
Points	nSystemAccuracyFormatUID	N/A	numeric	
Points	nTemplateItemUID	N/A	numeric	
Points	nPointOrdinal	N/A	int	
Points	tPointDateTime	N/A	datetime	
Points	cPointLabel	150	nvarchar	
Points	cPointStatusFlags	50	nvarchar	
Points	cPointPassFailStatus	50	nvarchar	
Points	cFunctionSelectCode	50	nvarchar	
Points	nUUT	N/A	float	
Points	nReference	N/A	float	
Points	nCardinalPoint	N/A	float	
Points	nCorrection	N/A	float	
Points	cPointDescription	300	nvarchar	
Points	cRemarks	300	nvarchar	
Points	cOverrideRemarks	300	nvarchar	
Points	cDesignation	10	nvarchar	
Points	cTagId	50	nvarchar	
Points	nUUTRange	N/A	float	
Points	nSetTime	N/A	numeric	
Points	cCondition	50	nvarchar	
Points	nSystemAccuracy	N/A	float	
Points	nClaim	N/A	numeric	
Points	lAccredited	N/A	int	
Points	lPrinted	N/A	int	
Points	lUUTIsFixed	N/A	int	
Points	lOverride	N/A	int	
Points	lHeader	N/A	int	
Points	lActive	N/A	int	
Points	lDeleted	N/A	int	
Points	lApproved	N/A	int	
Points	lAdded	N/A	int	
Points	nAddFacilityUID	N/A	numeric	
Points	nAddUserUID	N/A	numeric	
Points	tAddTime	N/A	datetime	
Points	nUpdateFacilityUID	N/A	numeric	
Points	nUpdateUserUID	N/A	numeric	
Points	tUpdateTime	N/A	datetime	
Points	tMobileTime	N/A	datetime	
Points	tSystemUpdateTime	N/A	datetime	
PointStandardReadings	nPointStandardReadingUID	N/A	numeric	
PointStandardReadings	nPointStandardUID	N/A	numeric	
PointStandardReadings	nReadingUnitUID	N/A	numeric	
PointStandardReadings	nReadingFormatUID	N/A	numeric	
PointStandardReadings	nAssetUID	N/A	numeric	
PointStandardReadings	nReadingOrdinal	N/A	int	
PointStandardReadings	nReading	N/A	float	
PointStandardReadings	tReadingDateTime	N/A	datetime	
PointStandardReadings	cReadingUnit	50	nvarchar	
PointStandardReadings	cReadingLabel	50	nvarchar	
PointStandardReadings	cReadingType	50	nvarchar	
PointStandardReadings	lActive	N/A	int	
PointStandardReadings	lDeleted	N/A	int	
PointStandardReadings	lApproved	N/A	int	
PointStandardReadings	lAdded	N/A	int	
PointStandardReadings	nAddFacilityUID	N/A	numeric	
PointStandardReadings	nAddUserUID	N/A	numeric	
PointStandardReadings	tAddTime	N/A	datetime	
PointStandardReadings	nUpdateFacilityUID	N/A	numeric	
PointStandardReadings	nUpdateUserUID	N/A	numeric	
PointStandardReadings	tUpdateTime	N/A	datetime	
PointStandardReadings	tMobileTime	N/A	datetime	
PointStandardReadings	tSystemUpdateTime	N/A	datetime	
PointStandards	nPointStandardUID	N/A	numeric	
PointStandards	nPointUID	N/A	numeric	
PointStandards	nAssetUID	N/A	numeric	
PointStandards	lActive	N/A	int	
PointStandards	lDeleted	N/A	int	
PointStandards	lApproved	N/A	int	
PointStandards	lAdded	N/A	int	
PointStandards	nAddFacilityUID	N/A	numeric	
PointStandards	nAddUserUID	N/A	numeric	
PointStandards	tAddTime	N/A	datetime	
PointStandards	nUpdateFacilityUID	N/A	numeric	
PointStandards	nUpdateUserUID	N/A	numeric	
PointStandards	tUpdateTime	N/A	datetime	
PointStandards	tMobileTime	N/A	datetime	
PointStandards	tSystemUpdateTime	N/A	datetime	
PointStatistics	nPointStatisticUID	N/A	numeric	
PointStatistics	nPointUID	N/A	numeric	
PointStatistics	nMinimumUUTUnitUID	N/A	numeric	
PointStatistics	nMinimumUUTFormatUID	N/A	numeric	
PointStatistics	nMaximumUUTUnitUID	N/A	numeric	
PointStatistics	nMaximumUUTFormatUID	N/A	numeric	
PointStatistics	nMinimumReferenceUnitUID	N/A	numeric	
PointStatistics	nMinimumReferenceFormatUID	N/A	numeric	

Table Name	Column Name	Max Length	Data Type	Description
PointStatistics	nMaximumReferenceUnitUID	N/A	numeric	
PointStatistics	nMaximumReferenceFormatUID	N/A	numeric	
PointStatistics	nUUTStandardDeviationUnitUID	N/A	numeric	
PointStatistics	nUUTStandardDeviationFormatUID	N/A	numeric	
PointStatistics	nUUTRawStandardDeviationUnitUID	N/A	numeric	
PointStatistics	nUUTRawStandardDeviationFormatUID	N/A	numeric	
PointStatistics	nReferenceStandardDeviationUnitUID	N/A	numeric	
PointStatistics	nReferenceStandardDeviationFormatUID	N/A	numeric	
PointStatistics	nReference2StandardDeviationUnitUID	N/A	numeric	
PointStatistics	nReference2StandardDeviationFormatUID	N/A	numeric	
PointStatistics	nReferenceRawStandardDeviationUnitUID	N/A	numeric	
PointStatistics	nReferenceRawStandardDeviationFormatUID	N/A	numeric	
PointStatistics	nReferenceRaw2StandardDeviationUnitUID	N/A	numeric	
PointStatistics	nReferenceRaw2StandardDeviationFormatUID	N/A	numeric	
PointStatistics	nSampleRateUnitUID	N/A	numeric	
PointStatistics	nSampleRateFormatUID	N/A	numeric	
PointStatistics	nMinimumUUT	N/A	float	
PointStatistics	nMaximumUUT	N/A	float	
PointStatistics	nMinimumReference	N/A	float	
PointStatistics	nMaximumReference	N/A	float	
PointStatistics	nUUTStandardDeviation	N/A	float	
PointStatistics	nUUTRawStandardDeviation	N/A	float	
PointStatistics	nReferenceStandardDeviation	N/A	float	
PointStatistics	nReference2StandardDeviation	N/A	float	
PointStatistics	nReferenceRawStandardDeviation	N/A	float	
PointStatistics	nReferenceRaw2StandardDeviation	N/A	float	
PointStatistics	nNumberOfSamplesReference	N/A	int	
PointStatistics	nNumberOfSamplesUUT	N/A	int	
PointStatistics	nNumberOfSamplesDiscarded	N/A	int	
PointStatistics	nSampleRate	N/A	float	
PointStatistics	nChiSquared	N/A	numeric	
PointStatistics	lNoisy	N/A	int	
PointStatistics	lReliable	N/A	int	
PointStatistics	lActive	N/A	int	
PointStatistics	lDeleted	N/A	int	
PointStatistics	lApproved	N/A	int	
PointStatistics	lAdded	N/A	int	
PointStatistics	nAddFacilityUID	N/A	numeric	
PointStatistics	nAddUserUID	N/A	numeric	
PointStatistics	tAddTime	N/A	datetime	
PointStatistics	nUpdateFacilityUID	N/A	numeric	
PointStatistics	nUpdateUserUID	N/A	numeric	
PointStatistics	tUpdateTime	N/A	datetime	
PointStatistics	tMobileTime	N/A	datetime	
PointStatistics	tSystemUpdateTime	N/A	datetime	
PointTolerances	nPointToleranceUID	N/A	numeric	
PointTolerances	nPointUID	N/A	numeric	
PointTolerances	nToleranceUnitUID	N/A	numeric	
PointTolerances	nToleranceFormatUID	N/A	numeric	
PointTolerances	nTolerancePositiveUnitUID	N/A	numeric	
PointTolerances	nTolerancePositiveFormatUID	N/A	numeric	
PointTolerances	nToleranceNegativeUnitUID	N/A	numeric	
PointTolerances	nToleranceNegativeFormatUID	N/A	numeric	
PointTolerances	nReferenceToleranceUnitUID	N/A	numeric	
PointTolerances	nReferenceToleranceFormatUID	N/A	numeric	
PointTolerances	nErrorUnitUID	N/A	numeric	
PointTolerances	nErrorFormatUID	N/A	numeric	
PointTolerances	nToleranceErrorUnitUID	N/A	numeric	
PointTolerances	nToleranceErrorFormatUID	N/A	numeric	
PointTolerances	nTolerance	N/A	float	
PointTolerances	nTolerancePositive	N/A	float	
PointTolerances	nToleranceNegative	N/A	float	
PointTolerances	cToleranceReference	50	nvarchar	
PointTolerances	nReferenceTolerance	N/A	float	
PointTolerances	nReadingErrorPercent	N/A	numeric	
PointTolerances	nReadingErrorReferencePercent	N/A	numeric	
PointTolerances	nFullScaleErrorPercent	N/A	numeric	
PointTolerances	nFullScaleErrorReferencePercent	N/A	numeric	
PointTolerances	nSetErrorPercent	N/A	numeric	
PointTolerances	nSetFullScaleErrorPercent	N/A	numeric	
PointTolerances	nToleranceErrorPercent	N/A	numeric	
PointTolerances	nError	N/A	float	
PointTolerances	nToleranceError	N/A	float	
PointTolerances	lActive	N/A	int	
PointTolerances	lDeleted	N/A	int	
PointTolerances	lApproved	N/A	int	
PointTolerances	lAdded	N/A	int	
PointTolerances	nAddFacilityUID	N/A	numeric	
PointTolerances	nAddUserUID	N/A	numeric	
PointTolerances	tAddTime	N/A	datetime	
PointTolerances	nUpdateFacilityUID	N/A	numeric	
PointTolerances	nUpdateUserUID	N/A	numeric	
PointTolerances	tUpdateTime	N/A	datetime	
PointTolerances	tMobileTime	N/A	datetime	
PointTolerances	tSystemUpdateTime	N/A	datetime	
PointUncertainties	nPointUncertaintyUID	N/A	numeric	
PointUncertainties	nPointUID	N/A	numeric	
PointUncertainties	nGuardBandLowerUnitUID	N/A	numeric	
PointUncertainties	nGuardBandLowerFormatUID	N/A	numeric	
PointUncertainties	nGuardBandUpperUnitUID	N/A	numeric	
PointUncertainties	nGuardBandUpperFormatUID	N/A	numeric	
PointUncertainties	nUncertaintyUnitUID	N/A	numeric	
PointUncertainties	nUncertaintyFormatUID	N/A	numeric	
PointUncertainties	nUncertaintyExpandedUnitUID	N/A	numeric	
PointUncertainties	nUncertaintyExpandedFormatUID	N/A	numeric	
PointUncertainties	nUncertaintyDominantUnitUID	N/A	numeric	
PointUncertainties	nUncertaintyDominantFormatUID	N/A	numeric	

Table Name	Column Name	Max Length	Data Type	Description
PointUncertainties	nUncertaintyStandardUnitUID	N/A	numeric	
PointUncertainties	nUncertaintyStandardFormatUID	N/A	numeric	
PointUncertainties	nLowerLimitUnitUID	N/A	numeric	
PointUncertainties	nLowerLimitFormatUID	N/A	numeric	
PointUncertainties	nUpperLimitUnitUID	N/A	numeric	
PointUncertainties	nUpperLimitFormatUID	N/A	numeric	
PointUncertainties	nUncertaintyParameter1UnitUID	N/A	numeric	
PointUncertainties	nUncertaintyParameter1FormatUID	N/A	numeric	
PointUncertainties	nUncertaintyParameter2UnitUID	N/A	numeric	
PointUncertainties	nUncertaintyParameter2FormatUID	N/A	numeric	
PointUncertainties	nUncertaintyParameter3UnitUID	N/A	numeric	
PointUncertainties	nUncertaintyParameter3FormatUID	N/A	numeric	
PointUncertainties	nUncertaintyParameter4UnitUID	N/A	numeric	
PointUncertainties	nUncertaintyParameter4FormatUID	N/A	numeric	
PointUncertainties	nUncertaintyParameter5UnitUID	N/A	numeric	
PointUncertainties	nUncertaintyParameter5FormatUID	N/A	numeric	
PointUncertainties	nUncertaintyParameter6UnitUID	N/A	numeric	
PointUncertainties	nUncertaintyParameter6FormatUID	N/A	numeric	
PointUncertainties	nUncertaintyParameter7UnitUID	N/A	numeric	
PointUncertainties	nUncertaintyParameter7FormatUID	N/A	numeric	
PointUncertainties	nUncertaintyParameter8UnitUID	N/A	numeric	
PointUncertainties	nUncertaintyParameter8FormatUID	N/A	numeric	
PointUncertainties	nUncertaintyParameter9UnitUID	N/A	numeric	
PointUncertainties	nUncertaintyParameter9FormatUID	N/A	numeric	
PointUncertainties	nUncertaintyParameter10UnitUID	N/A	numeric	
PointUncertainties	nUncertaintyParameter10FormatUID	N/A	numeric	
PointUncertainties	nModifier1UnitUID	N/A	numeric	
PointUncertainties	nModifier1FormatUID	N/A	numeric	
PointUncertainties	nModifier2UnitUID	N/A	numeric	
PointUncertainties	nModifier2FormatUID	N/A	numeric	
PointUncertainties	nS1UnitUID	N/A	numeric	
PointUncertainties	nS1FormatUID	N/A	numeric	
PointUncertainties	nS2UnitUID	N/A	numeric	
PointUncertainties	nS2FormatUID	N/A	numeric	
PointUncertainties	cGuardBandMethod	32	nvarchar	
PointUncertainties	nGuardBandLower	N/A	float	
PointUncertainties	nGuardBandUpper	N/A	float	
PointUncertainties	cUncertaintyMethod	50	nvarchar	
PointUncertainties	nUncertainty	N/A	float	
PointUncertainties	nUncertaintyExpanded	N/A	float	
PointUncertainties	nUncertaintyDominant	N/A	float	
PointUncertainties	nUncertaintyStandard	N/A	float	
PointUncertainties	nLowerLimit	N/A	float	
PointUncertainties	nUpperLimit	N/A	float	
PointUncertainties	nCoverageFactor	N/A	numeric	
PointUncertainties	nSystemCoverageFactor	N/A	numeric	
PointUncertainties	nConfidenceLevel	N/A	numeric	
PointUncertainties	cStudentsT	32	nvarchar	
PointUncertainties	nUncertaintyParameter1	N/A	float	
PointUncertainties	nUncertaintyParameter2	N/A	float	
PointUncertainties	nUncertaintyParameter3	N/A	float	
PointUncertainties	nUncertaintyParameter4	N/A	float	
PointUncertainties	nUncertaintyParameter5	N/A	float	
PointUncertainties	nUncertaintyParameter6	N/A	float	
PointUncertainties	nUncertaintyParameter7	N/A	float	
PointUncertainties	nUncertaintyParameter8	N/A	float	
PointUncertainties	nUncertaintyParameter9	N/A	float	
PointUncertainties	nUncertaintyParameter10	N/A	float	
PointUncertainties	cSensitivity1	32	nvarchar	
PointUncertainties	cSensitivity2	32	nvarchar	
PointUncertainties	cSensitivity3	32	nvarchar	
PointUncertainties	cSensitivity4	32	nvarchar	
PointUncertainties	cSensitivity5	32	nvarchar	
PointUncertainties	cSensitivity6	32	nvarchar	
PointUncertainties	cSensitivity7	32	nvarchar	
PointUncertainties	cSensitivity8	32	nvarchar	
PointUncertainties	cSensitivity9	32	nvarchar	
PointUncertainties	cSensitivity10	32	nvarchar	
PointUncertainties	cDegreesOfFreedom1	16	nvarchar	
PointUncertainties	cDegreesOfFreedom2	16	nvarchar	
PointUncertainties	cDegreesOfFreedom3	16	nvarchar	
PointUncertainties	cDegreesOfFreedom4	16	nvarchar	
PointUncertainties	cDegreesOfFreedom5	16	nvarchar	
PointUncertainties	cDegreesOfFreedom6	16	nvarchar	
PointUncertainties	cDegreesOfFreedom7	16	nvarchar	
PointUncertainties	cDegreesOfFreedom8	16	nvarchar	
PointUncertainties	cDegreesOfFreedom9	16	nvarchar	
PointUncertainties	cDegreesOfFreedom10	16	nvarchar	
PointUncertainties	nModifier1	N/A	float	
PointUncertainties	nModifier2	N/A	float	
PointUncertainties	nS1	N/A	float	
PointUncertainties	nS2	N/A	float	
PointUncertainties	cequilibriumParameters	50	nvarchar	
PointUncertainties	lStudentsT	N/A	int	
PointUncertainties	lDominant	N/A	int	
PointUncertainties	lWelchSatterthwaite	N/A	int	
PointUncertainties	lActive	N/A	int	
PointUncertainties	lDeleted	N/A	int	
PointUncertainties	lApproved	N/A	int	
PointUncertainties	lAdded	N/A	int	
PointUncertainties	nAddFacilityUID	N/A	numeric	
PointUncertainties	nAddUserUID	N/A	numeric	
PointUncertainties	tAddTime	N/A	datetime	
PointUncertainties	nUpdateFacilityUID	N/A	numeric	
PointUncertainties	nUpdateUserUID	N/A	numeric	
PointUncertainties	tUpdateTime	N/A	datetime	
PointUncertainties	tMobileTime	N/A	datetime	

Table Name	Column Name	Max Length	Data Type	Description
PointUncertainties	tSystemUpdateTime	N/A	datetime	
Pricing	nPricingUID	N/A	numeric	Unique system identifier used by the system
Pricing	nTypeProcedureDefaultUID	N/A	numeric	Links to ProcedureTypeDefaults table
Pricing	nFacilityUID	N/A	numeric	Links to facility table
Pricing	nWorkingFacilityUID	N/A	numeric	Links to facility table indicating the facility performing the work
Pricing	nPrice	N/A	decimal	Contracted price
Pricing	tEffectiveDate	N/A	datetime	Date price is effective
Pricing	tExpireDate	N/A	datetime	Cate price expires
Pricing	mNotes	-1	nvarchar	Notes concerning contract price
Pricing	lActive	N/A	int	If value is -1 record is active in the system
Pricing	lDeleted	N/A	int	Indicates if the record has been marked for deletion
Pricing	lApproved	N/A	int	Indicates if changes to the record have been approved
Pricing	lAdded	N/A	int	Indicates if the record has been added locally
Pricing	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
Pricing	nAddUserUID	N/A	numeric	UID of the user that added the record
Pricing	tAddTime	N/A	datetime	Time the record was added
Pricing	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
Pricing	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
Pricing	tUpdateTime	N/A	datetime	Time the record was last updated
Pricing	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
Pricing	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
ProblemReportEx	nProblemReportExUID	N/A	numeric	
ProblemReportEx	nProblemReportsUID	N/A	numeric	
ProblemReportEx	cField1	50	nvarchar	
ProblemReportEx	cField2	50	nvarchar	
ProblemReportEx	cField3	50	nvarchar	
ProblemReportEx	cField4	50	nvarchar	
ProblemReportEx	cField5	50	nvarchar	
ProblemReportEx	cField6	50	nvarchar	
ProblemReportEx	cField7	50	nvarchar	
ProblemReportEx	cField8	50	nvarchar	
ProblemReportEx	cField9	50	nvarchar	
ProblemReportEx	cField10	50	nvarchar	
ProblemReportEx	cField11	50	nvarchar	
ProblemReportEx	cField12	50	nvarchar	
ProblemReportEx	cField13	50	nvarchar	
ProblemReportEx	cField14	50	nvarchar	
ProblemReportEx	cField15	50	nvarchar	
ProblemReportEx	cField16	50	nvarchar	
ProblemReportEx	cField17	50	nvarchar	
ProblemReportEx	cField18	50	nvarchar	
ProblemReportEx	cField19	50	nvarchar	
ProblemReportEx	cField20	50	nvarchar	
ProblemReportEx	cField21	50	nvarchar	
ProblemReportEx	cField22	50	nvarchar	
ProblemReportEx	cField23	50	nvarchar	
ProblemReportEx	cField24	50	nvarchar	
ProblemReportEx	cField25	50	nvarchar	
ProblemReportEx	tField1	N/A	datetime	
ProblemReportEx	tField2	N/A	datetime	
ProblemReportEx	tField3	N/A	datetime	
ProblemReportEx	tField4	N/A	datetime	
ProblemReportEx	tField5	N/A	datetime	
ProblemReportEx	tField6	N/A	datetime	
ProblemReportEx	tField7	N/A	datetime	
ProblemReportEx	tField8	N/A	datetime	
ProblemReportEx	tField9	N/A	datetime	
ProblemReportEx	tField10	N/A	datetime	
ProblemReportEx	nField1	N/A	numeric	
ProblemReportEx	nField2	N/A	numeric	
ProblemReportEx	nField3	N/A	numeric	
ProblemReportEx	nField4	N/A	numeric	
ProblemReportEx	nField5	N/A	numeric	
ProblemReportEx	nField6	N/A	numeric	
ProblemReportEx	nField7	N/A	numeric	
ProblemReportEx	nField8	N/A	numeric	
ProblemReportEx	nField9	N/A	numeric	
ProblemReportEx	nField10	N/A	numeric	
ProblemReportEx	lField1	N/A	int	
ProblemReportEx	lField2	N/A	int	
ProblemReportEx	lField3	N/A	int	
ProblemReportEx	lField4	N/A	int	
ProblemReportEx	lField5	N/A	int	
ProblemReportEx	lField6	N/A	int	
ProblemReportEx	lField7	N/A	int	
ProblemReportEx	lField8	N/A	int	
ProblemReportEx	lField9	N/A	int	
ProblemReportEx	lField10	N/A	int	
ProblemReportEx	mField1	-1	nvarchar	
ProblemReportEx	mField2	-1	nvarchar	
ProblemReportEx	lActive	N/A	int	
ProblemReportEx	lDeleted	N/A	int	
ProblemReportEx	lApproved	N/A	int	
ProblemReportEx	lAdded	N/A	int	
ProblemReportEx	nAddFacilityUID	N/A	numeric	
ProblemReportEx	nAddUserUID	N/A	numeric	
ProblemReportEx	tAddTime	N/A	datetime	
ProblemReportEx	nUpdateFacilityUID	N/A	numeric	
ProblemReportEx	nUpdateUserUID	N/A	numeric	
ProblemReportEx	tUpdateTime	N/A	datetime	
ProblemReportEx	tMobileTime	N/A	datetime	
ProblemReportEx	tSystemUpdateTime	N/A	datetime	
ProblemReportFiles	nProblemReportFileUID	N/A	numeric	
ProblemReportFiles	nProblemReportsUID	N/A	numeric	
ProblemReportFiles	nFileUID	N/A	numeric	
ProblemReportFiles	lPrivate	N/A	int	
ProblemReportFiles	lActive	N/A	int	

Table Name	Column Name	Max Length	Data Type	Description
ProblemReportFiles	lDeleted	N/A	int	
ProblemReportFiles	lApproved	N/A	int	
ProblemReportFiles	lAdded	N/A	int	
ProblemReportFiles	nAddFacilityUID	N/A	numeric	
ProblemReportFiles	nAddUserUID	N/A	numeric	
ProblemReportFiles	tAddTime	N/A	datetime	
ProblemReportFiles	nUpdateFacilityUID	N/A	numeric	
ProblemReportFiles	nUpdateUserUID	N/A	numeric	
ProblemReportFiles	tUpdateTime	N/A	datetime	
ProblemReportFiles	tMobileTime	N/A	datetime	
ProblemReportFiles	tSystemUpdateTime	N/A	datetime	
ProblemReports	nProblemReportsUID	N/A	numeric	Unique system identifier used by the system
ProblemReports	nProcedureUID	N/A	numeric	Links to Procedure table indicating procedure with problem
ProblemReports	nTypeProcedureDefaultUID	N/A	numeric	Links to TypeProcedureDefault table indicating problem area
ProblemReports	nTypeUID	N/A	numeric	Links to type table indicating type with problem
ProblemReports	nSubmittedByUID	N/A	numeric	Indicates who submitted
ProblemReports	nApprovedByUID	N/A	numeric	Indicates who approved
ProblemReports	nFacilityUID	N/A	numeric	Indicates the facility this record is used for
ProblemReports	nWorkingFacilityUID	N/A	numeric	
ProblemReports	nCallSheetUID	N/A	numeric	
ProblemReports	cAuthority	50	nvarchar	Authority of facility submitting problem report
ProblemReports	cProblemNumber	50	nvarchar	Number for Problem Report
ProblemReports	cReferenceNumber	50	nvarchar	Reference number for problem report
ProblemReports	cEngineer	50	nvarchar	Engineer assigned
ProblemReports	cArea	50	nvarchar	The area of the lab submitting problem
ProblemReports	cCategory	50	nvarchar	Category of the problem
ProblemReports	cProblemType	50	nvarchar	
ProblemReports	cStatus	50	nvarchar	
ProblemReports	tStatusDate	N/A	datetime	
ProblemReports	tIssueDate	N/A	datetime	Date problem was issued
ProblemReports	tSubmittedDate	N/A	datetime	Date Problem was submitted
ProblemReports	tResolvedDate	N/A	datetime	Date problem was resolved
ProblemReports	tClosedDate	N/A	datetime	Date the problem report was concluded
ProblemReports	mProblem	2147483647	text	Description of Problem
ProblemReports	mLocalResponse	2147483647	text	QA auditors response
ProblemReports	mTechnicalResponse	2147483647	text	Engineer's response
ProblemReports	lSubmitted	N/A	int	Indicates it has been submitted
ProblemReports	lActive	N/A	int	If value is -1 record is active in the system
ProblemReports	lDeleted	N/A	int	Indicates if the record has been marked for deletion
ProblemReports	lApproved	N/A	int	Indicates if changes to the record have been approved
ProblemReports	lAdded	N/A	int	Indicates if the record has been added locally
ProblemReports	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
ProblemReports	nAddUserUID	N/A	numeric	UID of the user that added the record
ProblemReports	tAddTime	N/A	datetime	Time the record was added
ProblemReports	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
ProblemReports	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
ProblemReports	tUpdateTime	N/A	datetime	Time the record was last updated
ProblemReports	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
ProblemReports	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
ProcedurePartDefaults	nProcedurePartDefaultUID	N/A	numeric	Unique system identifier used by the system
ProcedurePartDefaults	nProcedureUID	N/A	numeric	Links to procedure table
ProcedurePartDefaults	nPartUID	N/A	numeric	Links to parts table
ProcedurePartDefaults	nQuantity	N/A	numeric	Indicates the quantity of parts needed
ProcedurePartDefaults	lActive	N/A	int	If value is -1 record is active in the system
ProcedurePartDefaults	lDeleted	N/A	int	Indicates if the record has been marked for deletion
ProcedurePartDefaults	lApproved	N/A	int	Indicates if changes to the record have been approved
ProcedurePartDefaults	lAdded	N/A	int	Indicates if the record has been added locally
ProcedurePartDefaults	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
ProcedurePartDefaults	nAddUserUID	N/A	numeric	UID of the user that added the record
ProcedurePartDefaults	tAddTime	N/A	datetime	Time the record was added
ProcedurePartDefaults	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
ProcedurePartDefaults	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
ProcedurePartDefaults	tUpdateTime	N/A	datetime	Time the record was last updated
ProcedurePartDefaults	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
ProcedurePartDefaults	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
Procedures	nProcedureUID	N/A	numeric	Unique system identifier used by the system
Procedures	nCategoryUID	N/A	numeric	Category indicator
Procedures	nAttTemplateUID	N/A	numeric	Indicates the attribute template record
Procedures	nProcedureFileUID	N/A	numeric	Indicates the file used for procedure
Procedures	nApprovedByUID	N/A	numeric	Indicates who approved
Procedures	cProcedureName	150	nvarchar	Name of procedure
Procedures	cProcedureNumber	50	nvarchar	Number of the procedure
Procedures	cAuthority	50	nvarchar	Authority for the procedure
Procedures	cProcedureType	50	nvarchar	Type of procedure (Cal, Repair,PM)
Procedures	cVersion	50	nvarchar	Version number
Procedures	cRevision	50	nvarchar	Revision number
Procedures	tProcedureDate	N/A	datetime	Date of the procedure
Procedures	tRevisionDate	N/A	datetime	Date of the revision
Procedures	mNotes	-1	nvarchar	Notes on the procedure
Procedures	lActive	N/A	int	If value is -1 record is active in the system
Procedures	lDeleted	N/A	int	Indicates if the record has been marked for deletion
Procedures	lApproved	N/A	int	Indicates if changes to the record have been approved
Procedures	lAdded	N/A	int	Indicates if the record has been added locally
Procedures	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
Procedures	nAddUserUID	N/A	numeric	UID of the user that added the record
Procedures	tAddTime	N/A	datetime	Time the record was added
Procedures	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
Procedures	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
Procedures	tUpdateTime	N/A	datetime	Time the record was last updated
Procedures	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
Procedures	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
ProcedureStandards	nProcedureStandardUID	N/A	numeric	Unique system identifier used by the system
ProcedureStandards	nProcedureUID	N/A	numeric	Links to procedures table
ProcedureStandards	nTypeUID	N/A	numeric	Links to type table indicating Type of standard
ProcedureStandards	lAlternate	N/A	int	Indicates if can be used as alternate procedure
ProcedureStandards	lActive	N/A	int	If value is -1 record is active in the system
ProcedureStandards	lDeleted	N/A	int	Indicates if the record has been marked for deletion

Table Name	Column Name	Max Length	Data Type	Description
ProcedureStandards	lApproved	N/A	int	Indicates if changes to the record have been approved
ProcedureStandards	lAdded	N/A	int	Indicates if the record has been added locally
ProcedureStandards	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
ProcedureStandards	nAddUserUID	N/A	numeric	UID of the user that added the record
ProcedureStandards	tAddTime	N/A	datetime	Time the record was added
ProcedureStandards	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
ProcedureStandards	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
ProcedureStandards	tUpdateTime	N/A	datetime	Time the record was last updated
ProcedureStandards	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
ProcedureStandards	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
ProcessErrors	nProcessErrorUID	N/A	numeric	
ProcessErrors	nPackageHistoryUID	N/A	numeric	
ProcessErrors	nRecordUID	N/A	numeric	
ProcessErrors	cTableName	50	nvarchar	
ProcessErrors	tErrorDate	N/A	datetime	
ProcessErrors	mReason	-1	nvarchar	
ProcessErrors	lActive	N/A	int	
ProcessErrors	lDeleted	N/A	int	
ProcessErrors	lApproved	N/A	int	
ProcessErrors	lAdded	N/A	int	
ProcessErrors	nAddFacilityUID	N/A	numeric	
ProcessErrors	nAddUserUID	N/A	numeric	
ProcessErrors	tAddTime	N/A	datetime	
ProcessErrors	nUpdateFacilityUID	N/A	numeric	
ProcessErrors	nUpdateUserUID	N/A	numeric	
ProcessErrors	tUpdateTime	N/A	datetime	
ProcessErrors	tMobileTime	N/A	datetime	
ProcessErrors	tSystemUpdateTime	N/A	datetime	
Projects	nProjectUID	N/A	numeric	
Projects	nCategoryUID	N/A	numeric	
Projects	nFileUID	N/A	numeric	
Projects	nItems	N/A	int	
Projects	nProjectAmount	N/A	numeric	
Projects	cProjectName	50	nvarchar	
Projects	cProjectNumber	50	nvarchar	
Projects	cManager	50	nvarchar	
Projects	cContact	50	nvarchar	
Projects	cClass	50	nvarchar	
Projects	cCode	50	nvarchar	
Projects	cLocation	50	nvarchar	
Projects	cStatus	50	nvarchar	
Projects	tProjectStart	N/A	datetime	
Projects	tProjectEnd	N/A	datetime	
Projects	mTask	-1	nvarchar	
Projects	mProjectNotes	-1	nvarchar	
Projects	lFunded	N/A	int	
Projects	lDelayed	N/A	int	
Projects	lCertified	N/A	int	
Projects	lFinished	N/A	int	
Projects	lNoCalibration	N/A	int	
Projects	lActive	N/A	int	
Projects	lDeleted	N/A	int	
Projects	lApproved	N/A	int	
Projects	lAdded	N/A	int	
Projects	nAddFacilityUID	N/A	numeric	
Projects	nAddUserUID	N/A	numeric	
Projects	tAddTime	N/A	datetime	
Projects	nUpdateFacilityUID	N/A	numeric	
Projects	nUpdateUserUID	N/A	numeric	
Projects	tUpdateTime	N/A	datetime	
Projects	tMobileTime	N/A	datetime	
Projects	tSystemUpdateTime	N/A	datetime	
QuickNotes	nQuickNoteUID	N/A	numeric	Unique Identifier for Quick Note
QuickNotes	cControl	100	nvarchar	Control that Quick Note applies to.
QuickNotes	cNoteName	100	nvarchar	Name of Quick Note
QuickNotes	mNote	-1	nvarchar	Actual Quick Note Text
QuickNotes	lActive	N/A	int	If value is -1 record is active in the system
QuickNotes	lDeleted	N/A	int	Indicates if the record has been marked for deletion
QuickNotes	lApproved	N/A	int	Indicates if changes to the record have been approved
QuickNotes	lAdded	N/A	int	Indicates if the record has been added locally
QuickNotes	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
QuickNotes	nAddUserUID	N/A	numeric	UID of the user that added the record
QuickNotes	tAddTime	N/A	datetime	Time the record was added
QuickNotes	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
QuickNotes	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
QuickNotes	tUpdateTime	N/A	datetime	Time the record was last updated
QuickNotes	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
QuickNotes	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
Security	nSecurityUID	N/A	numeric	Unique system identifier used by the system
Security	cFormName	50	nvarchar	Name of the form
Security	cControlID	50	nvarchar	Control ID
Security	nSecurityLevel	N/A	int	Level of security
Security	lActive	N/A	int	Indicates if the record is active or not
Security	lDeleted	N/A	int	Indicates if the record has been marked for deletion
Security	lApproved	N/A	int	Indicates if changes to the record have been approved
Security	lAdded	N/A	int	Indicates if the record has been added locally
Security	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
Security	nAddUserUID	N/A	numeric	UID of the user that added the record
Security	tAddTime	N/A	datetime	Time the record was added
Security	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
Security	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
Security	tUpdateTime	N/A	datetime	Time the record was last updated
Security	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
Security	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
SecurityGroupFieldLinks	nSecurityGroupFieldLinkUID	N/A	numeric	
SecurityGroupFieldLinks	nSecurityGroupUID	N/A	numeric	
SecurityGroupFieldLinks	nUCIDataUID	N/A	numeric	

Table Name	Column Name	Max Length	Data Type	Description
SecurityGroupFieldLinks	lActive	N/A	int	
SecurityGroupFieldLinks	lDeleted	N/A	int	
SecurityGroupFieldLinks	lApproved	N/A	int	
SecurityGroupFieldLinks	lAdded	N/A	int	
SecurityGroupFieldLinks	nAddFacilityUID	N/A	numeric	
SecurityGroupFieldLinks	nAddUserUID	N/A	numeric	
SecurityGroupFieldLinks	tAddTime	N/A	datetime	
SecurityGroupFieldLinks	nUpdateFacilityUID	N/A	numeric	
SecurityGroupFieldLinks	nUpdateUserUID	N/A	numeric	
SecurityGroupFieldLinks	tUpdateTime	N/A	datetime	
SecurityGroupFieldLinks	tMobileTime	N/A	datetime	
SecurityGroupFieldLinks	tSystemUpdateTime	N/A	datetime	
SecurityGroupMembers	nSecurityGroupMemberUID	N/A	numeric	
SecurityGroupMembers	nSecurityGroupUID	N/A	numeric	
SecurityGroupMembers	nUserUID	N/A	numeric	
SecurityGroupMembers	lActive	N/A	int	
SecurityGroupMembers	lDeleted	N/A	int	
SecurityGroupMembers	lApproved	N/A	int	
SecurityGroupMembers	lAdded	N/A	int	
SecurityGroupMembers	nAddFacilityUID	N/A	numeric	
SecurityGroupMembers	nAddUserUID	N/A	numeric	
SecurityGroupMembers	tAddTime	N/A	datetime	
SecurityGroupMembers	nUpdateFacilityUID	N/A	numeric	
SecurityGroupMembers	nUpdateUserUID	N/A	numeric	
SecurityGroupMembers	tUpdateTime	N/A	datetime	
SecurityGroupMembers	tMobileTime	N/A	datetime	
SecurityGroupMembers	tSystemUpdateTime	N/A	datetime	
SecurityGroups	nSecurityGroupUID	N/A	numeric	
SecurityGroups	cGroupName	50	nvarchar	
SecurityGroups	lSystemGroup	N/A	int	
SecurityGroups	lActive	N/A	int	
SecurityGroups	lDeleted	N/A	int	
SecurityGroups	lApproved	N/A	int	
SecurityGroups	lAdded	N/A	int	
SecurityGroups	nAddFacilityUID	N/A	numeric	
SecurityGroups	nAddUserUID	N/A	numeric	
SecurityGroups	tAddTime	N/A	datetime	
SecurityGroups	nUpdateFacilityUID	N/A	numeric	
SecurityGroups	nUpdateUserUID	N/A	numeric	
SecurityGroups	tUpdateTime	N/A	datetime	
SecurityGroups	tMobileTime	N/A	datetime	
SecurityGroups	tSystemUpdateTime	N/A	datetime	
ServerFacilityLink	nServerFacilityLinkUID	N/A	numeric	Unique system identifier used by the system
ServerFacilityLink	nFacilityUID	N/A	numeric	Indicates Facility
ServerFacilityLink	nServerUID	N/A	numeric	Indicates server used
ServerFacilityLink	lActive	N/A	int	Indicates if the record is active or not
ServerFacilityLink	lDeleted	N/A	int	Indicates if the record has been marked for deletion
ServerFacilityLink	lApproved	N/A	int	Indicates if changes to the record have been approved
ServerFacilityLink	lAdded	N/A	int	Indicates if the record has been added locally
ServerFacilityLink	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
ServerFacilityLink	nAddUserUID	N/A	numeric	UID of the user that added the record
ServerFacilityLink	tAddTime	N/A	datetime	Time the record was added
ServerFacilityLink	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
ServerFacilityLink	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
ServerFacilityLink	tUpdateTime	N/A	datetime	Time the record was last updated
ServerFacilityLink	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
ServerFacilityLink	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
Servers	nServerUID	N/A	numeric	Unique system identifier used by the system
Servers	nServerNumber	N/A	numeric	Number assigned to Server
Servers	cServerName	100	nvarchar	Name of Server
Servers	cStatus	50	nvarchar	Status of Server
Servers	cExportAction	50	nvarchar	Action to be performed during the export process. The following are valid: FTP, Email, Manual and File
Servers	cExportLocation	200	nvarchar	Contains the location for the package following the export process
Servers	cExportUserName	50	nvarchar	Contains the user name that may be needed for FTP or Email actions
Servers	cExportPassword	50	nvarchar	Contains the password that may be needed for FTP or Email actions
Servers	nInterval	N/A	int	Scheduled synchronization interval
Servers	tLastProcessed	N/A	datetime	Last time synchronized
Servers	tNextScheduled	N/A	datetime	Next time to be synchronized
Servers	mNotes	-1	nvarchar	Notes on server
Servers	cCompanyName	255	nvarchar	
Servers	cContactName	128	nvarchar	
Servers	cTelephone	50	nvarchar	
Servers	cMailingAddress	255	nvarchar	
Servers	cCountry	255	nvarchar	
Servers	cZip	50	nvarchar	
Servers	lActive	N/A	int	Indicates if the record is active or not
Servers	lDeleted	N/A	int	Indicates if the record has been marked for deletion
Servers	lApproved	N/A	int	Indicates if changes to the record have been approved
Servers	lAdded	N/A	int	Indicates if the record has been added locally
Servers	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
Servers	nAddUserUID	N/A	numeric	UID of the user that added the record
Servers	tAddTime	N/A	datetime	Time the record was added
Servers	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
Servers	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
Servers	tUpdateTime	N/A	datetime	Time the record was last updated
Servers	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
Servers	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
ServiceTypes	nServiceTypeUID	N/A	numeric	
ServiceTypes	cServiceName	50	nvarchar	
ServiceTypes	cServiceType	50	nvarchar	
ServiceTypes	lRecalled	N/A	int	
ServiceTypes	mNotes	-1	nvarchar	
ServiceTypes	lActive	N/A	int	
ServiceTypes	lDeleted	N/A	int	
ServiceTypes	lApproved	N/A	int	
ServiceTypes	lAdded	N/A	int	
ServiceTypes	nAddFacilityUID	N/A	numeric	

Table Name	Column Name	Max Length	Data Type	Description
ServiceTypes	nAddUserUID	N/A	numeric	
ServiceTypes	tAddTime	N/A	datetime	
ServiceTypes	nUpdateFacilityUID	N/A	numeric	
ServiceTypes	nUpdateUserUID	N/A	numeric	
ServiceTypes	tUpdateTime	N/A	datetime	
ServiceTypes	tMobileTime	N/A	datetime	
ServiceTypes	tSystemUpdateTime	N/A	datetime	
ShipmentItems	nShipmentItemUID	N/A	numeric	Unique system identifier used by the system
ShipmentItems	nShipmentUID	N/A	numeric	Indicates shipment method for invoice
ShipmentItems	nAssetUID	N/A	numeric	Indicates the Asset the maintenance is for
ShipmentItems	cNomenclature	50	nvarchar	Description of Shipment Item
ShipmentItems	cModelNumber	50	nvarchar	Model number from manufacturer
ShipmentItems	cSerialNumber	50	nvarchar	Manufacturers or customers serial number
ShipmentItems	cBarcode	50	nvarchar	Unique Barcode assigned to this asset
ShipmentItems	cNSN	50	nvarchar	Stock number of shipment item
ShipmentItems	cUnitofIssue	50	nvarchar	Unit of Issue
ShipmentItems	cSupplyAction	50	nvarchar	Supply Action of the shipment item
ShipmentItems	cTypeContainer	50	nvarchar	Type of container for shipment item
ShipmentItems	cContainerNumber	50	nvarchar	Number for container
ShipmentItems	cUnitPrice	50	nvarchar	Price of each item
ShipmentItems	cTotalCost	50	nvarchar	Total price
ShipmentItems	nQuantity	N/A	int	Quantity of item
ShipmentItems	lActive	N/A	int	Indicates if the record is active or not
ShipmentItems	lDeleted	N/A	int	Indicates if the record has been marked for deletion
ShipmentItems	lApproved	N/A	int	Indicates if changes to the record have been approved
ShipmentItems	lAdded	N/A	int	Indicates if the record has been added locally
ShipmentItems	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
ShipmentItems	nAddUserUID	N/A	numeric	UID of the user that added the record
ShipmentItems	tAddTime	N/A	datetime	Time the record was added
ShipmentItems	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
ShipmentItems	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
ShipmentItems	tUpdateTime	N/A	datetime	Time the record was last updated
ShipmentItems	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
ShipmentItems	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
Shipments	nShipmentUID	N/A	numeric	Unique system identifier used by the system
Shipments	nFromUID	N/A	numeric	
Shipments	nToUID	N/A	numeric	
Shipments	nMarkForUID	N/A	numeric	
Shipments	nSheets	N/A	int	Number of sheets
Shipments	mFromAddress	700	nvarchar	Address shipped from
Shipments	mToAddress	700	nvarchar	Address shipped to
Shipments	mMarkFor	700	nvarchar	Marked for
Shipments	mNotes	-1	nvarchar	Notes on shipment
Shipments	tReceivedDate	N/A	datetime	
Shipments	tRequisitionDate	N/A	datetime	Date Requested
Shipments	tRequiredDate	N/A	datetime	Shipment due date
Shipments	tShippedDate	N/A	datetime	Date Shipped
Shipments	cLocation	50	nvarchar	Location Facility
Shipments	cShipFromLocation	50	nvarchar	Location from
Shipments	cShipToLocation	50	nvarchar	Location to
Shipments	cShipmentName	50	nvarchar	Name of Shipment
Shipments	cShipmentType	50	nvarchar	Type of Shipment
Shipments	cAppropriationData	50	nvarchar	Data for Appropriation
Shipments	cRequisitionNumber	50	nvarchar	Number for Requisition
Shipments	cPriority	50	nvarchar	Priority of Shipment
Shipments	cAuthority	50	nvarchar	Authorization for Shipment
Shipments	cShipMode	50	nvarchar	Mode of shipping
Shipments	cDesignator	50	nvarchar	Designator for shipment
Shipments	cIssuedBy	50	nvarchar	Who shipment was issued by
Shipments	cReceivedBy	50	nvarchar	
Shipments	cTotalContainers1	50	nvarchar	Value of container 1
Shipments	cTotalContainers2	50	nvarchar	Value of container 2
Shipments	cTotalContainers3	50	nvarchar	Value of container 3
Shipments	cTotalContainers4	50	nvarchar	Value of container 4
Shipments	cTotalContainers5	50	nvarchar	Value of container 5
Shipments	cTypeContainers1	50	nvarchar	Type of container for # 1
Shipments	cTypeContainers2	50	nvarchar	Type of container for # 2
Shipments	cTypeContainers3	50	nvarchar	Type of container for # 3
Shipments	cTypeContainers4	50	nvarchar	Type of container for # 4
Shipments	cTypeContainers5	50	nvarchar	Type of container for # 5
Shipments	cContainerDesc1	50	nvarchar	Description of container 1
Shipments	cContainerDesc2	50	nvarchar	Description of container 2
Shipments	cContainerDesc3	50	nvarchar	Description of container 3
Shipments	cContainerDesc4	50	nvarchar	Description of container 4
Shipments	cContainerDesc5	50	nvarchar	Description of container 5
Shipments	cTotalWeight1	50	nvarchar	Weight of container 1
Shipments	cTotalWeight2	50	nvarchar	Weight of container 2
Shipments	cTotalWeight3	50	nvarchar	Weight of container 3
Shipments	cTotalWeight4	50	nvarchar	Weight of container 4
Shipments	cTotalWeight5	50	nvarchar	Weight of container 5
Shipments	cTotalCube1	50	nvarchar	Cubic size of container 1
Shipments	cTotalCube2	50	nvarchar	Cubic size of container 2
Shipments	cTotalCube3	50	nvarchar	Cubic size of container 3
Shipments	cTotalCube4	50	nvarchar	Cubic size of container 4
Shipments	cTotalCube5	50	nvarchar	Cubic size of container 5
Shipments	lShipped	N/A	int	
Shipments	lActive	N/A	int	Indicates if the record is active or not
Shipments	lDeleted	N/A	int	Indicates if the record has been marked for deletion
Shipments	lApproved	N/A	int	Indicates if changes to the record have been approved
Shipments	lAdded	N/A	int	Indicates if the record has been added locally
Shipments	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
Shipments	nAddUserUID	N/A	numeric	UID of the user that added the record
Shipments	tAddTime	N/A	datetime	Time the record was added
Shipments	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
Shipments	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
Shipments	tUpdateTime	N/A	datetime	Time the record was last updated
Shipments	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports

Table Name	Column Name	Max Length	Data Type	Description
Shipments	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
StringResource	id	N/A	int	
StringResource	locale	10	nvarchar	
StringResource	resource_id	50	nvarchar	
StringResource	string	1073741823	ntext	
StringResource	created	N/A	datetime	
StringResource	modified	N/A	datetime	
StringResource	lActive	N/A	int	
StringResource	lDeleted	N/A	int	
StringResource	lApproved	N/A	int	
StringResource	lAdded	N/A	int	
StringResource	nAddFacilityUID	N/A	numeric	
StringResource	nAddUserUID	N/A	numeric	
StringResource	tAddTime	N/A	datetime	
StringResource	nUpdateFacilityUID	N/A	numeric	
StringResource	nUpdateUserUID	N/A	numeric	
StringResource	tUpdateTime	N/A	datetime	
StringResource	tMobileTime	N/A	datetime	
StringResource	tSystemUpdateTime	N/A	datetime	
SubCategory	nSubCategoryUID	N/A	numeric	Unique system identifier used by the system
SubCategory	nCategoryUID	N/A	numeric	Category of this record
SubCategory	cDescription	50	nvarchar	Description
SubCategory	lActive	N/A	int	Indicates if the record is active or not
SubCategory	lDeleted	N/A	int	Indicates if the record has been marked for deletion
SubCategory	lApproved	N/A	int	Indicates if changes to the record have been approved
SubCategory	lAdded	N/A	int	Indicates if the record has been added locally
SubCategory	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
SubCategory	nAddUserUID	N/A	numeric	UID of the user that added the record
SubCategory	tAddTime	N/A	datetime	Time the record was added
SubCategory	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
SubCategory	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
SubCategory	tUpdateTime	N/A	datetime	Time the record was last updated
SubCategory	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
SubCategory	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
sysdiagrams	name	128	nvarchar	
sysdiagrams	principal_id	N/A	int	
sysdiagrams	diagram_id	N/A	int	
sysdiagrams	version	N/A	int	
sysdiagrams	definition	-1	varbinary	
SystemCounters	nSystemCounterUID	N/A	numeric	Unique system identifier used by the system
SystemCounters	cLocationID	50	nvarchar	Indicates who entered the record - system number controlled
SystemCounters	cTableName	50	nvarchar	Table for the counter
SystemCounters	cCurrentCount	50	nvarchar	Current count
SystemCounters	lActive	N/A	int	
SystemCounters	lDeleted	N/A	int	
SystemCounters	lApproved	N/A	int	
SystemCounters	lAdded	N/A	int	
SystemCounters	nAddFacilityUID	N/A	numeric	
SystemCounters	nAddUserUID	N/A	numeric	
SystemCounters	tAddTime	N/A	datetime	
SystemCounters	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
SystemCounters	nUpdateUserUID	N/A	numeric	
SystemCounters	tUpdateTime	N/A	datetime	
SystemCounters	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
SystemCounters	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
SystemDefaults	nSystemDefaultUID	N/A	numeric	Unique system identifier used by the system
SystemDefaults	cAuthority	50	nvarchar	Authority of the default
SystemDefaults	cProperty	50	nvarchar	Property name
SystemDefaults	cValue	150	nvarchar	Value for the default
SystemDefaults	nOrder	N/A	int	Order of the default (if applicable)
SystemDefaults	cAction	200	nvarchar	Action default causes
SystemDefaults	cGraphic	50	nvarchar	Graphic for default (if applicable)
SystemDefaults	mNotes	-1	nvarchar	Notes concerning functionality of the default
SystemDefaults	lLocal	N/A	int	If value is -1 then record is local only and will not be exported to warehouse
SystemDefaults	lSystemic	N/A	int	If value is -1 record is systemic and not visible in EMX only in warehouse
SystemDefaults	lWarehouse	N/A	int	If value is -1 record is for Warehouse will not export to EMX
SystemDefaults	lActive	N/A	int	If value is -1 record is active in the system
SystemDefaults	lDeleted	N/A	int	Indicates if the record has been marked for deletion
SystemDefaults	lApproved	N/A	int	Indicates if changes to the record have been approved
SystemDefaults	lAdded	N/A	int	Indicates if the record has been added locally
SystemDefaults	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
SystemDefaults	nAddUserUID	N/A	numeric	UID of the user that added the record
SystemDefaults	tAddTime	N/A	datetime	Time the record was added
SystemDefaults	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
SystemDefaults	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
SystemDefaults	tUpdateTime	N/A	datetime	Time the record was last updated
SystemDefaults	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
SystemDefaults	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
TemplateItems	nTemplateItemUID	N/A	numeric	Unique system identifier used by the system
TemplateItems	nFileUID	N/A	numeric	Indicates the File record related to the accreditation
TemplateItems	cReadingName	50	nvarchar	Name of the reading, (Not Null)
TemplateItems	cStepNumber	50	nvarchar	Step number of the reading
TemplateItems	cMinimum	50	nvarchar	The minimum value for reading to be considered in tolerance
TemplateItems	cMaximum	50	nvarchar	The maximum value for reading to be considered in tolerance
TemplateItems	cNominal	50	nvarchar	The nominal reading value
TemplateItems	cItemNote	100	nvarchar	Area for notes about the measurement, intended to be for the technician
TemplateItems	cMeasurementType	10	nvarchar	Type of measurement (Standard, Pass Fail, Variable, Min Only, Max Only)
TemplateItems	nOrder	N/A	int	Indicates the order the reading is to be displayed
TemplateItems	lHeader	N/A	int	Indicates this is a header record and will not contain any measurement data
TemplateItems	lActive	N/A	int	Indicates if the record is active or not
TemplateItems	lDeleted	N/A	int	Indicates if the record has been marked for deletion
TemplateItems	lApproved	N/A	int	Indicates if changes to the record have been approved
TemplateItems	lAdded	N/A	int	Indicates if the record has been added locally
TemplateItems	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
TemplateItems	nAddUserUID	N/A	numeric	UID of the user that added the record
TemplateItems	tAddTime	N/A	datetime	Time the record was added
TemplateItems	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at

Table Name	Column Name	Max Length	Data Type	Description
TemplateItems	nUpdateUserID	N/A	numeric	UID of the last user to update the record
TemplateItems	tUpdateTime	N/A	datetime	Time the record was last updated
TemplateItems	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
TemplateItems	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
ToolAssignmentEx	nToolAssignmentExUID	N/A	numeric	
ToolAssignmentEx	nToolAssignmentUID	N/A	numeric	
ToolAssignmentEx	cField1	50	nvarchar	
ToolAssignmentEx	cField2	50	nvarchar	
ToolAssignmentEx	cField3	50	nvarchar	
ToolAssignmentEx	cField4	50	nvarchar	
ToolAssignmentEx	cField5	50	nvarchar	
ToolAssignmentEx	cField6	50	nvarchar	
ToolAssignmentEx	cField7	50	nvarchar	
ToolAssignmentEx	cField8	50	nvarchar	
ToolAssignmentEx	cField9	50	nvarchar	
ToolAssignmentEx	cField10	50	nvarchar	
ToolAssignmentEx	cField11	50	nvarchar	
ToolAssignmentEx	cField12	50	nvarchar	
ToolAssignmentEx	cField13	50	nvarchar	
ToolAssignmentEx	cField14	50	nvarchar	
ToolAssignmentEx	cField15	50	nvarchar	
ToolAssignmentEx	cField16	50	nvarchar	
ToolAssignmentEx	cField17	50	nvarchar	
ToolAssignmentEx	cField18	50	nvarchar	
ToolAssignmentEx	cField19	50	nvarchar	
ToolAssignmentEx	cField20	50	nvarchar	
ToolAssignmentEx	cField21	150	nvarchar	
ToolAssignmentEx	cField22	150	nvarchar	
ToolAssignmentEx	cField23	150	nvarchar	
ToolAssignmentEx	cField24	150	nvarchar	
ToolAssignmentEx	cField25	150	nvarchar	
ToolAssignmentEx	tField1	N/A	datetime	
ToolAssignmentEx	tField2	N/A	datetime	
ToolAssignmentEx	tField3	N/A	datetime	
ToolAssignmentEx	tField4	N/A	datetime	
ToolAssignmentEx	tField5	N/A	datetime	
ToolAssignmentEx	tField6	N/A	datetime	
ToolAssignmentEx	tField7	N/A	datetime	
ToolAssignmentEx	tField8	N/A	datetime	
ToolAssignmentEx	tField9	N/A	datetime	
ToolAssignmentEx	tField10	N/A	datetime	
ToolAssignmentEx	nField1	N/A	numeric	
ToolAssignmentEx	nField2	N/A	numeric	
ToolAssignmentEx	nField3	N/A	numeric	
ToolAssignmentEx	nField4	N/A	numeric	
ToolAssignmentEx	nField5	N/A	numeric	
ToolAssignmentEx	nField6	N/A	numeric	
ToolAssignmentEx	nField7	N/A	numeric	
ToolAssignmentEx	nField8	N/A	numeric	
ToolAssignmentEx	nField9	N/A	numeric	
ToolAssignmentEx	nField10	N/A	numeric	
ToolAssignmentEx	lField1	N/A	int	
ToolAssignmentEx	lField2	N/A	int	
ToolAssignmentEx	lField3	N/A	int	
ToolAssignmentEx	lField4	N/A	int	
ToolAssignmentEx	lField5	N/A	int	
ToolAssignmentEx	lField6	N/A	int	
ToolAssignmentEx	lField7	N/A	int	
ToolAssignmentEx	lField8	N/A	int	
ToolAssignmentEx	lField9	N/A	int	
ToolAssignmentEx	lField10	N/A	int	
ToolAssignmentEx	mField1	-1	nvarchar	
ToolAssignmentEx	lActive	N/A	int	
ToolAssignmentEx	lDeleted	N/A	int	
ToolAssignmentEx	lApproved	N/A	int	
ToolAssignmentEx	lAdded	N/A	int	
ToolAssignmentEx	nAddFacilityUID	N/A	numeric	
ToolAssignmentEx	nAddUserUID	N/A	numeric	
ToolAssignmentEx	tAddTime	N/A	datetime	
ToolAssignmentEx	nUpdateFacilityUID	N/A	numeric	
ToolAssignmentEx	nUpdateUserUID	N/A	numeric	
ToolAssignmentEx	tUpdateTime	N/A	datetime	
ToolAssignmentEx	tMobileTime	N/A	datetime	
ToolAssignmentEx	tSystemUpdateTime	N/A	datetime	
ToolAssignments	nToolAssignmentUID	N/A	numeric	Unique system identifier used by the system
ToolAssignments	nAssetUID	N/A	numeric	Indicates asset used
ToolAssignments	nContactUID	N/A	numeric	Contact tool is assigned to
ToolAssignments	cAssignmentNumber	50	nvarchar	Tool assignment number
ToolAssignments	cAssignedLocation	50	nvarchar	Location tool is assigned to
ToolAssignments	tLoanDate	N/A	datetime	Date loaned
ToolAssignments	tExpectedReturnDate	N/A	datetime	Date tool is expected to be returned
ToolAssignments	tReturnDate	N/A	datetime	Date the tool was returned
ToolAssignments	nUseCount	N/A	int	
ToolAssignments	mNotes	-1	nvarchar	Notes on the Tool Assignment
ToolAssignments	lActive	N/A	int	Indicates if the record is active or not
ToolAssignments	lDeleted	N/A	int	Indicates if the record has been marked for deletion
ToolAssignments	lApproved	N/A	int	Indicates if changes to the record have been approved
ToolAssignments	lAdded	N/A	int	Indicates if the record has been added locally
ToolAssignments	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
ToolAssignments	nAddUserUID	N/A	numeric	UID of the user that added the record
ToolAssignments	tAddTime	N/A	datetime	Time the record was added
ToolAssignments	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
ToolAssignments	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
ToolAssignments	tUpdateTime	N/A	datetime	Time the record was last updated
ToolAssignments	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
ToolAssignments	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
TypeProcedureDefaults	nTypeProcedureDefaultUID	N/A	numeric	Unique system identifier used by the system

Table Name	Column Name	Max Length	Data Type	Description
TypeProcedureDefaults	nTypeID	N/A	numeric	Tied back to the type table
TypeProcedureDefaults	nProcedureUID	N/A	numeric	Ties back to the Procedure table
TypeProcedureDefaults	nAttTemplateUID	N/A	numeric	Indicates the attribute template record
TypeProcedureDefaults	nStandardTime	N/A	numeric	Amount of time as defined by the user the procedure should take
TypeProcedureDefaults	nCalculatedTime	N/A	numeric	Amount of time calculated
TypeProcedureDefaults	nPopulationCount	N/A	numeric	Number of records last sampled
TypeProcedureDefaults	nStandardPrice	N/A	numeric	Standard price for service type
TypeProcedureDefaults	nISOCertFee	N/A	numeric	
TypeProcedureDefaults	cInterval	50	nvarchar	Interval of this procedure
TypeProcedureDefaults	cIntervalUOM	50	nvarchar	Unit of measure for this interval (days, months, years)
TypeProcedureDefaults	cMaintenanceType	50	nvarchar	Type of maintenance Maint, Cal, Repair, etc
TypeProcedureDefaults	cStandardTimeType	50	nvarchar	Standard time for type
TypeProcedureDefaults	cCertFormat	50	nvarchar	Custom Cert format if any
TypeProcedureDefaults	nOrder	N/A	int	
TypeProcedureDefaults	tSampleDate	N/A	datetime	Date Sampled
TypeProcedureDefaults	tSampleUpdate	N/A	datetime	Date Sample updated
TypeProcedureDefaults	lActive	N/A	int	If value is -1 record is active in the system
TypeProcedureDefaults	lDeleted	N/A	int	Indicates if the record has been marked for deletion
TypeProcedureDefaults	lApproved	N/A	int	Indicates if changes to the record have been approved
TypeProcedureDefaults	lAdded	N/A	int	Indicates if the record has been added locally
TypeProcedureDefaults	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
TypeProcedureDefaults	nAddUserUID	N/A	numeric	UID of the user that added the record
TypeProcedureDefaults	tAddTime	N/A	datetime	Time the record was added
TypeProcedureDefaults	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
TypeProcedureDefaults	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
TypeProcedureDefaults	tUpdateTime	N/A	datetime	Time the record was last updated
TypeProcedureDefaults	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
TypeProcedureDefaults	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
Types	nTypeID	N/A	numeric	Unique system identifier used by the system
Types	nCategoryUID	N/A	numeric	Ties back to category table
Types	nSubCategoryUID	N/A	numeric	Ties back to sub category table
Types	nImageUID	N/A	numeric	Ties back to image table
Types	nManufacturerUID	N/A	numeric	Ties back to facilities table identifying the manufacturer
Types	nItemCost	N/A	numeric	Cost of the item
Types	nReplacementCost	N/A	numeric	Replacement cost of the item
Types	cModelNumber	50	nvarchar	Model number from manufacturer
Types	cDescription	100	nvarchar	Description of the type
Types	cPartNumber	50	nvarchar	Part number as designated by the manufacturer
Types	cStockNumber	50	nvarchar	Stock number (NSN)
Types	cAuthority	50	nvarchar	Authority for the type
Types	cClass	50	nvarchar	User defined Class
Types	cFamily	50	nvarchar	Family (Electronic, Dimensional, etc)
Types	cWeight	50	nvarchar	Weight of type
Types	cWeightUOM	50	nvarchar	Unit of measure for weight (lbs, kH)
Types	cDimension	50	nvarchar	Dimensions of type
Types	cArea	50	nvarchar	The area of the lab scheduled to perform work
Types	mAccuracy	-1	nvarchar	Accuracy statement
Types	mUncertaintyNotes	-1	nvarchar	Notes about the Uncertainty
Types	mReceivingNotes	-1	nvarchar	Notes about the Receiving
Types	mNotes	-1	nvarchar	Notes
Types	lActive	N/A	int	If value is -1 record is active in the system
Types	lDeleted	N/A	int	Indicates if the record has been marked for deletion
Types	lApproved	N/A	int	Indicates if changes to the record have been approved
Types	lAdded	N/A	int	Indicates if the record has been added locally
Types	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
Types	nAddUserUID	N/A	numeric	UID of the user that added the record
Types	tAddTime	N/A	datetime	Time the record was added
Types	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
Types	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
Types	tUpdateTime	N/A	datetime	Time the record was last updated
Types	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
Types	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
TypesEx	nTypeExUID	N/A	numeric	Unique system identifier used by the system
TypesEx	nTypeID	N/A	numeric	Indicates type this EX data relates to
TypesEx	cField1	50	nvarchar	Character field
TypesEx	cField2	50	nvarchar	Character field
TypesEx	cField3	50	nvarchar	Character field
TypesEx	cField4	50	nvarchar	Character field
TypesEx	cField5	50	nvarchar	Character field
TypesEx	cField6	50	nvarchar	Character field
TypesEx	cField7	50	nvarchar	Character field
TypesEx	cField8	50	nvarchar	Character field
TypesEx	cField9	50	nvarchar	Character field
TypesEx	cField10	50	nvarchar	Character field
TypesEx	tField1	N/A	datetime	Date field
TypesEx	tField2	N/A	datetime	*
TypesEx	tField3	N/A	datetime	*
TypesEx	tField4	N/A	datetime	*
TypesEx	tField5	N/A	datetime	*
TypesEx	nField1	N/A	numeric	Numeric field
TypesEx	nField2	N/A	numeric	*
TypesEx	nField3	N/A	numeric	*
TypesEx	nField4	N/A	numeric	*
TypesEx	nField5	N/A	numeric	*
TypesEx	nField6	N/A	numeric	*
TypesEx	nField7	N/A	numeric	*
TypesEx	nField8	N/A	numeric	*
TypesEx	nField9	N/A	numeric	*
TypesEx	nField10	N/A	numeric	*
TypesEx	lField1	N/A	int	Logical (boolean) field
TypesEx	lField2	N/A	int	*
TypesEx	lField3	N/A	int	*
TypesEx	lField4	N/A	int	*
TypesEx	lField5	N/A	int	*
TypesEx	lField6	N/A	int	*
TypesEx	lField7	N/A	int	*
TypesEx	lField8	N/A	int	*

Table Name	Column Name	Max Length	Data Type	Description
TypesEx	lField9	N/A	int	*
TypesEx	lField10	N/A	int	*
TypesEx	mField1	-1	nvarchar	Memo field
TypesEx	mField2	-1	nvarchar	*
TypesEx	lActive	N/A	int	If value is -1 record is active in the system
TypesEx	lDeleted	N/A	int	Indicates if the record has been marked for deletion
TypesEx	lApproved	N/A	int	Indicates if changes to the record have been approved
TypesEx	lAdded	N/A	int	Indicates if the record has been added locally
TypesEx	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
TypesEx	nAddUserUID	N/A	numeric	UID of the user that added the record
TypesEx	tAddTime	N/A	datetime	Time the record was added
TypesEx	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
TypesEx	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
TypesEx	tUpdateTime	N/A	datetime	Time the record was last updated
TypesEx	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
TypesEx	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
UCIData	nUCIDataUID	N/A	numeric	
UCIData	cModel	50	nvarchar	
UCIData	cField	50	nvarchar	
UCIData	cProperty	50	nvarchar	
UCIData	cValue	150	nvarchar	
UCIData	lActive	N/A	int	
UCIData	lDeleted	N/A	int	
UCIData	lApproved	N/A	int	
UCIData	lAdded	N/A	int	
UCIData	nAddFacilityUID	N/A	numeric	
UCIData	nAddUserUID	N/A	numeric	
UCIData	tAddTime	N/A	datetime	
UCIData	nUpdateFacilityUID	N/A	numeric	
UCIData	nUpdateUserUID	N/A	numeric	
UCIData	tUpdateTime	N/A	datetime	
UCIData	tMobileTime	N/A	datetime	
UCIData	tSystemUpdateTime	N/A	datetime	
UCIDataCustomizations	nUCIDataCustomizationUID	N/A	numeric	
UCIDataCustomizations	nUCIDataUID	N/A	numeric	
UCIDataCustomizations	nCustomerUID	N/A	numeric	
UCIDataCustomizations	nLabUID	N/A	numeric	
UCIDataCustomizations	cLabType	50	nvarchar	
UCIDataCustomizations	cMode	50	nvarchar	
UCIDataCustomizations	cValue	150	nvarchar	
UCIDataCustomizations	lActive	N/A	int	
UCIDataCustomizations	lDeleted	N/A	int	
UCIDataCustomizations	lApproved	N/A	int	
UCIDataCustomizations	lAdded	N/A	int	
UCIDataCustomizations	nAddFacilityUID	N/A	numeric	
UCIDataCustomizations	nAddUserUID	N/A	numeric	
UCIDataCustomizations	tAddTime	N/A	datetime	
UCIDataCustomizations	nUpdateFacilityUID	N/A	numeric	
UCIDataCustomizations	nUpdateUserUID	N/A	numeric	
UCIDataCustomizations	tUpdateTime	N/A	datetime	
UCIDataCustomizations	tMobileTime	N/A	datetime	
UCIDataCustomizations	tSystemUpdateTime	N/A	datetime	
Units	nUnitUID	N/A	numeric	
Units	nUnitType	N/A	numeric	
Units	cUnitSymbol	50	nvarchar	
Units	cBaseUnit	50	nvarchar	
Units	cPrefix	1	nchar	
Units	cAtTemperature	50	nvarchar	
Units	cReferenceImpedence	50	nvarchar	
Units	nCode	N/A	int	
Units	nConversionFactor	N/A	numeric	
Units	nScale	N/A	numeric	
Units	lActive	N/A	int	
Units	lDeleted	N/A	int	
Units	lApproved	N/A	int	
Units	lAdded	N/A	int	
Units	nAddFacilityUID	N/A	numeric	
Units	nAddUserUID	N/A	numeric	
Units	tAddTime	N/A	datetime	
Units	nUpdateFacilityUID	N/A	numeric	
Units	nUpdateUserUID	N/A	numeric	
Units	tUpdateTime	N/A	datetime	
Units	tMobileTime	N/A	datetime	
Units	tSystemUpdateTime	N/A	datetime	
UserPreferences	nUserPreferenceUID	N/A	numeric	Unique system identifier used by the system
UserPreferences	nUserUID	N/A	numeric	Indicates the user the preference is for
UserPreferences	nContextElementUID	N/A	numeric	Indicates the related context element record
UserPreferences	cForm	50	nvarchar	Name of form
UserPreferences	cControl	50	nvarchar	Name of control on the form
UserPreferences	cProperty	50	nvarchar	Property name of the preference
UserPreferences	cValue	150	nvarchar	Value of the preference
UserPreferences	cValue2	50	nvarchar	Value for find criteria type of preferences
UserPreferences	nValue1	N/A	int	Value for find criteria type of preferences
UserPreferences	nValue2	N/A	int	Value for find criteria type of preferences
UserPreferences	cContext	50	nvarchar	Name of context
UserPreferences	nOrder	N/A	int	Order this record is placed in the list
UserPreferences	lActive	N/A	int	If value is -1 record is active in the system
UserPreferences	lDeleted	N/A	int	Indicates if the record has been marked for deletion
UserPreferences	lApproved	N/A	int	Indicates if changes to the record have been approved
UserPreferences	lAdded	N/A	int	Indicates if the record has been added locally
UserPreferences	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
UserPreferences	nAddUserUID	N/A	numeric	UID of the user that added the record
UserPreferences	tAddTime	N/A	datetime	Time the record was added
UserPreferences	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
UserPreferences	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
UserPreferences	tUpdateTime	N/A	datetime	Time the record was last updated
UserPreferences	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports

Table Name	Column Name	Max Length	Data Type	Description
UserPreferences	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
Users	nUserID	N/A	numeric	Unique system identifier used by the system
Users	nManagerUID	N/A	numeric	UID of manager - ties back to users
Users	cFirstName	50	nvarchar	First name
Users	cLastName	50	nvarchar	Last Name
Users	cInitials	50	nvarchar	Initials
Users	cEmail1	100	nvarchar	
Users	cEmail2	100	nvarchar	
Users	cPhone1	50	nvarchar	
Users	cPhone2	50	nvarchar	
Users	cUsername	50	nvarchar	Login name
Users	cPassword	100	nvarchar	Password
Users	cEmployeeNumber	50	nvarchar	User defined employee number
Users	cTechStampNumber	50	nvarchar	User defined technician stamp number
Users	cPayGrade	50	nvarchar	Pay grade
Users	tLastLogin	N/A	datetime	Last time the user logged in
Users	lInspectionRate	N/A	int	
Users	lActive	N/A	int	If value is -1 record is active in the system
Users	lDeleted	N/A	int	Indicates if the record has been marked for deletion
Users	lApproved	N/A	int	Indicates if changes to the record have been approved
Users	lAdded	N/A	int	Indicates if the record has been added locally
Users	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
Users	nAddUserUID	N/A	numeric	UID of the user that added the record
Users	tAddTime	N/A	datetime	Time the record was added
Users	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
Users	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
Users	tUpdateTime	N/A	datetime	Time the record was last updated
Users	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
Users	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
Validations	nValidationUID	N/A	numeric	Unique system identifier used by the system
Validations	cFormName	50	nvarchar	Name of the form
Validations	cControlName	50	nvarchar	Name of the control the validation has effect on
Validations	cProperty	50	nvarchar	Property name
Validations	cFunctionName	50	nvarchar	Name of function the validation has effect on
Validations	cFocusControl	50	nvarchar	Control that gets focused
Validations	nOrder	N/A	int	Order this record is placed in the list
Validations	cMessage	-1	nvarchar	Message displayed for validation
Validations	cCode	-1	nvarchar	Accreditation code
Validations	cMode	50	nvarchar	The authority for the validation
Validations	lPromptType	N/A	int	Type of prompt
Validations	lActive	N/A	int	If value is -1 record is active in the system
Validations	lDeleted	N/A	int	Indicates if the record has been marked for deletion
Validations	lApproved	N/A	int	Indicates if changes to the record have been approved
Validations	lAdded	N/A	int	Indicates if the record has been added locally
Validations	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
Validations	nAddUserUID	N/A	numeric	UID of the user that added the record
Validations	tAddTime	N/A	datetime	Time the record was added
Validations	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
Validations	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
Validations	tUpdateTime	N/A	datetime	Time the record was last updated
Validations	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
Validations	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
Ver_8_Config_Vw	company	150	nvarchar	
Ver_8_Config_Vw	version	8	varchar	
Ver_8_Config_Vw	user1	150	nvarchar	
Ver_8_Config_Vw	user2	150	nvarchar	
Ver_8_Config_Vw	user3	150	nvarchar	
Ver_8_Config_Vw	user4	150	nvarchar	
Ver_8_Config_Vw	user5	150	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2430	N/A	numeric	
Ver_8_Stds_Vw	Stds_Used_Standards_CTAG	N/A	numeric	
Ver_8_Stds_Vw	Stds_Used_I4201	100	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4202	100	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4203	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4204	100	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4205	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4206	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4207	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4208	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4209	15	varchar	
Ver_8_Stds_Vw	Stds_Used_I4210	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4211	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4212	30	varchar	
Ver_8_Stds_Vw	Stds_Used_I4213	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4214	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4215	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4216	100	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4217	100	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4218	100	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4219	30	varchar	
Ver_8_Stds_Vw	Stds_Used_I4220	100	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4221	N/A	datetime	
Ver_8_Stds_Vw	Stds_Used_I4222	100	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4223	100	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4224	30	varchar	
Ver_8_Stds_Vw	Stds_Used_I4225	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4226	N/A	int	
Ver_8_Stds_Vw	Stds_Used_I4228	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4229	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4230	30	varchar	
Ver_8_Stds_Vw	Stds_Used_I4231	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4232	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4233	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4234	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4235	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4236	N/A	datetime	
Ver_8_Stds_Vw	Stds_Used_I4237	50	nvarchar	

Table Name	Column Name	Max Length	Data Type	Description
Ver_8_Stds_Vw	Stds_Used_I4238	N/A	datetime	
Ver_8_Stds_Vw	Stds_Used_I4239	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4240	100	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4299	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_Inventory_MTAG	30	varchar	
Ver_8_Stds_Vw	Stds_Used_I4241	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4242	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4243	100	nvarchar	
Ver_8_Stds_Vw	Stds_Used_Inventory_ktag	30	varchar	
Ver_8_Stds_Vw	Stds_Used_I4258	30	varchar	
Ver_8_Stds_Vw	Stds_Used_I4244	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4245	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4246	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4247	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4248	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4249	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4250	30	varchar	
Ver_8_Stds_Vw	Stds_Used_I4251	30	varchar	
Ver_8_Stds_Vw	Stds_Used_I4252	30	varchar	
Ver_8_Stds_Vw	Stds_Used_I4253	30	varchar	
Ver_8_Stds_Vw	Stds_Used_I4254	30	varchar	
Ver_8_Stds_Vw	Stds_Used_I4255	30	varchar	
Ver_8_Stds_Vw	Stds_Used_I4256	30	varchar	
Ver_8_Stds_Vw	Stds_Used_I4257	30	varchar	
Ver_8_Stds_Vw	Stds_Used_I4259	30	varchar	
Ver_8_Stds_Vw	Stds_Used_I4260	-1	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4261	150	nvarchar	
Ver_8_Stds_Vw	Stds_Used_I4262	150	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2301	N/A	datetime	
Ver_8_Stds_Vw	Stds_Used_C2302	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2303	N/A	datetime	
Ver_8_Stds_Vw	Stds_Used_C2304	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2306	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2307	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2309	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2310	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2311	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2312	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2313	100	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2314	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2316	N/A	datetime	
Ver_8_Stds_Vw	Stds_Used_C2320	150	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2321	100	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2322	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2323	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2324	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2326	-1	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2327	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2328	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2329	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2330	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2331	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2332	15	varchar	
Ver_8_Stds_Vw	Stds_Used_C2333	N/A	datetime	
Ver_8_Stds_Vw	Stds_Used_C2334	N/A	datetime	
Ver_8_Stds_Vw	Stds_Used_C2335	N/A	datetime	
Ver_8_Stds_Vw	Stds_Used_C2336	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2337	N/A	datetime	
Ver_8_Stds_Vw	Stds_Used_C2338	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2339	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2341	-1	nvarchar	
Ver_8_Stds_Vw	Stds_Used_Calibration_MTAG	30	varchar	
Ver_8_Stds_Vw	Stds_Used_Calibration_CTAG	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2362	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2308	10	varchar	
Ver_8_Stds_Vw	Stds_Used_C2315	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2342	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2343	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2317	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2318	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2319	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2325	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2350	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2351	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2352	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2353	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2354	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2355	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2356	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2357	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2358	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2359	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2360	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2361	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2363	30	varchar	
Ver_8_Stds_Vw	Stds_Used_cdsrc	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2382	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2364	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2365	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2366	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2367	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2368	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2369	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2370	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2371	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2372	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2373	30	varchar	

Table Name	Column Name	Max Length	Data Type	Description
Ver_8_Stds_Vw	Stds_Used_C2374	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2375	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2376	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2377	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2378	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2379	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2380	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2383	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2384	-1	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2385	150	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2344	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2345	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2346	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2347	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2386	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2387	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2388	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2389	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2390	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2391	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2392	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2393	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2394	30	varchar	
Ver_8_Stds_Vw	Stds_Used_C2395	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_C2396	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_L2801	152	nvarchar	
Ver_8_Stds_Vw	Stds_Used_L2802	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_L2803	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_L2804	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_L2805	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_L2806	N/A	datetime	
Ver_8_Stds_Vw	Stds_Used_L2807	30	varchar	
Ver_8_Stds_Vw	Stds_Used_L2808	30	varchar	
Ver_8_Stds_Vw	Stds_Used_L2809	N/A	datetime	
Ver_8_Stds_Vw	Stds_Used_L2810	N/A	datetime	
Ver_8_Stds_Vw	Stds_Used_L2811	N/A	datetime	
Ver_8_Stds_Vw	Stds_Used_L2812	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_L2813	N/A	datetime	
Ver_8_Stds_Vw	Stds_Used_L2814	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_L2815	30	varchar	
Ver_8_Stds_Vw	Stds_Used_Location_MTAG	30	varchar	
Ver_8_Stds_Vw	Stds_Used_Itag	30	varchar	
Ver_8_Stds_Vw	Stds_Used_Idsrc	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_L2816	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_L2817	30	varchar	
Ver_8_Stds_Vw	Stds_Used_L2818	30	varchar	
Ver_8_Stds_Vw	Stds_Used_L2819	30	varchar	
Ver_8_Stds_Vw	Stds_Used_L2820	30	varchar	
Ver_8_Stds_Vw	Stds_Used_L2821	30	varchar	
Ver_8_Stds_Vw	Stds_Used_L2822	30	varchar	
Ver_8_Stds_Vw	Stds_Used_L2823	30	varchar	
Ver_8_Stds_Vw	Stds_Used_L2824	30	varchar	
Ver_8_Stds_Vw	Stds_Used_L2825	30	varchar	
Ver_8_Stds_Vw	Stds_Used_L2826	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_L2827	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_L2828	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_L2829	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_L2830	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_L2831	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_L2832	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_L2833	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_L2834	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_L2835	50	nvarchar	
Ver_8_Stds_Vw	Stds_Used_L2836	-1	nvarchar	
Ver_8_Stds_Vw	Stds_Used_L2837	150	nvarchar	
Version	nVersionUID	N/A	numeric	Unique system identifier used by the system
Version	cVersion	50	nvarchar	Version number - system defined
Version	tInstallDate	N/A	datetime	Date this version was installed
Version	mNote	-1	nvarchar	Notes on install
Version	lActive	N/A	int	If value is -1 record is active in the system
Version	lDeleted	N/A	int	Indicates if the record has been marked for deletion
Version	lApproved	N/A	int	Indicates if changes to the record have been approved
Version	lAdded	N/A	int	Indicates if the record has been added locally
Version	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
Version	nAddUserUID	N/A	numeric	UID of the user that added the record
Version	tAddTime	N/A	datetime	Time the record was added
Version	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
Version	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
Version	tUpdateTime	N/A	datetime	Time the record was last updated
Version	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
Version	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
vw_AlertingEventsCurrentlyDue	nAlertUID	N/A	numeric	
vw_AlertingEventsCurrentlyDue	cAlertName	50	nvarchar	
vw_AlertingEventsCurrentlyDue	cAlertDescription	200	nvarchar	
vw_AlertingEventsCurrentlyDue	cAlertType	50	nvarchar	
vw_AlertingEventsCurrentlyDue	cReportName	50	nvarchar	
vw_AlertingEventsCurrentlyDue	cEmailSubject	200	nvarchar	
vw_AlertingEventsCurrentlyDue	cEmailBody	-1	nvarchar	
vw_AlertingEventsCurrentlyDue	cSQLQuery	-1	nvarchar	
vw_AlertingEventsCurrentlyDue	lSkipIfEmpty	N/A	int	
vw_AlertingEventsCurrentlyDue	nAlertEventUID	N/A	numeric	
vw_AlertingEventsCurrentlyDue	nIntervalType	10	nvarchar	
vw_AlertingEventsCurrentlyDue	nIntervalTarget	N/A	int	
vw_AlertingEventsCurrentlyDue	tDeliveryTime	N/A	datetime	
vw_AlertingEventsCurrentlyDue	tPriorRunTime	N/A	datetime	
vw_AlertingEventsCurrentlyDue	tNextRunTime	N/A	datetime	
vw_AlertingEventsCurrentlyDue	nAlertRecipientUID	N/A	numeric	

Table Name	Column Name	Max Length	Data Type	Description
vw_AlertingEventsCurrentlyDue	nContactUID	N/A	numeric	
vw_AlertingEventsCurrentlyDue	cEmailType	50	nvarchar	
vw_AllAssets	IsCustomerAsset	N/A	int	
vw_AllAssets	nAssetUID	N/A	numeric	
vw_AllAssets	nFacilityUID	N/A	numeric	
vw_AllAssets	nMaintenanceFacUID	N/A	numeric	
vw_AllAssets	cBarcode	100	nvarchar	
vw_AllAssets	clD	100	nvarchar	
vw_AllAssets	cManufacturer	100	nvarchar	
vw_AllAssets	cSerialNumber	50	nvarchar	
vw_AllAssets	cModelNumber	50	nvarchar	
vw_AllAssets	cPartNumber	50	nvarchar	
vw_AllAssets	cStockNumber	50	nvarchar	
vw_AllAssets	cStatus	50	nvarchar	
vw_AllAssets	cDisposition	50	nvarchar	
vw_AllAssets	cFamily	50	nvarchar	
vw_AllAssets	cStandardType	50	nvarchar	
vw_AllAssets	cDescription	100	nvarchar	
vw_AllAssets	cDepartment	100	nvarchar	
vw_AllAssets	cPhysicalLocation	50	nvarchar	
vw_AllAssets	cNextMaintType	50	nvarchar	
vw_AllAssets	cInterval	50	nvarchar	
vw_AllAssets	cIntervalUOM	50	nvarchar	
vw_AllAssets	tStatusDate	N/A	datetime	
vw_AllAssets	tPurchaseDate	N/A	datetime	
vw_AllAssets	tNextMaintDate	N/A	datetime	
vw_AllAssets	tWarrantyDate	N/A	datetime	
vw_AllAssets	lOnSite	N/A	int	
vw_AllAssets	lNonTracked	N/A	int	
vw_AllAssets	lActive	N/A	int	
vw_AllAssets	lDeleted	N/A	int	
vw_AllAssets	lApproved	N/A	int	
vw_AllAssets	lAdded	N/A	int	
vw_AllAssets	lStandard	N/A	int	
vw_AllAssets	nAddFacilityUID	N/A	numeric	
vw_AllAssets	nAddUserUID	N/A	numeric	
vw_AllAssets	tAddTime	N/A	datetime	
vw_AllAssets	nUpdateFacilityUID	N/A	numeric	
vw_AllAssets	nUpdateUserUID	N/A	numeric	
vw_AllAssets	tUpdateTime	N/A	datetime	
vw_AllAssets	tMobileTime	N/A	datetime	
vw_AllAssets	cFacilityName	100	nvarchar	
vw_AllAssets	cFacilityNumber	50	nvarchar	
vw_AllAssets	cMaintenanceFacName	100	nvarchar	
vw_AllAssets	cMaintenanceFacNumber	50	nvarchar	
vw_AllAssets	cShipmentStatus	4	varchar	
vw_AllAssets	lRecallMaintenanceType	N/A	int	
vw_AllCallsheets	IsCustomerCallsheet	N/A	int	
vw_AllCallsheets	nCallSheetUID	N/A	numeric	
vw_AllCallsheets	nAssetUID	N/A	numeric	
vw_AllCallsheets	nFacilityUID	N/A	numeric	
vw_AllCallsheets	cTechnicianName	101	nvarchar	
vw_AllCallsheets	cQualityManager	101	nvarchar	
vw_AllCallsheets	QCDate	N/A	datetime	
vw_AllCallsheets	cProcedure	150	nvarchar	
vw_AllCallsheets	cProcedureNumber	50	nvarchar	
vw_AllCallsheets	cContactInfo	50	nvarchar	
vw_AllCallsheets	clInitialCondition	50	nvarchar	
vw_AllCallsheets	cServiceReason	50	nvarchar	
vw_AllCallsheets	cCallSheetType	50	nvarchar	
vw_AllCallsheets	cStickerType	50	nvarchar	
vw_AllCallsheets	cCallSheetStatus	50	nvarchar	
vw_AllCallsheets	cCallSheetNumber	50	nvarchar	
vw_AllCallsheets	cCertificationNumber	50	nvarchar	
vw_AllCallsheets	cInterval	50	nvarchar	
vw_AllCallsheets	cIntervalUOM	50	nvarchar	
vw_AllCallsheets	cTemperature	50	nvarchar	
vw_AllCallsheets	cHumidity	50	nvarchar	
vw_AllCallsheets	cPressure	50	nvarchar	
vw_AllCallsheets	cLocation	50	nvarchar	
vw_AllCallsheets	tOpenDate	N/A	datetime	
vw_AllCallsheets	tRequiredDate	N/A	datetime	
vw_AllCallsheets	tDelayDate	N/A	datetime	
vw_AllCallsheets	tMaintDate	N/A	datetime	
vw_AllCallsheets	tMaintNextDate	N/A	datetime	
vw_AllCallsheets	tClosedDate	N/A	datetime	
vw_AllCallsheets	nQuantity	N/A	int	
vw_AllCallsheets	lOnSite	N/A	int	
vw_AllCallsheets	lSOCert	N/A	int	
vw_AllCallsheets	lSubContracted	N/A	int	
vw_AllCallsheets	lReturnNoMaint	N/A	int	
vw_AllCallsheets	lOOT	N/A	int	
vw_AllCallsheets	lClosed	N/A	int	
vw_AllCallsheets	lActive	N/A	int	
vw_AllCallsheets	lDeleted	N/A	int	
vw_AllCallsheets	lApproved	N/A	int	
vw_AllCallsheets	lAdded	N/A	int	
vw_AllCallsheets	nAddFacilityUID	N/A	numeric	
vw_AllCallsheets	nAddUserUID	N/A	numeric	
vw_AllCallsheets	tAddTime	N/A	datetime	
vw_AllCallsheets	nUpdateFacilityUID	N/A	numeric	
vw_AllCallsheets	nUpdateUserUID	N/A	numeric	
vw_AllCallsheets	tUpdateTime	N/A	datetime	
vw_AllCallsheets	tMobileTime	N/A	datetime	
vw_AllCallsheets	tSystemUpdateTime	N/A	datetime	
vw_AllCallsheets	clD	100	nvarchar	
vw_AllCallsheets	cBarcode	100	nvarchar	

Table Name	Column Name	Max Length	Data Type	Description
vw_AllCallsheets	cModelNumber	50	nvarchar	
vw_AllCallsheets	cSerialNumber	50	nvarchar	
vw_AllCallsheets	cDescription	100	nvarchar	
vw_AllCallsheets	cPhysicalLocation	50	nvarchar	
vw_AllCallsheets	tAssetNextMaintDate	N/A	datetime	
vw_AllCallsheets	cNextMaintType	50	nvarchar	
vw_AllCallsheets	cAssetInterval	50	nvarchar	
vw_AllCallsheets	cAssetIntervalUOM	50	nvarchar	
vw_AllCallsheets	cFacilityName	100	nvarchar	
vw_AllCallsheets	cFacilityNumber	50	nvarchar	
vw_AllCallsheets	cDepartment	100	nvarchar	
vw_AllCallsheets	cJobOrderNumber	50	nvarchar	
vw_AllCallsheets	cManufacturer	100	nvarchar	
vw_AllCallsheets	lDelayed	N/A	int	
vw_AllCallsheets	lExpedite	N/A	int	
vw_AllCallsheets	mStickerNotes	-1	nvarchar	
vw_AllCallsheets	mCallsheetNotes	-1	nvarchar	
vw_AllCallsheets	cTyDescription	100	nvarchar	
vw_AllCallsheets	mField1	-1	nvarchar	
vw_AllCallsheets	nWorkingFacilityUID	N/A	numeric	
vw_AllCallsheets	CertReport	50	varchar	
vw_AllCallsheetStandards	nCustomerCallSheetStandardsUID	N/A	numeric	
vw_AllCallsheetStandards	nFacilityUID	N/A	numeric	
vw_AllCallsheetStandards	cCertificationNumber	50	nvarchar	
vw_AllCallsheetStandards	nCallSheetUID	N/A	numeric	
vw_AllCallsheetStandards	STDCert	50	nvarchar	
vw_AllCallsheetStandards	nAssetUID	N/A	numeric	
vw_AllCallsheetStandards	cID	100	nvarchar	
vw_AllCallsheetStandards	cModelNumber	50	nvarchar	
vw_AllCallsheetStandards	cDescription	100	nvarchar	
vw_AllCallsheetStandards	CalDate	30	varchar	
vw_AllCallsheetStandards	DueDate	30	varchar	
vw_AllCallsheetStandards	CustomerCallSheet	N/A	int	
vw_AllParts	IsCustomerPart	N/A	int	
vw_AllParts	nCustomerPartUID	N/A	numeric	
vw_AllParts	nCustomerCallsheetUID	N/A	numeric	
vw_AllParts	cPartNumber	50	nvarchar	
vw_AllParts	cDescription	50	nvarchar	
vw_AllParts	nQuantity	N/A	int	
vw_AllReadings	nCallsheetUID	N/A	numeric	
vw_AllReadings	nCustomerCallsheetReadingUID	N/A	numeric	
vw_AllReadings	cReadingName	50	nvarchar	
vw_AllReadings	nOrder	N/A	int	
vw_AllReadings	cStepNumber	50	nvarchar	
vw_AllReadings	cNominal	50	nvarchar	
vw_AllReadings	cAsFound	50	nvarchar	
vw_AllReadings	cAsLeft	50	nvarchar	
vw_AllReadings	cMinimum	50	nvarchar	
vw_AllReadings	cMaximum	50	nvarchar	
vw_AllReadings	IsInTolerance	50	nvarchar	
vw_AllReadings	IsLeftInTolerance	50	nvarchar	
vw_AllReadings	CustomerCallSheet	N/A	int	
vw_Assets	nAssetUID	N/A	numeric	Unique identifier for the asset used only by the system
vw_Assets	nFacilityUID	N/A	numeric	Linked to Facility table - indicated the owner of the asset
vw_Assets	nDepartmentUID	N/A	numeric	Linked to Facility table - indicated the department responsible for the asset
vw_Assets	nTypeUID	N/A	numeric	Linked to the type table - UID of record used to create the asset when the asset was entered into the system
vw_Assets	nManufacturerUID	N/A	numeric	Linked to Facilities table to indicate asset manufacturer
vw_Assets	nCategoryUID	N/A	numeric	Link to category table - indicates asset category
vw_Assets	nSubCategoryUID	N/A	numeric	Linked to sub category table - indicates sub category of asset
vw_Assets	nInventoryByUID	N/A	numeric	Linked to Users - indicates who last inventoried this asset
vw_Assets	nParentUID	N/A	numeric	Linked to asset table - would indicate UID of parent asset
vw_Assets	nMaintenanceFacUID	N/A	numeric	Linked to facilities - indicates the facility that is supposed to perform maintenance on this asset
vw_Assets	nAssignedFacUID	N/A	numeric	Linked to facilities - indicates the facility that assigns maintenance for this asset
vw_Assets	nAuthorizedFacUID	N/A	numeric	Linked to facilities - indicated the facility that is authorizing maintenance for this asset
vw_Assets	cBarcode	100	nvarchar	Unique Barcode assigned to this asset
vw_Assets	cID	100	nvarchar	Customer ID number
vw_Assets	cSerialNumber	50	nvarchar	Manufacturers or customers serial number
vw_Assets	cModelNumber	50	nvarchar	Manufacturers model number
vw_Assets	cPartNumber	50	nvarchar	Manufacturers or customers part number
vw_Assets	cStockNumber	50	nvarchar	Customer Stock number (NSN)
vw_Assets	cStatus	50	nvarchar	Customer defined status of asset - Inactive in Pool, inop for repair, etc
vw_Assets	cDisposition	50	nvarchar	Customer disposition of Asset - Active, Lost, DRMO, Inactive, etc.
vw_Assets	cAssignedGroup	50	nvarchar	Customer assigned grouping - used for such things as tool rooms, ship board assignments, syscal, etc.
vw_Assets	cClass	50	nvarchar	Customer defined class of asset - may indicate funding type, usage, etc.
vw_Assets	cGroup	50	nvarchar	Customer defined group - Electronic, Dimensional, Flow, etc.
vw_Assets	cFamily	50	nvarchar	Customer defined grouping mechanism
vw_Assets	cStandardType	50	nvarchar	Indicates type of standard - Critical, high use, reference, type one, type two, etc.
vw_Assets	cDescription	100	nvarchar	Description of asset - originally brought forward from the type table
vw_Assets	cPhysicalLocation	50	nvarchar	Physical location at the facility site
vw_Assets	cWeightUOM	50	nvarchar	Unit of measure for weight
vw_Assets	cWeight	50	nvarchar	Weight of asset
vw_Assets	cDimension	50	nvarchar	Dimensions of Asset
vw_Assets	cNextMaintType	50	nvarchar	Indicated next type of maintenance due, periodical, preventative, yearly, etc.
vw_Assets	cInterval	50	nvarchar	Interval in which the maintenance is done
vw_Assets	cIntervalUOM	50	nvarchar	Unit of measure for the interval
vw_Assets	nReplacementCost	N/A	numeric	Cost to replace the asset - today
vw_Assets	nItemCost	N/A	numeric	Cost of the item
vw_Assets	tInventoryDate	N/A	datetime	Date the item was inventoried
vw_Assets	tInServiceDate	N/A	datetime	Date item was placed into service
vw_Assets	tStatusDate	N/A	datetime	Date of the last status - ties to cStatus
vw_Assets	tPurchaseDate	N/A	datetime	Date the item was purchased
vw_Assets	tNextMaintDate	N/A	datetime	Date next maintenance is due
vw_Assets	tAssignedGroupDate	N/A	datetime	Date the item was assigned to a group ties to cAssignedGroup
vw_Assets	tWarrantyDate	N/A	datetime	Date the warranty expires
vw_Assets	mWarrantyInfo	-1	nvarchar	Information about the warranty
vw_Assets	mAccuracy	-1	nvarchar	Accuracy information
vw_Assets	mUncertaintyNotes	-1	nvarchar	Notes about the Uncertainty

Table Name	Column Name	Max Length	Data Type	Description
vw_Assets	nNotes	-1	nvarchar	Notes about the asset
vw_Assets	lStandard	N/A	int	Indicates if this asset is a standard. Ties to nFacilityUID and nMaintenanceFacUID if the same then it is lab standard
vw_Assets	lRecallMaintenanceType	N/A	int	Indicates if this asset is to be considered for recall (-1), if skipped on recal report value will be (0)
vw_Assets	lInAbeyance	N/A	int	
vw_Assets	nAbeyanceInterval	N/A	int	
vw_Assets	nUseCount	N/A	int	
vw_Assets	nQuantity	N/A	int	Quantity of pieces in asset
vw_Assets	lOnSite	N/A	int	Determines if asset maintenance has to be done on site
vw_Assets	lNonTracked	N/A	int	Indicates if the asset is to be ignored by the system for maintenance
vw_Assets	lActive	N/A	int	If value is -1 record is active in the system
vw_Assets	lDeleted	N/A	int	Indicates if the record has been marked for deletion
vw_Assets	lApproved	N/A	int	Indicates if changes to the record have been approved
vw_Assets	lAdded	N/A	int	Indicates if the record has been added locally
vw_Assets	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
vw_Assets	nAddUserUID	N/A	numeric	UID of the user that added the record
vw_Assets	tAddTime	N/A	datetime	Time the record was added
vw_Assets	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
vw_Assets	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
vw_Assets	tUpdateTime	N/A	datetime	Time the record was last updated
vw_Assets	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
vw_Assets	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the Enterprise server
vw_Assets	cShipmentStatus	4	varchar	
vw_Assets	cFacilityName	100	nvarchar	Name of the owner
vw_Assets	cFacilityNumber	50	nvarchar	Facility number of the owner
vw_Assets	cDepartment	100	nvarchar	Name of department
vw_Assets	cDepartmentNumber	50	nvarchar	Number of department
vw_Assets	cManufacturer	100	nvarchar	Name of Manufacturer
vw_Assets	cCategory	80	nvarchar	Category of asset
vw_Assets	cSubCategory	50	nvarchar	Subcategory of Asset
vw_Assets	clnventoryBy	101	nvarchar	User who last inventoried asset
vw_Assets	cParentBarcode	100	nvarchar	Barcode of parent asset
vw_Assets	cParentID	100	nvarchar	ID of parent asset
vw_Assets	cMaintenanceFacName	100	nvarchar	Name of Maintenance facility
vw_Assets	cMaintenanceFacNumber	50	nvarchar	Number for Maintenance facility
vw_Assets	cAssignedFacName	100	nvarchar	Name of Assigned Facility
vw_Assets	cAssignedFacNumber	50	nvarchar	Number for Assigned Facility
vw_Assets	cAuthorizedFacName	100	nvarchar	Name of Authorized Facility
vw_Assets	cAuthorizedFacNumber	50	nvarchar	Number for assigned Facility
vw_Assets	nTyTypeID	N/A	numeric	TypeUID from Types
vw_Assets	nTyCategoryUID	N/A	numeric	CategoryUID from Types
vw_Assets	nTySubCategoryUID	N/A	numeric	SubcategoryUID from Types
vw_Assets	nTyImageUID	N/A	numeric	ImageUID from Types
vw_Assets	nTyManufacturerUID	N/A	numeric	ManufacturerUID from Types
vw_Assets	nTyItemCost	N/A	numeric	Item cost from Types
vw_Assets	nTyReplacementCost	N/A	numeric	Replacement cost from Types
vw_Assets	cTyModelNumber	50	nvarchar	Model Number from Types
vw_Assets	cTyDescription	100	nvarchar	Description from Types
vw_Assets	cTyPartNumber	50	nvarchar	Part number from Types
vw_Assets	cTyStockNumber	50	nvarchar	Stock number from Types
vw_Assets	cTyAuthority	50	nvarchar	Authority from Types
vw_Assets	cTyClass	50	nvarchar	Class from Types
vw_Assets	cTyFamily	50	nvarchar	Family from Types
vw_Assets	cTyWeight	50	nvarchar	Weight from Types
vw_Assets	cTyWeightUOM	50	nvarchar	Weight UOM from Types
vw_Assets	cTyDimension	50	nvarchar	Dimension from Types
vw_Assets	cTyArea	50	nvarchar	Area from Types
vw_Assets	mTyAccuracy	-1	nvarchar	Accuracy from Types
vw_Assets	mTyUncertaintyNotes	-1	nvarchar	Uncertainty Notes from Types
vw_Assets	mTyReceivingNotes	-1	nvarchar	Receiving notes from Types
vw_Assets	mTyNotes	-1	nvarchar	Notes from Types
vw_Assets	lTyActive	N/A	int	Type, if value is -1 record is active in the system
vw_Assets	lTyDeleted	N/A	int	Indicates if the type record has been marked for deletion
vw_Assets	lTyApproved	N/A	int	Indicates if the type changes to the record have been approved
vw_Assets	lTyAdded	N/A	int	Indicates if the type record has been added locally
vw_Assets	nTyAddFacilityUID	N/A	numeric	UID of the facility that added the type record
vw_Assets	nTyAddUserUID	N/A	numeric	UID of the user that added the type record
vw_Assets	tTyAddTime	N/A	datetime	Time the type record was added
vw_Assets	nTyUpdateFacilityUID	N/A	numeric	UID of the facility that last updated the type record
vw_Assets	nTyUpdateUserUID	N/A	numeric	UID of the user that last updated the type record
vw_Assets	tTyUpdateTime	N/A	datetime	Time the type record was last updated
vw_Assets	cTyCategory	80	nvarchar	Category for type
vw_Assets	cTySubCategory	50	nvarchar	Subcategory for type
vw_Assets	cTyManufacturer	100	nvarchar	Manufacturer for type
vw_Assets	mTyAccuracyText	2147483647	text	
vw_Assets	mTyUncertaintyNotesText	2147483647	text	
vw_Assets	mTyReceivingNotesText	2147483647	text	
vw_Assets	mTyNotesText	2147483647	text	
vw_Assets	mWarrantyInfoText	2147483647	text	
vw_Assets	mAccuracyText	2147483647	text	
vw_Assets	mUncertaintyNotesText	2147483647	text	
vw_Assets	mNotesText	2147483647	text	
vw_AssetsWithCallSheets	nAssetUID	N/A	numeric	
vw_AssetsWithCallSheets	nFacilityUID	N/A	numeric	
vw_AssetsWithCallSheets	lOpen	N/A	int	
vw_AssetsWithCallSheets	HasCallSheet	N/A	int	
vw_AssetsWithServices	nAssetUID	N/A	numeric	
vw_AssetsWithServices	nFacilityUID	N/A	numeric	
vw_AssetsWithServices	nDepartmentUID	N/A	numeric	
vw_AssetsWithServices	nTypeUID	N/A	numeric	
vw_AssetsWithServices	nManufacturerUID	N/A	numeric	
vw_AssetsWithServices	nCategoryUID	N/A	numeric	
vw_AssetsWithServices	nSubCategoryUID	N/A	numeric	
vw_AssetsWithServices	nInventoryByUID	N/A	numeric	
vw_AssetsWithServices	nParentUID	N/A	numeric	
vw_AssetsWithServices	nMaintenanceFacUID	N/A	numeric	
vw_AssetsWithServices	nAssignedFacUID	N/A	numeric	
vw_AssetsWithServices	nAuthorizedFacUID	N/A	numeric	

Table Name	Column Name	Max Length	Data Type	Description
vw_AssetsWithServices	cBarcode	100	nvarchar	
vw_AssetsWithServices	cID	100	nvarchar	
vw_AssetsWithServices	cSerialNumber	50	nvarchar	
vw_AssetsWithServices	cModelNumber	50	nvarchar	
vw_AssetsWithServices	cPartNumber	50	nvarchar	
vw_AssetsWithServices	cStockNumber	50	nvarchar	
vw_AssetsWithServices	cStatus	50	nvarchar	
vw_AssetsWithServices	cDisposition	50	nvarchar	
vw_AssetsWithServices	cAssignedGroup	50	nvarchar	
vw_AssetsWithServices	cClass	50	nvarchar	
vw_AssetsWithServices	cGroup	50	nvarchar	
vw_AssetsWithServices	cFamily	50	nvarchar	
vw_AssetsWithServices	cStandardType	50	nvarchar	
vw_AssetsWithServices	cDescription	100	nvarchar	
vw_AssetsWithServices	cPhysicalLocation	50	nvarchar	
vw_AssetsWithServices	cWeightUOM	50	nvarchar	
vw_AssetsWithServices	cWeight	50	nvarchar	
vw_AssetsWithServices	cDimension	50	nvarchar	
vw_AssetsWithServices	nReplacementCost	N/A	numeric	
vw_AssetsWithServices	nItemCost	N/A	numeric	
vw_AssetsWithServices	tInventoryDate	N/A	datetime	
vw_AssetsWithServices	tInServiceDate	N/A	datetime	
vw_AssetsWithServices	tStatusDate	N/A	datetime	
vw_AssetsWithServices	tPurchaseDate	N/A	datetime	
vw_AssetsWithServices	tAssignedGroupDate	N/A	datetime	
vw_AssetsWithServices	tWarrantyDate	N/A	datetime	
vw_AssetsWithServices	mWarrantyInfo	-1	nvarchar	
vw_AssetsWithServices	mAccuracy	-1	nvarchar	
vw_AssetsWithServices	mUncertaintyNotes	-1	nvarchar	
vw_AssetsWithServices	mNotes	-1	nvarchar	
vw_AssetsWithServices	lStandard	N/A	int	
vw_AssetsWithServices	lRecallMaintenanceType	N/A	int	
vw_AssetsWithServices	lInAbeyance	N/A	int	
vw_AssetsWithServices	nAbeyanceInterval	N/A	int	
vw_AssetsWithServices	nUseCount	N/A	int	
vw_AssetsWithServices	nQuantity	N/A	int	
vw_AssetsWithServices	lOnSite	N/A	int	
vw_AssetsWithServices	lNonTracked	N/A	int	
vw_AssetsWithServices	lActive	N/A	int	
vw_AssetsWithServices	lDeleted	N/A	int	
vw_AssetsWithServices	lApproved	N/A	int	
vw_AssetsWithServices	lAdded	N/A	int	
vw_AssetsWithServices	nAddFacilityUID	N/A	numeric	
vw_AssetsWithServices	nAddUserUID	N/A	numeric	
vw_AssetsWithServices	tAddTime	N/A	datetime	
vw_AssetsWithServices	nUpdateFacilityUID	N/A	numeric	
vw_AssetsWithServices	nUpdateUserUID	N/A	numeric	
vw_AssetsWithServices	tUpdateTime	N/A	datetime	
vw_AssetsWithServices	tMobileTime	N/A	datetime	
vw_AssetsWithServices	tSystemUpdateTime	N/A	datetime	
vw_AssetsWithServices	cShipmentStatus	4	varchar	
vw_AssetsWithServices	cFacilityName	100	nvarchar	
vw_AssetsWithServices	cFacilityNumber	50	nvarchar	
vw_AssetsWithServices	cDepartment	100	nvarchar	
vw_AssetsWithServices	cDepartmentNumber	50	nvarchar	
vw_AssetsWithServices	cManufacturer	100	nvarchar	
vw_AssetsWithServices	cCategory	80	nvarchar	
vw_AssetsWithServices	cSubCategory	50	nvarchar	
vw_AssetsWithServices	clInventoryBy	101	nvarchar	
vw_AssetsWithServices	cParentBarcode	100	nvarchar	
vw_AssetsWithServices	cParentID	100	nvarchar	
vw_AssetsWithServices	cMaintenanceFacName	100	nvarchar	
vw_AssetsWithServices	cMaintenanceFacNumber	50	nvarchar	
vw_AssetsWithServices	cAssignedFacName	100	nvarchar	
vw_AssetsWithServices	cAssignedFacNumber	50	nvarchar	
vw_AssetsWithServices	cAuthorizedFacName	100	nvarchar	
vw_AssetsWithServices	cAuthorizedFacNumber	50	nvarchar	
vw_AssetsWithServices	nTyTypeUID	N/A	numeric	
vw_AssetsWithServices	nTyCategoryUID	N/A	numeric	
vw_AssetsWithServices	nTySubCategoryUID	N/A	numeric	
vw_AssetsWithServices	nTyImageUID	N/A	numeric	
vw_AssetsWithServices	nTyManufacturerUID	N/A	numeric	
vw_AssetsWithServices	nTyItemCost	N/A	numeric	
vw_AssetsWithServices	nTyReplacementCost	N/A	numeric	
vw_AssetsWithServices	cTyModelNumber	50	nvarchar	
vw_AssetsWithServices	cTyDescription	100	nvarchar	
vw_AssetsWithServices	cTyPartNumber	50	nvarchar	
vw_AssetsWithServices	cTyStockNumber	50	nvarchar	
vw_AssetsWithServices	cTyAuthority	50	nvarchar	
vw_AssetsWithServices	cTyClass	50	nvarchar	
vw_AssetsWithServices	cTyFamily	50	nvarchar	
vw_AssetsWithServices	cTyWeight	50	nvarchar	
vw_AssetsWithServices	cTyWeightUOM	50	nvarchar	
vw_AssetsWithServices	cTyDimension	50	nvarchar	
vw_AssetsWithServices	cTyArea	50	nvarchar	
vw_AssetsWithServices	mTyAccuracy	-1	nvarchar	
vw_AssetsWithServices	mTyUncertaintyNotes	-1	nvarchar	
vw_AssetsWithServices	mTyReceivingNotes	-1	nvarchar	
vw_AssetsWithServices	mTyNotes	-1	nvarchar	
vw_AssetsWithServices	lTyActive	N/A	int	
vw_AssetsWithServices	lTyDeleted	N/A	int	
vw_AssetsWithServices	lTyApproved	N/A	int	
vw_AssetsWithServices	lTyAdded	N/A	int	
vw_AssetsWithServices	nTyAddFacilityUID	N/A	numeric	
vw_AssetsWithServices	nTyAddUserUID	N/A	numeric	
vw_AssetsWithServices	tTyAddTime	N/A	datetime	
vw_AssetsWithServices	nTyUpdateFacilityUID	N/A	numeric	

Table Name	Column Name	Max Length	Data Type	Description
vw_AssetsWithServices	nTyUpdateUserUID	N/A	numeric	
vw_AssetsWithServices	tTyUpdateTime	N/A	datetime	
vw_AssetsWithServices	cTyCategory	80	nvarchar	
vw_AssetsWithServices	cTySubCategory	50	nvarchar	
vw_AssetsWithServices	cTyManufacturer	100	nvarchar	
vw_AssetsWithServices	mTyAccuracyText	2147483647	text	
vw_AssetsWithServices	mTyUncertaintyNotesText	2147483647	text	
vw_AssetsWithServices	mTyReceivingNotesText	2147483647	text	
vw_AssetsWithServices	mTyNotesText	2147483647	text	
vw_AssetsWithServices	nAssetServiceUID	N/A	numeric	
vw_AssetsWithServices	tMaintDate	N/A	datetime	
vw_AssetsWithServices	tNextMaintDate	N/A	datetime	
vw_AssetsWithServices	cInterval	50	nvarchar	
vw_AssetsWithServices	cIntervalUOM	50	nvarchar	
vw_AssetsWithServices	ASV_IActive	N/A	int	
vw_AssetsWithServices	nServiceTypeUID	N/A	numeric	
vw_AssetsWithServices	cServiceName	50	nvarchar	
vw_AssetsWithServices	cServiceType	50	nvarchar	
vw_AssetsWithServices	lRecalled	N/A	int	
vw_AssetsWithServices	ST_IActive	N/A	int	
vw_AssetWithOpenCallsheets	nCallSheetUID	N/A	numeric	
vw_AssetWithOpenCallsheets	cStickerType	50	nvarchar	
vw_AssetWithOpenCallsheets	cJobOrderNumber	50	nvarchar	
vw_AssetWithOpenCallsheets	IsCustomerCallsheet	N/A	int	
vw_AssetWithOpenCallsheets	cCallSheetStatus	50	nvarchar	
vw_AssetWithOpenCallsheets	cCallSheetType	50	nvarchar	
vw_AssetWithOpenCallsheets	cCallSheetNumber	50	nvarchar	
vw_AssetWithOpenCallsheets	cCertificationNumber	50	nvarchar	
vw_AssetWithOpenCallsheets	tMaintDate	N/A	datetime	
vw_AssetWithOpenCallsheets	tMaintNextDate	N/A	datetime	
vw_AssetWithOpenCallsheets	tRequiredDate	N/A	datetime	
vw_AssetWithOpenCallsheets	IOOT	N/A	int	
vw_AssetWithOpenCallsheets	lClosed	N/A	int	
vw_AssetWithOpenCallsheets	IsCustomerAsset	N/A	int	
vw_AssetWithOpenCallsheets	nAssetUID	N/A	numeric	
vw_AssetWithOpenCallsheets	nFacilityUID	N/A	numeric	
vw_AssetWithOpenCallsheets	nMaintenanceFacUID	N/A	numeric	
vw_AssetWithOpenCallsheets	cBarcode	100	nvarchar	
vw_AssetWithOpenCallsheets	cID	100	nvarchar	
vw_AssetWithOpenCallsheets	cManufacturer	100	nvarchar	
vw_AssetWithOpenCallsheets	cSerialNumber	50	nvarchar	
vw_AssetWithOpenCallsheets	cModelNumber	50	nvarchar	
vw_AssetWithOpenCallsheets	cPartNumber	50	nvarchar	
vw_AssetWithOpenCallsheets	cStockNumber	50	nvarchar	
vw_AssetWithOpenCallsheets	cStatus	50	nvarchar	
vw_AssetWithOpenCallsheets	cDisposition	50	nvarchar	
vw_AssetWithOpenCallsheets	cFamily	50	nvarchar	
vw_AssetWithOpenCallsheets	cStandardType	50	nvarchar	
vw_AssetWithOpenCallsheets	cDescription	100	nvarchar	
vw_AssetWithOpenCallsheets	cDepartment	100	nvarchar	
vw_AssetWithOpenCallsheets	cPhysicalLocation	50	nvarchar	
vw_AssetWithOpenCallsheets	cNextMaintType	50	nvarchar	
vw_AssetWithOpenCallsheets	cInterval	50	nvarchar	
vw_AssetWithOpenCallsheets	cIntervalUOM	50	nvarchar	
vw_AssetWithOpenCallsheets	tStatusDate	N/A	datetime	
vw_AssetWithOpenCallsheets	tPurchaseDate	N/A	datetime	
vw_AssetWithOpenCallsheets	tNextMaintDate	N/A	datetime	
vw_AssetWithOpenCallsheets	tWarrantyDate	N/A	datetime	
vw_AssetWithOpenCallsheets	lOnSite	N/A	int	
vw_AssetWithOpenCallsheets	lNonTracked	N/A	int	
vw_AssetWithOpenCallsheets	lActive	N/A	int	
vw_AssetWithOpenCallsheets	lDeleted	N/A	int	
vw_AssetWithOpenCallsheets	lApproved	N/A	int	
vw_AssetWithOpenCallsheets	lAdded	N/A	int	
vw_AssetWithOpenCallsheets	lStandard	N/A	int	
vw_AssetWithOpenCallsheets	nAddFacilityUID	N/A	numeric	
vw_AssetWithOpenCallsheets	nAddUserUID	N/A	numeric	
vw_AssetWithOpenCallsheets	tAddTime	N/A	datetime	
vw_AssetWithOpenCallsheets	nUpdateFacilityUID	N/A	numeric	
vw_AssetWithOpenCallsheets	nUpdateUserUID	N/A	numeric	
vw_AssetWithOpenCallsheets	tUpdateTime	N/A	datetime	
vw_AssetWithOpenCallsheets	tMobileTime	N/A	datetime	
vw_AssetWithOpenCallsheets	cFacilityName	100	nvarchar	
vw_AssetWithOpenCallsheets	cFacilityNumber	50	nvarchar	
vw_AssetWithOpenCallsheets	cMaintenanceFacName	100	nvarchar	
vw_AssetWithOpenCallsheets	cMaintenanceFacNumber	50	nvarchar	
vw_AssetWithOpenCallsheets	cShipmentStatus	4	varchar	
vw_AssetWithOpenCallsheets	lRecallMaintenanceType	N/A	int	
vw_AssetWithOpenCallsheets	tOpenDate	N/A	datetime	
vw_BillingReport	nInvoiceUID	N/A	numeric	Unique system identifier used by the system
vw_BillingReport	cnInvoiceNo	50	nvarchar	Number for invoice
vw_BillingReport	cAccountType	50	nvarchar	Type of account
vw_BillingReport	nTaxAmount	N/A	numeric	Tax total for invoice
vw_BillingReport	nInvoiceAmount	N/A	numeric	Invoice total
vw_BillingReport	nDiscountAmount	N/A	numeric	
vw_BillingReport	nPaidAmount	N/A	numeric	Amount paid on invoice
vw_BillingReport	nBalance	N/A	numeric	Balance for invoice
vw_BillingReport	nShippingCost	N/A	numeric	Shipping Cost on invoice
vw_BillingReport	nHandlingCost	N/A	numeric	
vw_BillingReport	nVATAmount	N/A	numeric	VAT amount
vw_BillingReport	tInvoiceDate	N/A	datetime	Date invoice was created
vw_BillingReport	mNotes	30	varchar	Notes on invoice
vw_BillingReport	nInvoiceItemUID	N/A	numeric	UID for Invoice Item
vw_BillingReport	nCallSheetUID	N/A	numeric	Relates to the callsheets table
vw_BillingReport	nQuantity	N/A	numeric	Displays Quantity
vw_BillingReport	nExtendedAmount	N/A	numeric	Quantity times cost
vw_BillingReport	cDescription	100	nvarchar	Description

Table Name	Column Name	Max Length	Data Type	Description
vw_BillingReport	cJobOrderNumber	50	nvarchar	Displays Job Number
vw_BillingReport	cID	100	nvarchar	Customer ID number
vw_BillingReport	cBarcode	100	nvarchar	Unique Barcode assigned to this asset
vw_BillingReport	Parts	N/A	int	Indicates number of parts
vw_BillingReport	cClientAuthCode	50	nvarchar	Clients Authorization Code
vw_BillingReport	mNotesText	2147483647	text	
vw_CallSheetLog	nCallSheetLogUID	N/A	numeric	
vw_CallSheetLog	nCallSheetUID	N/A	numeric	
vw_CallSheetLog	nUserID	N/A	numeric	
vw_CallSheetLog	tDate	N/A	datetime	
vw_CallSheetLog	cStatus	50	nvarchar	
vw_CallSheetLog	cType	50	nvarchar	
vw_CallSheetLog	cLocation	50	nvarchar	
vw_CallSheetLog	mLogNote	30	varchar	
vw_CallSheetLog	lDeleted	N/A	int	
vw_CallSheetLog	lApproved	N/A	int	
vw_CallSheetLog	lAdded	N/A	int	
vw_CallSheetLog	nAddUserID	N/A	numeric	
vw_CallSheetLog	tAddTime	N/A	datetime	
vw_CallSheetLog	nUpdateFacilityUID	N/A	numeric	
vw_CallSheetLog	nUpdateUserID	N/A	numeric	
vw_CallSheetLog	tUpdateTime	N/A	datetime	
vw_CallSheetLog	tMobileTime	N/A	datetime	
vw_CallSheetLog	tSystemUpdateTime	N/A	datetime	
vw_CallSheetLog	nAddFacilityUID	N/A	numeric	
vw_CallSheetReadings	nCallSheetReadingUID	N/A	numeric	
vw_CallSheetReadings	nCallSheetUID	N/A	numeric	
vw_CallSheetReadings	nTemplateItemUID	N/A	numeric	
vw_CallSheetReadings	cReadingName	150	nvarchar	
vw_CallSheetReadings	cStepNumber	300	nvarchar	
vw_CallSheetReadings	cMinimum	1051	nvarchar	
vw_CallSheetReadings	cMaximum	1051	nvarchar	
vw_CallSheetReadings	cNominal	1051	nvarchar	
vw_CallSheetReadings	cAsFound	1051	nvarchar	
vw_CallSheetReadings	cAsLeft	1051	nvarchar	
vw_CallSheetReadings	cItemNote	300	nvarchar	
vw_CallSheetReadings	cMeasurementType	50	nvarchar	
vw_CallSheetReadings	cMinimumAdj	1051	nvarchar	
vw_CallSheetReadings	cMaximumAdj	1051	nvarchar	
vw_CallSheetReadings	nOrder	N/A	int	
vw_CallSheetReadings	cFoundInTolerance	50	nvarchar	
vw_CallSheetReadings	cLeftInTolerance	50	nvarchar	
vw_CallSheetReadings	lHeader	N/A	int	
vw_CallSheetReadings	tAddTime	N/A	datetime	
vw_CallSheetReadings	nCallSheetResultUID	N/A	numeric	
vw_CallSheetReadings	nPointUID	N/A	numeric	
vw_CallSheetReadings	nPointStatisticUID	N/A	numeric	
vw_CallSheetReadings	nPointToleranceUID	N/A	numeric	
vw_CallSheetResultEx	nCallSheetResultExUID	N/A	numeric	
vw_CallSheetResultEx	nCallSheetResultUID	N/A	numeric	
vw_CallSheetResultEx	nField001	1051	nvarchar	
vw_CallSheetResultEx	nField002	1051	nvarchar	
vw_CallSheetResultEx	nField003	1051	nvarchar	
vw_CallSheetResultEx	nField004	1051	nvarchar	
vw_CallSheetResultEx	nField005	1051	nvarchar	
vw_CallSheetResultEx	nField006	1051	nvarchar	
vw_CallSheetResultEx	nField007	1051	nvarchar	
vw_CallSheetResultEx	nField008	1051	nvarchar	
vw_CallSheetResultEx	nField009	1051	nvarchar	
vw_CallSheetResultEx	nField010	1051	nvarchar	
vw_CallSheetResultEx	nField011	1051	nvarchar	
vw_CallSheetResultEx	nField012	1051	nvarchar	
vw_CallSheetResultEx	nField013	1051	nvarchar	
vw_CallSheetResultEx	nField014	1051	nvarchar	
vw_CallSheetResultEx	nField015	1051	nvarchar	
vw_CallSheetResultEx	nField016	1051	nvarchar	
vw_CallSheetResultEx	nField017	1051	nvarchar	
vw_CallSheetResultEx	nField018	1051	nvarchar	
vw_CallSheetResultEx	nField019	1051	nvarchar	
vw_CallSheetResultEx	nField020	1051	nvarchar	
vw_CallSheetResultEx	nField021	1051	nvarchar	
vw_CallSheetResultEx	nField022	1051	nvarchar	
vw_CallSheetResultEx	nField023	1051	nvarchar	
vw_CallSheetResultEx	nField024	1051	nvarchar	
vw_CallSheetResultEx	nField025	1051	nvarchar	
vw_CallSheetResultEx	nField026	1051	nvarchar	
vw_CallSheetResultEx	nField027	1051	nvarchar	
vw_CallSheetResultEx	nField028	1051	nvarchar	
vw_CallSheetResultEx	nField029	1051	nvarchar	
vw_CallSheetResultEx	nField030	1051	nvarchar	
vw_CallSheetResultEx	cField001	255	nvarchar	
vw_CallSheetResultEx	cField002	255	nvarchar	
vw_CallSheetResultEx	cField003	255	nvarchar	
vw_CallSheetResultEx	cField004	255	nvarchar	
vw_CallSheetResultEx	cField005	255	nvarchar	
vw_CallSheetResultEx	cField006	255	nvarchar	
vw_CallSheetResultEx	cField007	255	nvarchar	
vw_CallSheetResultEx	cField008	255	nvarchar	
vw_CallSheetResultEx	cField009	255	nvarchar	
vw_CallSheetResultEx	cField010	255	nvarchar	
vw_CallSheetResultEx	cField011	255	nvarchar	
vw_CallSheetResultEx	cField012	255	nvarchar	
vw_CallSheetResultEx	cField013	255	nvarchar	
vw_CallSheetResultEx	cField014	255	nvarchar	
vw_CallSheetResultEx	cField015	255	nvarchar	
vw_CallSheetResultEx	cField016	255	nvarchar	
vw_CallSheetResultEx	cField017	255	nvarchar	

Table Name	Column Name	Max Length	Data Type	Description
vw_CallSheetResultEx	cField018	255	nvarchar	
vw_CallSheetResultEx	cField019	255	nvarchar	
vw_CallSheetResultEx	cField020	255	nvarchar	
vw_CallSheetResultEx	cField021	255	nvarchar	
vw_CallSheetResultEx	cField022	255	nvarchar	
vw_CallSheetResultEx	cField023	255	nvarchar	
vw_CallSheetResultEx	cField024	255	nvarchar	
vw_CallSheetResultEx	cField025	255	nvarchar	
vw_CallSheetResultEx	cField026	255	nvarchar	
vw_CallSheetResultEx	cField027	255	nvarchar	
vw_CallSheetResultEx	cField028	255	nvarchar	
vw_CallSheetResultEx	cField029	255	nvarchar	
vw_CallSheetResultEx	cField030	255	nvarchar	
vw_CallSheetResultEx	cField031	255	nvarchar	
vw_CallSheetResultEx	cField032	255	nvarchar	
vw_CallSheetResultEx	cField033	255	nvarchar	
vw_CallSheetResultEx	cField034	255	nvarchar	
vw_CallSheetResultEx	cField035	255	nvarchar	
vw_CallSheetResultEx	cField036	255	nvarchar	
vw_CallSheetResultEx	cField037	255	nvarchar	
vw_CallSheetResultEx	cField038	255	nvarchar	
vw_CallSheetResultEx	cField039	255	nvarchar	
vw_CallSheetResultEx	cField040	255	nvarchar	
vw_CallSheetResultEx	cField041	255	nvarchar	
vw_CallSheetResultEx	cField042	255	nvarchar	
vw_CallSheetResultEx	cField043	255	nvarchar	
vw_CallSheetResultEx	cField044	255	nvarchar	
vw_CallSheetResultEx	cField045	255	nvarchar	
vw_CallSheetResultEx	cField046	255	nvarchar	
vw_CallSheetResultEx	cField047	255	nvarchar	
vw_CallSheetResultEx	cField048	255	nvarchar	
vw_CallSheetResultEx	cField049	255	nvarchar	
vw_CallSheetResultEx	cField050	255	nvarchar	
vw_CallSheetResultEx	lField001	N/A	int	
vw_CallSheetResultEx	lField002	N/A	int	
vw_CallSheetResultEx	lField003	N/A	int	
vw_CallSheetResultEx	lField004	N/A	int	
vw_CallSheetResultEx	lField005	N/A	int	
vw_CallSheetResultEx	tField001	N/A	datetime	
vw_CallSheetResultEx	tField002	N/A	datetime	
vw_CallSheetResultEx	tField003	N/A	datetime	
vw_CallSheetResultEx	tField004	N/A	datetime	
vw_CallSheetResultEx	tField005	N/A	datetime	
vw_CallSheetResultEx	mField001	-1	nvarchar	
vw_CallSheetResultEx	mField002	-1	nvarchar	
vw_CallSheetResultEx	mField003	-1	nvarchar	
vw_CallSheetResultEx	lActive	N/A	int	
vw_CallSheetResultEx	lDeleted	N/A	int	
vw_CallSheetResultEx	lApproved	N/A	int	
vw_CallSheetResultEx	lAdded	N/A	int	
vw_CallSheetResultEx	nAddFacilityUID	N/A	numeric	
vw_CallSheetResultEx	nAddUserUID	N/A	numeric	
vw_CallSheetResultEx	tAddTime	N/A	datetime	
vw_CallSheetResultEx	nUpdateFacilityUID	N/A	numeric	
vw_CallSheetResultEx	nUpdateUserUID	N/A	numeric	
vw_CallSheetResultEx	tUpdateTime	N/A	datetime	
vw_CallSheetResultEx	tMobileTime	N/A	datetime	
vw_CallSheetResultEx	tSystemUpdateTime	N/A	datetime	
vw_CallSheets	nCallSheetUID	N/A	numeric	Unique system identifier used by the system
vw_CallSheets	nGroupUID	N/A	numeric	The number used to group items together during the returning process
vw_CallSheets	nAssetUID	N/A	numeric	Indicates the Asset the maintenance is for
vw_CallSheets	nTypeUID	N/A	numeric	
vw_CallSheets	nFacilityUID	N/A	numeric	Indicates the Current Owner of the Asset
vw_CallSheets	nDepartmentUID	N/A	numeric	Indicates the Current department responsible for the Asset
vw_CallSheets	nWorkingFacilityUID	N/A	numeric	Indicates the Facility actually doing the work
vw_CallSheets	nOwningLabUID	N/A	numeric	Indicates the category of the maintenance
vw_CallSheets	nCategoryUID	N/A	numeric	Indicates the category of the maintenance
vw_CallSheets	nSubCategoryUID	N/A	numeric	Indicates the sub category of the maintenance
vw_CallSheets	nProcedureUID	N/A	numeric	Indicates the procedure being used to perform the maintenance
vw_CallSheets	nTypeProcedureDefaultUID	N/A	numeric	Indicates the Link record for interval and procedure
vw_CallSheets	nAssignedTechUID	N/A	numeric	Indicates the Technician assigned from the users table
vw_CallSheets	nTechnicianUID	N/A	numeric	Indicates the Technician that performed the maintenance
vw_CallSheets	nQCApprovedByUID	N/A	numeric	Indicates the person Qing the record
vw_CallSheets	nReturnedByUID	N/A	numeric	Indicates the person who returne the asset to the owner
vw_CallSheets	nSubContractorUID	N/A	numeric	Indicates the subcontractor used - if needed
vw_CallSheets	nJobNumberUID	N/A	numeric	Indicates the job number charged for the maintenance
vw_CallSheets	nCalendarUID	N/A	numeric	Indicated the calendar event for followup
vw_CallSheets	nInvoiceUID	N/A	numeric	Indicates the invoice used for the Call Sheet
vw_CallSheets	nCallSheetAttributeUID	N/A	numeric	Unique system identifier used by the system
vw_CallSheets	nSubContHours	N/A	numeric	Hours used by the subcontractor
vw_CallSheets	nSubContCost	N/A	numeric	Cost associated with using the subcontractor
vw_CallSheets	nSubContLabCost	N/A	numeric	
vw_CallSheets	nCost	N/A	numeric	other costs for maintenance
vw_CallSheets	nAllocated	N/A	numeric	Amount of allocated labor
vw_CallSheets	nAllocatedParts	N/A	numeric	Dollar amount of allocated parts
vw_CallSheets	cContactInfo	50	nvarchar	Information stored for contacting someone with questions
vw_CallSheets	clnitialCondition	50	nvarchar	Indicates Initial Condition
vw_CallSheets	cServiceReason	50	nvarchar	Indicates Service Reason
vw_CallSheets	cCallSheetType	50	nvarchar	Call Sheet Type
vw_CallSheets	cStickerType	50	nvarchar	Sticker Type --ties to notes
vw_CallSheets	cCallSheetStatus	50	nvarchar	Status of the maintenance
vw_CallSheets	cCallSheetNumber	50	nvarchar	Incrementing number for this call sheet
vw_CallSheets	cCertificationNumber	50	nvarchar	Cert number for maintenance
vw_CallSheets	clInterval	50	nvarchar	Interval of maintenance
vw_CallSheets	clIntervalUOM	50	nvarchar	Unit of measure for the interval
vw_CallSheets	cTemperature	50	nvarchar	Temperature recorded during maintenance
vw_CallSheets	cTemperatureUOM	50	nvarchar	

Table Name	Column Name	Max Length	Data Type	Description
vw_CallSheets	cHumidity	50	nvarchar	Humidity recorded during maintenance
vw_CallSheets	cHumidityUOM	50	nvarchar	
vw_CallSheets	cPressure	50	nvarchar	Pressure recorded during maintenance
vw_CallSheets	cPressureUOM	50	nvarchar	
vw_CallSheets	cLocation	50	nvarchar	Indicates who entered the record - system number controlled
vw_CallSheets	cArea	50	nvarchar	The area of the lab scheduled to perform work
vw_CallSheets	cCertFormat	50	nvarchar	Custom Cert format if any
vw_CallSheets	cWorkOrderResults	50	nvarchar	
vw_CallSheets	tOpenDate	N/A	datetime	Date the work began
vw_CallSheets	tRequiredDate	N/A	datetime	Date customer needs it done
vw_CallSheets	tDelayDate	N/A	datetime	Date it has been delayed to
vw_CallSheets	tMaintDate	N/A	datetime	Date maintenance was actually done
vw_CallSheets	tMaintNextDate	N/A	datetime	Date next maintenance is due
vw_CallSheets	tQCApprovedDate	N/A	datetime	Date the QC approved the maintenance
vw_CallSheets	tClosedDate	N/A	datetime	Date the maintenance was concluded
vw_CallSheets	tReturnedDate	N/A	datetime	Date the asset was returned to the customer
vw_CallSheets	nQuantity	N/A	int	Quantity
vw_CallSheets	nPriority	N/A	int	Priority
vw_CallSheets	nTechnicianPriority	N/A	int	Technician Priority
vw_CallSheets	lExpedite	N/A	int	Indicates if customer needs this event expedited
vw_CallSheets	lSOCert	N/A	int	Determines whether cal is performed onsite
vw_CallSheets	lOnSite	N/A	int	Indicates if the maintenance must be performed onsite
vw_CallSheets	lReturnNoMaint	N/A	int	Indicates if the asset has been returned without any maintenance
vw_CallSheets	lSubContracted	N/A	int	Indicates if the maintenance has been subcontracted
vw_CallSheets	lOOT	N/A	int	Indicates if the asset was Out Of Tolerance
vw_CallSheets	lClosed	N/A	int	Indicates if the call sheet has been closed
vw_CallSheets	lDelayed	N/A	int	Indicates if the call sheet has been delayed
vw_CallSheets	lCancelled	N/A	int	Indicates if the call sheet has been cancelled
vw_CallSheets	mCallSheetNotes	-1	nvarchar	Call sheet notes
vw_CallSheets	mAccuracyNotes	-1	nvarchar	Notes about the accuracy
vw_CallSheets	mUncertaintyNotes	-1	nvarchar	Uncertainty Notes
vw_CallSheets	mSubContractorNotes	-1	nvarchar	Notes about the Subcontractor
vw_CallSheets	mOOTNotes	-1	nvarchar	Notes for Out of Tolerance
vw_CallSheets	mStickerNotes	-1	nvarchar	Notes on sticker
vw_CallSheets	lActive	N/A	int	If value is -1 record is active in the system
vw_CallSheets	lDeleted	N/A	int	Indicates if the record has been marked for deletion
vw_CallSheets	lApproved	N/A	int	Indicates if changes to the record have been approved
vw_CallSheets	lAdded	N/A	int	Indicates if the record has been added locally
vw_CallSheets	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
vw_CallSheets	nAddUserUID	N/A	numeric	UID of the user that added the record
vw_CallSheets	tAddTime	N/A	datetime	Time the record was added
vw_CallSheets	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
vw_CallSheets	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
vw_CallSheets	tUpdateTime	N/A	datetime	Time the record was last updated
vw_CallSheets	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
vw_CallSheets	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
vw_CallSheets	cID	100	nvarchar	Customer ID number
vw_CallSheets	cBarcode	100	nvarchar	Unique Barcode assigned to this asset
vw_CallSheets	cModelNumber	50	nvarchar	Manufacturers model number
vw_CallSheets	cSerialNumber	50	nvarchar	Manufacturers or customers serial number
vw_CallSheets	cDescription	100	nvarchar	Description from the asset record
vw_CallSheets	cPhysicalLocation	50	nvarchar	Physical location of the asset
vw_CallSheets	nAssetQuantity	N/A	int	Asset Quantity
vw_CallSheets	tAssetNextMaintDate	N/A	datetime	Next Maintenance date for asset
vw_CallSheets	cNextMaintType	50	nvarchar	Indicated next type of maintenance due, periodical, preventative, yearly, etc.
vw_CallSheets	cAssetInterval	50	nvarchar	Asset's interval of maintenance
vw_CallSheets	cAssetIntervalUOM	50	nvarchar	Asset's unit of measure for the interval
vw_CallSheets	nAssetTypeUID	N/A	numeric	
vw_CallSheets	cAssetPartNumber	50	nvarchar	
vw_CallSheets	cParentID	100	nvarchar	Parent id for the asset
vw_CallSheets	cManufacturer	100	nvarchar	Asset's Manufacturer
vw_CallSheets	cTyDescription	100	nvarchar	Type description
vw_CallSheets	cTyAuthority	50	nvarchar	Type authority
vw_CallSheets	cFacilityName	100	nvarchar	Asset owner from the call sheet
vw_CallSheets	cFacilityNumber	50	nvarchar	Asset owner number from the call sheet
vw_CallSheets	cDepartment	100	nvarchar	Asset department from the call sheet
vw_CallSheets	cDepartmentNumber	50	nvarchar	Asset department number from the call sheet
vw_CallSheets	cWorkingFacility	100	nvarchar	Call sheet working facility
vw_CallSheets	cWorkingFacilityNumber	50	nvarchar	Call sheet working facility number
vw_CallSheets	cOwningLab	100	nvarchar	
vw_CallSheets	cOwningLabNumber	50	nvarchar	
vw_CallSheets	cCategory	80	nvarchar	Call sheet category
vw_CallSheets	cSubCategory	50	nvarchar	Call sheet subcategory
vw_CallSheets	cProcedureName	150	nvarchar	Call sheet procedure
vw_CallSheets	cProcedureNumber	50	nvarchar	Call sheet procedure number
vw_CallSheets	cAuthority	50	nvarchar	Procedure's authority
vw_CallSheets	cTypeInterval	50	nvarchar	Types interval
vw_CallSheets	cTypeIntervalUOM	50	nvarchar	Types unit of measure for the interval
vw_CallSheets	cMaintenanceType	50	nvarchar	Type of maintenance from TypeProcedureDefaults
vw_CallSheets	nStandardTime	N/A	numeric	Call sheets standard time from TypeProcedureDefaults
vw_CallSheets	nStandardPrice	N/A	numeric	Call sheets standard price from TypeProcedureDefaults
vw_CallSheets	TPDnProcedureUID	N/A	numeric	Indicates the default procedure link field
vw_CallSheets	cAssignedTech	101	nvarchar	Technician assigned to call sheet
vw_CallSheets	cTechnician	101	nvarchar	Maintenance technician
vw_CallSheets	cQCApprovedBy	101	nvarchar	Indicates who quality control approved call sheet
vw_CallSheets	cReturnedBy	101	nvarchar	Indicates who returned the call sheet
vw_CallSheets	cSubContractor	100	nvarchar	Call sheet sub contractor
vw_CallSheets	cSubContractorNumber	50	nvarchar	Call sheet sub contractor number
vw_CallSheets	cJobOrderNumber	50	nvarchar	Call sheet job order number
vw_CallSheets	lLevelOfEffort	N/A	int	Indicates level of effort from the job number
vw_CallSheets	tTaskDueDate	N/A	datetime	Call sheets follow up date
vw_CallSheets	cFileName	50	nvarchar	Call sheet file name
vw_CallSheets	cInvoiceNo	50	nvarchar	Call sheet invoice number
vw_CallSheets	tInvoiceDate	N/A	datetime	Call sheet invoice date
vw_CallSheets	mCallSheetNotesText	2147483647	text	
vw_CallSheets	mAccuracyNotesText	2147483647	text	
vw_CallSheets	mUncertaintyNotesText	2147483647	text	

Table Name	Column Name	Max Length	Data Type	Description
vw_CallSheets	mSubContractorNotesText	2147483647	text	
vw_CallSheets	mOOTNotesText	2147483647	text	
vw_CallSheets	mStickerNotesText	2147483647	text	
vw_CustomerAssets	nCustomerAssetUID	N/A	numeric	
vw_CustomerAssets	nCustomerFacilityUID	N/A	numeric	
vw_CustomerAssets	tSystemUpdateTime	N/A	datetime	
vw_CustomerAssets	nMaintenanceFacUID	N/A	numeric	
vw_CustomerAssets	cBarcode	100	nvarchar	
vw_CustomerAssets	cID	100	nvarchar	
vw_CustomerAssets	cManufacturer	50	nvarchar	
vw_CustomerAssets	cSerialNumber	50	nvarchar	
vw_CustomerAssets	cModelNumber	50	nvarchar	
vw_CustomerAssets	cPartNumber	50	nvarchar	
vw_CustomerAssets	cStockNumber	50	nvarchar	
vw_CustomerAssets	cStatus	50	nvarchar	
vw_CustomerAssets	cDisposition	50	nvarchar	
vw_CustomerAssets	cFamily	50	nvarchar	
vw_CustomerAssets	cStandardType	50	nvarchar	
vw_CustomerAssets	cDescription	100	nvarchar	
vw_CustomerAssets	cDepartment	50	nvarchar	
vw_CustomerAssets	cPhysicalLocation	50	nvarchar	
vw_CustomerAssets	cNextMaintType	50	nvarchar	
vw_CustomerAssets	cInterval	50	nvarchar	
vw_CustomerAssets	cIntervalUOM	50	nvarchar	
vw_CustomerAssets	tStatusDate	N/A	datetime	
vw_CustomerAssets	tPurchaseDate	N/A	datetime	
vw_CustomerAssets	tNextMaintDate	N/A	datetime	
vw_CustomerAssets	tWarrantyDate	N/A	datetime	
vw_CustomerAssets	mNotes	2500	nvarchar	
vw_CustomerAssets	lOnSite	N/A	int	
vw_CustomerAssets	lNonTracked	N/A	int	
vw_CustomerAssets	lActive	N/A	int	
vw_CustomerAssets	lDeleted	N/A	int	
vw_CustomerAssets	lApproved	N/A	int	
vw_CustomerAssets	lAdded	N/A	int	
vw_CustomerAssets	lStandard	N/A	int	
vw_CustomerAssets	nAddFacilityUID	N/A	numeric	
vw_CustomerAssets	nAddUserUID	N/A	numeric	
vw_CustomerAssets	tAddTime	N/A	datetime	
vw_CustomerAssets	nUpdateFacilityUID	N/A	numeric	
vw_CustomerAssets	nUpdateUserUID	N/A	numeric	
vw_CustomerAssets	tUpdateTime	N/A	datetime	
vw_CustomerAssets	tMobileTime	N/A	datetime	
vw_CustomerAssets	cShipmentStatus	4	varchar	
vw_CustomerAssets	cFacilityName	100	nvarchar	
vw_CustomerAssets	cFacilityNumber	50	nvarchar	
vw_CustomerAssets	cMaintenanceFacName	100	nvarchar	
vw_CustomerAssets	cMaintenanceFacNumber	50	nvarchar	
vw_CustomerCallSheets	nCustomerCallSheetUID	N/A	numeric	
vw_CustomerCallSheets	nCustomerAssetUID	N/A	numeric	
vw_CustomerCallSheets	nCustomerFacilityUID	N/A	numeric	
vw_CustomerCallSheets	cTechnicianName	50	nvarchar	
vw_CustomerCallSheets	cQualityManager	50	nvarchar	
vw_CustomerCallSheets	cProcedure	50	nvarchar	
vw_CustomerCallSheets	cContactInfo	50	nvarchar	
vw_CustomerCallSheets	cInitialCondition	50	nvarchar	
vw_CustomerCallSheets	cServiceReason	50	nvarchar	
vw_CustomerCallSheets	cCallSheetType	50	nvarchar	
vw_CustomerCallSheets	cStickerType	50	nvarchar	
vw_CustomerCallSheets	cCallSheetStatus	50	nvarchar	
vw_CustomerCallSheets	cCallSheetNumber	50	nvarchar	
vw_CustomerCallSheets	cCertificationNumber	50	nvarchar	
vw_CustomerCallSheets	cInterval	50	nvarchar	
vw_CustomerCallSheets	cIntervalUOM	50	nvarchar	
vw_CustomerCallSheets	cTemperature	50	nvarchar	
vw_CustomerCallSheets	cHumidity	50	nvarchar	
vw_CustomerCallSheets	cPressure	50	nvarchar	
vw_CustomerCallSheets	cLocation	50	nvarchar	
vw_CustomerCallSheets	tOpenDate	N/A	datetime	
vw_CustomerCallSheets	tRequiredDate	N/A	datetime	
vw_CustomerCallSheets	tDelayDate	N/A	datetime	
vw_CustomerCallSheets	tMaintDate	N/A	datetime	
vw_CustomerCallSheets	tMaintNextDate	N/A	datetime	
vw_CustomerCallSheets	tClosedDate	N/A	datetime	
vw_CustomerCallSheets	nQuantity	N/A	int	
vw_CustomerCallSheets	lOnSite	N/A	int	
vw_CustomerCallSheets	lSubContracted	N/A	int	
vw_CustomerCallSheets	lReturnNoMaint	N/A	int	
vw_CustomerCallSheets	lOOT	N/A	int	
vw_CustomerCallSheets	lClosed	N/A	int	
vw_CustomerCallSheets	mCallSheetNotes	2500	nvarchar	
vw_CustomerCallSheets	mOOTNotes	2500	nvarchar	
vw_CustomerCallSheets	lActive	N/A	int	
vw_CustomerCallSheets	lDeleted	N/A	int	
vw_CustomerCallSheets	lApproved	N/A	int	
vw_CustomerCallSheets	lAdded	N/A	int	
vw_CustomerCallSheets	nAddFacilityUID	N/A	numeric	
vw_CustomerCallSheets	nAddUserUID	N/A	numeric	
vw_CustomerCallSheets	tAddTime	N/A	datetime	
vw_CustomerCallSheets	nUpdateFacilityUID	N/A	numeric	
vw_CustomerCallSheets	nUpdateUserUID	N/A	numeric	
vw_CustomerCallSheets	tUpdateTime	N/A	datetime	
vw_CustomerCallSheets	tMobileTime	N/A	datetime	
vw_CustomerCallSheets	tSystemUpdateTime	N/A	datetime	
vw_CustomerCallSheets	cID	100	nvarchar	
vw_CustomerCallSheets	cBarcode	100	nvarchar	
vw_CustomerCallSheets	cModelNumber	50	nvarchar	

Table Name	Column Name	Max Length	Data Type	Description
vw_CustomerCallSheets	cSerialNumber	50	nvarchar	
vw_CustomerCallSheets	cDescription	100	nvarchar	
vw_CustomerCallSheets	cPhysicalLocation	50	nvarchar	
vw_CustomerCallSheets	tAssetNextMaintDate	N/A	datetime	
vw_CustomerCallSheets	cNextMaintType	50	nvarchar	
vw_CustomerCallSheets	cAssetInterval	50	nvarchar	
vw_CustomerCallSheets	cAssetIntervalUOM	50	nvarchar	
vw_CustomerCallSheets	cFacilityName	100	nvarchar	
vw_CustomerCallSheets	cFacilityNumber	50	nvarchar	
vw_CustomerCallSheets	strCallSheetUID	50	varchar	
vw_CustomerCallSheets	mCallSheetNotesText	2147483647	text	
vw_EMXAuditDetail	AuditLogID	N/A	uniqueidentifier	
vw_EMXAuditDetail	Owner	128	nvarchar	
vw_EMXAuditDetail	TableID	N/A	int	
vw_EMXAuditDetail	TableName	128	nvarchar	
vw_EMXAuditDetail	ColumnID	N/A	int	
vw_EMXAuditDetail	ColumnName	128	nvarchar	
vw_EMXAuditDetail	UID	N/A	numeric	
vw_EMXAuditDetail	Status	N/A	tinyint	
vw_EMXAuditDetail	OldValue	3769	varchar	
vw_EMXAuditDetail	NewValue	3769	varchar	
vw_EMXAuditDetail	Event	1	char	
vw_EMXAuditDetail	PostedDateTime	N/A	datetime	
vw_EMXAuditDetail	UserName	128	nvarchar	
vw_EMXAuditDetail	HostName	128	nvarchar	
vw_EMXAuditDetail	ApplicationName	128	nvarchar	
vw_EMXAuditHeader	ID	N/A	uniqueidentifier	
vw_EMXAuditHeader	UID	N/A	numeric	
vw_EMXAuditHeader	TableName	128	nvarchar	
vw_EMXAuditHeader	Date	N/A	datetime	
vw_EMXAuditHeader	Workstation	128	nvarchar	
vw_EMXAuditHeader	Application	128	nvarchar	
vw_EMXAuditHeader	reason	2500	varchar	
vw_EMXAuditHeader	ChangeUser	101	nvarchar	
vw_EstimateItems	nEstimateItemUID	N/A	numeric	
vw_EstimateItems	nPartUID	N/A	numeric	
vw_EstimateItems	cReference	50	nvarchar	
vw_EstimateItems	cDescription	100	nvarchar	
vw_EstimateItems	nCost	N/A	numeric	
vw_EstimateItems	nQuantity	N/A	numeric	
vw_EstimateItems	nTotal	N/A	numeric	
vw_EstimateItems	mNotes	1000	nvarchar	
vw_EstimateItems	cModelNumber	50	nvarchar	
vw_EstimateItems	cProcedureNumber	50	nvarchar	
vw_EstimateItems	cProcedureName	150	nvarchar	
vw_EstimateItems	tEffectiveDate	N/A	datetime	
vw_EstimateItems	tExpireDate	N/A	datetime	
vw_EstimateItems	nEstimateUID	N/A	numeric	
vw_EstimateItems	nContractUID	N/A	numeric	
vw_EstimateItems	Contract	N/A	int	
vw_EstimateItems	nTypeUID	N/A	numeric	
vw_Estimates	nEstimateUID	N/A	numeric	
vw_Estimates	nFacilityUID	N/A	numeric	
vw_Estimates	nEstimatorUID	N/A	numeric	
vw_Estimates	nJobNumberUID	N/A	numeric	
vw_Estimates	nLabAcceptedByUID	N/A	numeric	
vw_Estimates	nCallSheetUID	N/A	numeric	
vw_Estimates	nContactUID	N/A	numeric	
vw_Estimates	cEstimateNumber	50	nvarchar	
vw_Estimates	cAcceptedBy	50	nvarchar	
vw_Estimates	cEstimateStatus	50	nvarchar	
vw_Estimates	cAccountType	50	nvarchar	
vw_Estimates	nCustomerDiscount	N/A	numeric	
vw_Estimates	nTotal	N/A	numeric	
vw_Estimates	nEstDeliveryDays	N/A	int	
vw_Estimates	lAccepted	N/A	int	
vw_Estimates	lLabAccepted	N/A	int	
vw_Estimates	tExpirationDate	N/A	datetime	
vw_Estimates	tEstimateDate	N/A	datetime	
vw_Estimates	tStartDate	N/A	datetime	
vw_Estimates	tEndDate	N/A	datetime	
vw_Estimates	tAcceptedDate	N/A	datetime	
vw_Estimates	tLabAcceptedDate	N/A	datetime	
vw_Estimates	mLabNotes	-1	nvarchar	
vw_Estimates	mCustomerNotes	-1	nvarchar	
vw_Estimates	lActive	N/A	int	
vw_Estimates	lDeleted	N/A	int	
vw_Estimates	lApproved	N/A	int	
vw_Estimates	lAdded	N/A	int	
vw_Estimates	nAddFacilityUID	N/A	numeric	
vw_Estimates	nAddUserUID	N/A	numeric	
vw_Estimates	tAddTime	N/A	datetime	
vw_Estimates	nUpdateFacilityUID	N/A	numeric	
vw_Estimates	nUpdateUserUID	N/A	numeric	
vw_Estimates	tUpdateTime	N/A	datetime	
vw_Estimates	tMobileTime	N/A	datetime	
vw_Estimates	tSystemUpdateTime	N/A	datetime	
vw_Estimates	Customer	100	nvarchar	
vw_Estimates	Estimator	101	nvarchar	
vw_Estimates	ApprovedBy	101	nvarchar	
vw_Estimates	mLabNotesText	30	varchar	
vw_Estimates	mCustomerNotesText	30	varchar	
vw_Facilities	nFacilityUID	N/A	numeric	Unique system identifier used by the system
vw_Facilities	nCategoryUID	N/A	numeric	Links to the category table
vw_Facilities	nSubCategoryUID	N/A	numeric	Links to the subcategory table
vw_Facilities	nParentFacilityUID	N/A	numeric	Links back to this table to indicate the parent facility
vw_Facilities	nRate1	N/A	numeric	Rate one - such as hourly labor rate for civilian

Table Name	Column Name	Max Length	Data Type	Description
vw_Facilities	nRate2	N/A	numeric	Rate two - such as hourly labor rate for military
vw_Facilities	nRate3	N/A	numeric	Rate three - such as subcontractors rate
vw_Facilities	cFacilityName	100	nvarchar	Name of the facility
vw_Facilities	cFacilityType	50	nvarchar	Type of the facility
vw_Facilities	cFacilityNumber	50	nvarchar	Facility number - such as customer number UIC, RUC
vw_Facilities	cFacilityWebSite	50	nvarchar	Facility's web site
vw_Facilities	cTaxNumber	50	nvarchar	Tax Number
vw_Facilities	cIndustryCode	50	nvarchar	Cage code
vw_Facilities	cCompanyCode	50	nvarchar	Company code - such as billing
vw_Facilities	cDivision	50	nvarchar	Division
vw_Facilities	cDistrict	50	nvarchar	District
vw_Facilities	cAccountNumber	50	nvarchar	AR Account Code
vw_Facilities	cFedNumber	50	nvarchar	Federal Tax Number
vw_Facilities	lManufacturer	N/A	int	Indicates if this facility is a manufacturer
vw_Facilities	lCustomer	N/A	int	Indicates if this facility is a customer
vw_Facilities	lSubContractor	N/A	int	Indicates if this facility is a sub contractor
vw_Facilities	lLab	N/A	int	Indicates if this facility is a lab
vw_Facilities	mNotes	-1	nvarchar	Notes about the facility
vw_Facilities	lActive	N/A	int	If value is -1 record is active in the system
vw_Facilities	lDeleted	N/A	int	Indicates if the record has been marked for deletion
vw_Facilities	lApproved	N/A	int	Indicates if changes to the record have been approved
vw_Facilities	lAdded	N/A	int	Indicates if the record has been added locally
vw_Facilities	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
vw_Facilities	nAddUserUID	N/A	numeric	UID of the user that added the record
vw_Facilities	tAddTime	N/A	datetime	Time the record was added
vw_Facilities	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
vw_Facilities	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
vw_Facilities	tUpdateTime	N/A	datetime	Time the record was last updated
vw_Facilities	cCategory	80	nvarchar	Category for Facility
vw_Facilities	cSubCategory	50	nvarchar	Subcategory for facility
vw_Facilities	cParentName	100	nvarchar	Parent name for facility
vw_Facilities	cParentNumber	50	nvarchar	Parent number for facility
vw_Facilities	mNotesText	2147483647	text	
vw_Inventory_w_CS_IntervalsRep	cFacilityName	100	nvarchar	
vw_Inventory_w_CS_IntervalsRep	cID	100	nvarchar	
vw_Inventory_w_CS_IntervalsRep	cTyDescription	100	nvarchar	
vw_Inventory_w_CS_IntervalsRep	cInterval	50	nvarchar	
vw_Inventory_w_CS_IntervalsRep	cIntervalUOM	50	nvarchar	
vw_Inventory_w_CS_IntervalsRep	tMaintDate	N/A	datetime	
vw_Inventory_w_CS_IntervalsRep	tMaintNextDate	N/A	datetime	
vw_Inventory_w_CS_IntervalsRep	nAssetUID	N/A	numeric	
vw_Inventory_w_CS_IntervalsRep	lActive	N/A	int	
vw_JobNumberFacilities	nJobNumberUID	N/A	numeric	Unique system identifier used by the system
vw_JobNumberFacilities	nFacilityJobLinkUID	N/A	numeric	UID from FacilityJobLink table
vw_JobNumberFacilities	cJobOrderNumber	50	nvarchar	Job order number from JobNumbers table
vw_JobNumberFacilities	nAmount	N/A	numeric	Amount funded from JobNumbers table
vw_JobNumberFacilities	nUsedAmount	N/A	numeric	Amount of money used from the JobNumbers table
vw_JobNumberFacilities	Available	N/A	numeric	Indicates result of nAmount - nUsedAmount
vw_JobNumberFacilities	tStartDate	N/A	datetime	Starting date of the job number
vw_JobNumberFacilities	tEndDate	N/A	datetime	End date of this job number
vw_JobNumberFacilities	lActive	N/A	int	Active indicator from JobNumbers table
vw_JobNumberFacilities	lDefault	N/A	int	Indicates if this is the default job number from FacilityJobLink table
vw_JobNumberFacilities	nFacilityUID	N/A	numeric	UID of the facility (owner) the job number is for, from FacilityJobLink
vw_JobNumberFacilities	cFacilityName	100	nvarchar	Name of the facility the job number is for, from Facilities
vw_JobNumberFacilities	cFacilityType	50	nvarchar	Type of the facility the job number is for, from Facilities
vw_JobNumberFacilities	cFacilityNumber	50	nvarchar	Facility number of the facility the job number is for, from Facilities
vw_JobNumberFacilities	nWFacilityUID	N/A	numeric	UID of the facility (working facility) the job number is for, from FacilityJobLink
vw_JobNumberFacilities	cWFacilityName	100	nvarchar	Working facility name, from Facilities
vw_JobNumberFacilities	cWFacilityType	50	nvarchar	Working facility type, from Facilities
vw_JobNumberFacilities	cWFacilityNumber	50	nvarchar	Working facility number, from Facilities
vw_JobNumberFacilities	cClientAuthCode	50	nvarchar	
vw_JobNumbers	nJobNumberUID	N/A	numeric	Unique system identifier used by the system
vw_JobNumbers	nFundingAuthorityUID	N/A	numeric	Indicates source of funds
vw_JobNumbers	nProjectUID	N/A	numeric	
vw_JobNumbers	nAmount	N/A	numeric	Indicates the amount attached to this job number
vw_JobNumbers	nMinAmount	N/A	numeric	Indicates the warning amount of the job number
vw_JobNumbers	nAllocateAmount	N/A	numeric	Indicates the amount set aside on the job number
vw_JobNumbers	nUsedAmount	N/A	numeric	Indicates the amount of the money used on this job number
vw_JobNumbers	cJobOrderNumber	50	nvarchar	This is the tracking number used by the system
vw_JobNumbers	cClientAuthCode	50	nvarchar	This is an authorization code from the client
vw_JobNumbers	tStartDate	N/A	datetime	Starting date of the job number
vw_JobNumbers	tEndDate	N/A	datetime	Expiration date of the job number
vw_JobNumbers	mNotes	-1	nvarchar	Notes on activity of the Job number
vw_JobNumbers	lLevelOfEffort	N/A	int	Determines whether funds are removed based upon level of effort or Standard hours
vw_JobNumbers	lActive	N/A	int	If value is -1 record is active in the system
vw_JobNumbers	lDeleted	N/A	int	Indicates if the record has been marked for deletion
vw_JobNumbers	cFundingAuthority	100	nvarchar	Facility name for the source of funds for job number
vw_JobNumbers	cFundingAuthorityNumber	50	nvarchar	Facility number for the source of funds for job number
vw_JobNumbers	cFundingAuthorityType	50	nvarchar	Facility type for the source of funds for job number
vw_JobNumbers	cProjectName	50	nvarchar	
vw_JobNumbers	cProjectNumber	50	nvarchar	
vw_JobNumbers	mNotesText	2147483647	text	
vw_OpenCallSheets	nCallSheetUID	N/A	numeric	Unique system identifier used by the system
vw_OpenCallSheets	nGroupUID	N/A	numeric	The number used to group items together during the receiving process
vw_OpenCallSheets	nAssetUID	N/A	numeric	Indicates the Asset the maintenance is for
vw_OpenCallSheets	nTypeUID	N/A	numeric	
vw_OpenCallSheets	nFacilityUID	N/A	numeric	Indicates the Current Owner of the Asset
vw_OpenCallSheets	nDepartmentUID	N/A	numeric	Indicates the Current department responsible for the Asset
vw_OpenCallSheets	nWorkingFacilityUID	N/A	numeric	Indicates the Facility actually doing the work
vw_OpenCallSheets	nOwningLabUID	N/A	numeric	
vw_OpenCallSheets	nCategoryUID	N/A	numeric	Indicates the category of the maintenance
vw_OpenCallSheets	nSubCategoryUID	N/A	numeric	Indicates the sub category of the maintenance
vw_OpenCallSheets	nProcedureUID	N/A	numeric	Indicates the procedure being used to perform the maintenance
vw_OpenCallSheets	nTypeProcedureDefaultUID	N/A	numeric	Indicates the Link record for interval and procedure
vw_OpenCallSheets	nAssignedTechUID	N/A	numeric	Indicates the Technician assigned from the users table
vw_OpenCallSheets	nTechnicianUID	N/A	numeric	Indicates the Technician that performed the maintenance
vw_OpenCallSheets	nQCApprovedByUID	N/A	numeric	Indicates the person Qcing the record

Table Name	Column Name	Max Length	Data Type	Description
vw_OpenCallSheets	nReturnedByUID	N/A	numeric	Indicates the person who returne the asset to the owner
vw_OpenCallSheets	nSubContractorUID	N/A	numeric	Indicates the subcontractor used - if needed
vw_OpenCallSheets	nJobNumberUID	N/A	numeric	Indicates the job number charged for the maintenance
vw_OpenCallSheets	nCalendarUID	N/A	numeric	Indicated the calendar event for followup
vw_OpenCallSheets	nInvoiceUID	N/A	numeric	Indicates the invoice used for the Call Sheet
vw_OpenCallSheets	nCallSheetAttributeUID	N/A	numeric	Indicates the attributes associated with the call sheet
vw_OpenCallSheets	nSubContHours	N/A	numeric	Hours used by the subcontractor
vw_OpenCallSheets	nSubContCost	N/A	numeric	Cost associated with using the subcontractor
vw_OpenCallSheets	nSubContLabCost	N/A	numeric	
vw_OpenCallSheets	nCost	N/A	numeric	Total cost for the maintenance of this call sheet
vw_OpenCallSheets	nAllocated	N/A	numeric	Amount of allocated labor
vw_OpenCallSheets	nAllocatedParts	N/A	numeric	Dollar amount of allocated parts
vw_OpenCallSheets	cContactInfo	50	nvarchar	Information stored for contacting someone with questions
vw_OpenCallSheets	cInitialCondition	50	nvarchar	Initial Condition
vw_OpenCallSheets	cServiceReason	50	nvarchar	Service Reason
vw_OpenCallSheets	cCallSheetType	50	nvarchar	Call Sheet Type
vw_OpenCallSheets	cStickerType	50	nvarchar	Sticker Type --ties to notes
vw_OpenCallSheets	cCallSheetStatus	50	nvarchar	Status of the maintenance
vw_OpenCallSheets	cCallSheetNumber	50	nvarchar	Incrementing number for this call sheet
vw_OpenCallSheets	cCertificationNumber	50	nvarchar	Cert number for maintenance
vw_OpenCallSheets	cInterval	50	nvarchar	Interval of maintenance
vw_OpenCallSheets	cIntervalUOM	50	nvarchar	Unit of measure for the interval
vw_OpenCallSheets	cTemperature	50	nvarchar	Temperature recorded during maintenance
vw_OpenCallSheets	cTemperatureUOM	50	nvarchar	
vw_OpenCallSheets	cHumidity	50	nvarchar	Humidity recorded during maintenance
vw_OpenCallSheets	cHumidityUOM	50	nvarchar	
vw_OpenCallSheets	cPressure	50	nvarchar	Pressure recorded during maintenance
vw_OpenCallSheets	cPressureUOM	50	nvarchar	
vw_OpenCallSheets	cLocation	50	nvarchar	Indicates who entered the record - system number controlled
vw_OpenCallSheets	cArea	50	nvarchar	The area of the lab scheduled to perform work
vw_OpenCallSheets	cCertFormat	50	nvarchar	Custom Cert format if any
vw_OpenCallSheets	cWorkOrderResults	50	nvarchar	
vw_OpenCallSheets	tOpenDate	N/A	datetime	Date the work began
vw_OpenCallSheets	tRequiredDate	N/A	datetime	Date customer needs it done
vw_OpenCallSheets	tDelayDate	N/A	datetime	Date it has been delayed to
vw_OpenCallSheets	tMaintDate	N/A	datetime	Date maintenance was actually done
vw_OpenCallSheets	tMaintNextDate	N/A	datetime	Date next maintenance is due
vw_OpenCallSheets	tQCApprovedDate	N/A	datetime	Date the QC approved the maintenance
vw_OpenCallSheets	tClosedDate	N/A	datetime	Date the maintenance was concluded
vw_OpenCallSheets	tReturnedDate	N/A	datetime	Date the asset was returned to the customer
vw_OpenCallSheets	nQuantity	N/A	int	The quantity of pieces received
vw_OpenCallSheets	nPriority	N/A	int	Priority
vw_OpenCallSheets	nTechnicianPriority	N/A	int	Technician Priority
vw_OpenCallSheets	lExpedite	N/A	int	Indicates if customer needs this event expedited
vw_OpenCallSheets	lSOCert	N/A	int	Determines whether cal is performed onsite
vw_OpenCallSheets	lOnSite	N/A	int	Indicates if the maintenance must be performed onsite
vw_OpenCallSheets	lReturnNoMaint	N/A	int	Indicates if the asset has been returned without any maintenance
vw_OpenCallSheets	lSubContracted	N/A	int	Indicates if the maintenance has been subcontracted
vw_OpenCallSheets	lOOT	N/A	int	Indicates if the asset was Out Of Tolerance
vw_OpenCallSheets	lClosed	N/A	int	Indicates if the call sheet has been closed
vw_OpenCallSheets	lDelayed	N/A	int	Indicates if the call sheet has been delayed
vw_OpenCallSheets	lCancelled	N/A	int	Indicates if the call sheet has been cancelled
vw_OpenCallSheets	mCallSheetNotes	-1	nvarchar	Call sheet notes
vw_OpenCallSheets	mAccuracyNotes	-1	nvarchar	Notes about the accuracy
vw_OpenCallSheets	mUncertaintyNotes	-1	nvarchar	Uncertainty Notes
vw_OpenCallSheets	mSubContractorNotes	-1	nvarchar	Notes about the Subcontractor
vw_OpenCallSheets	mOOTNotes	-1	nvarchar	Notes for Out of Tolerance
vw_OpenCallSheets	mStickerNotes	-1	nvarchar	Notes on sticker
vw_OpenCallSheets	lActive	N/A	int	If value is -1 record is active in the system
vw_OpenCallSheets	lDeleted	N/A	int	Indicates if the record has been marked for deletion
vw_OpenCallSheets	lApproved	N/A	int	Indicates if changes to the record have been approved
vw_OpenCallSheets	lAdded	N/A	int	Indicates if the record has been added locally
vw_OpenCallSheets	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
vw_OpenCallSheets	nAddUserUID	N/A	numeric	UID of the user that added the record
vw_OpenCallSheets	tAddTime	N/A	datetime	Time the record was added
vw_OpenCallSheets	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
vw_OpenCallSheets	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
vw_OpenCallSheets	tUpdateTime	N/A	datetime	Time the record was last updated
vw_OpenCallSheets	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
vw_OpenCallSheets	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
vw_OpenCallSheets	Disposition	50	nvarchar	Assets disposition
vw_OpenCallSheets	Serial	50	nvarchar	Assets serial code
vw_OpenCallSheets	Barcode	100	nvarchar	Assets barcode
vw_OpenCallSheets	ID	100	nvarchar	Assets ID
vw_OpenCallSheets	Model	50	nvarchar	Assets Model
vw_OpenCallSheets	AssetStatus	50	nvarchar	Assets status
vw_OpenCallSheets	Type	100	nvarchar	Assets description
vw_PackageHistory	nPackageHistoryUID	N/A	numeric	
vw_PackageHistory	nWorkstationUID	N/A	numeric	
vw_PackageHistory	nFacilityUID	N/A	numeric	
vw_PackageHistory	tExportDate	N/A	datetime	
vw_PackageHistory	Exported For	100	nvarchar	
vw_PackageHistory	cSourceName	50	nvarchar	
vw_PackageHistory	nPackageNumber	N/A	int	
vw_PackageHistory	Type	25	varchar	
vw_PackageHistory	tImportDate	N/A	datetime	
vw_PackageHistory	Data	3	varchar	
vw_PackageHistory	tUpdateTime	N/A	datetime	
vw_Parts	nPartUID	N/A	numeric	Unique system identifier used by the system
vw_Parts	nManufacturerUID	N/A	numeric	Ties to facility table to indicate the manufacturer
vw_Parts	nCategoryUID	N/A	numeric	Indicates the part category
vw_Parts	nInventoryByUID	N/A	numeric	Who inventoried the part last - ties to users table
vw_Parts	cDescription	50	nvarchar	Description of the part
vw_Parts	cPhysicalLocation	50	nvarchar	Location of the parts - bin, bench, etc
vw_Parts	cSupplier	50	nvarchar	Who you bought the parts from
vw_Parts	cStockNumber	50	nvarchar	Stock number (NSN)
vw_Parts	cLastPurchaseAmount	50	nvarchar	Last amount you paid for this part

Table Name	Column Name	Max Length	Data Type	Description
vw_Parts	cPartNumber	50	nvarchar	Part number
vw_Parts	cLeadTime	50	nvarchar	Lead time to get the parts in days
vw_Parts	cClass	50	nvarchar	User defined parts class
vw_Parts	cGroup	50	nvarchar	User defined parts group
vw_Parts	cFamily	50	nvarchar	User defined parts family
vw_Parts	cUOM	50	nvarchar	Part Unit of Measure - sold in
vw_Parts	cCostmethod	50	nvarchar	Cost method FIFO - LIFO
vw_Parts	cWeight	50	nvarchar	Weight of the part
vw_Parts	cShippingCode	50	nvarchar	Shipping code (UPS, FedEx)
vw_Parts	nQuantityonhand	N/A	numeric	Quantity on hand
vw_Parts	nItemCost	N/A	numeric	Cost of the part
vw_Parts	nForeignItemCost	N/A	numeric	Cost conversion into foreign funds
vw_Parts	nQuantityReOrder	N/A	numeric	Minimum re-order level
vw_Parts	nOrderLevel	N/A	numeric	Amount that you order each time
vw_Parts	nItemPrice	N/A	numeric	Resale amount
vw_Parts	nSoldToDate	N/A	numeric	Number used since you started tracking
vw_Parts	nSoldFromDate	N/A	numeric	Period tracking on count used
vw_Parts	nSoldLastYear	N/A	numeric	Number of this part sold last year
vw_Parts	tLastDatePurchased	N/A	datetime	Last date you purchased this part
vw_Parts	tSellFromDate	N/A	datetime	Date you can start selling or using the part
vw_Parts	tActiveDate	N/A	datetime	Date part is activated
vw_Parts	tInventoryDate	N/A	datetime	Last dated inventoried
vw_Parts	iTaxable	N/A	int	Is it taxable
vw_Parts	iShippable	N/A	int	Is it shippable
vw_Parts	iNonTracked	N/A	int	Indicator if the part is tracked by the inventory system
vw_Parts	iDiscontinued	N/A	int	Indicates if the vendor has discontinued the part
vw_Parts	mNotes	-1	nvarchar	Notes on the part
vw_Parts	iActive	N/A	int	If value is -1 record is active in the system
vw_Parts	iDeleted	N/A	int	Indicates if the record has been marked for deletion
vw_Parts	iApproved	N/A	int	Indicates if changes to the record have been approved
vw_Parts	iAdded	N/A	int	Indicates if the record has been added locally
vw_Parts	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
vw_Parts	nAddUserUID	N/A	numeric	UID of the user that added the record
vw_Parts	tAddTime	N/A	datetime	Time the record was added
vw_Parts	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
vw_Parts	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
vw_Parts	tUpdateTime	N/A	datetime	Time the record was last updated
vw_Parts	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
vw_Parts	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
vw_Parts	cManufacturer	100	nvarchar	Manufacturer for part
vw_Parts	cCategory	80	nvarchar	Category for part
vw_Parts	clnventoryBy	101	nvarchar	Part inventoried by
vw_Parts	mNotesText	2147483647	text	
vw_PointExNumerics	nPointExNumericUID	N/A	numeric	
vw_PointExNumerics	nPointUID	N/A	numeric	
vw_PointExNumerics	nField001	1051	nvarchar	
vw_PointExNumerics	nField002	1051	nvarchar	
vw_PointExNumerics	nField003	1051	nvarchar	
vw_PointExNumerics	nField004	1051	nvarchar	
vw_PointExNumerics	nField005	1051	nvarchar	
vw_PointExNumerics	nField006	1051	nvarchar	
vw_PointExNumerics	nField007	1051	nvarchar	
vw_PointExNumerics	nField008	1051	nvarchar	
vw_PointExNumerics	nField009	1051	nvarchar	
vw_PointExNumerics	nField010	1051	nvarchar	
vw_PointExNumerics	nField011	1051	nvarchar	
vw_PointExNumerics	nField012	1051	nvarchar	
vw_PointExNumerics	nField013	1051	nvarchar	
vw_PointExNumerics	nField014	1051	nvarchar	
vw_PointExNumerics	nField015	1051	nvarchar	
vw_PointExNumerics	nField016	1051	nvarchar	
vw_PointExNumerics	nField017	1051	nvarchar	
vw_PointExNumerics	nField018	1051	nvarchar	
vw_PointExNumerics	nField019	1051	nvarchar	
vw_PointExNumerics	nField020	1051	nvarchar	
vw_PointExNumerics	nField021	1051	nvarchar	
vw_PointExNumerics	nField022	1051	nvarchar	
vw_PointExNumerics	nField023	1051	nvarchar	
vw_PointExNumerics	nField024	1051	nvarchar	
vw_PointExNumerics	nField025	1051	nvarchar	
vw_PointExNumerics	nField026	1051	nvarchar	
vw_PointExNumerics	nField027	1051	nvarchar	
vw_PointExNumerics	nField028	1051	nvarchar	
vw_PointExNumerics	nField029	1051	nvarchar	
vw_PointExNumerics	nField030	1051	nvarchar	
vw_PointExNumerics	nField031	1051	nvarchar	
vw_PointExNumerics	nField032	1051	nvarchar	
vw_PointExNumerics	nField033	1051	nvarchar	
vw_PointExNumerics	nField034	1051	nvarchar	
vw_PointExNumerics	nField035	1051	nvarchar	
vw_PointExNumerics	nField036	1051	nvarchar	
vw_PointExNumerics	nField037	1051	nvarchar	
vw_PointExNumerics	nField038	1051	nvarchar	
vw_PointExNumerics	nField039	1051	nvarchar	
vw_PointExNumerics	nField040	1051	nvarchar	
vw_PointExNumerics	nField041	1051	nvarchar	
vw_PointExNumerics	nField042	1051	nvarchar	
vw_PointExNumerics	nField043	1051	nvarchar	
vw_PointExNumerics	nField044	1051	nvarchar	
vw_PointExNumerics	nField045	1051	nvarchar	
vw_PointExNumerics	nField046	1051	nvarchar	
vw_PointExNumerics	nField047	1051	nvarchar	
vw_PointExNumerics	nField048	1051	nvarchar	
vw_PointExNumerics	nField049	1051	nvarchar	
vw_PointExNumerics	nField050	1051	nvarchar	
vw_PointExNumerics	nField051	1051	nvarchar	
vw_PointExNumerics	nField052	1051	nvarchar	

Table Name	Column Name	Max Length	Data Type	Description
vw_PointExNumerics	nField053	1051	nvarchar	
vw_PointExNumerics	nField054	1051	nvarchar	
vw_PointExNumerics	nField055	1051	nvarchar	
vw_PointExNumerics	nField056	1051	nvarchar	
vw_PointExNumerics	nField057	1051	nvarchar	
vw_PointExNumerics	nField058	1051	nvarchar	
vw_PointExNumerics	nField059	1051	nvarchar	
vw_PointExNumerics	nField060	1051	nvarchar	
vw_PointExNumerics	lActive	N/A	int	
vw_PointExNumerics	lDeleted	N/A	int	
vw_PointExNumerics	lApproved	N/A	int	
vw_PointExNumerics	lAdded	N/A	int	
vw_PointExNumerics	nAddFacilityUID	N/A	numeric	
vw_PointExNumerics	nAddUserUID	N/A	numeric	
vw_PointExNumerics	tAddTime	N/A	datetime	
vw_PointExNumerics	nUpdateFacilityUID	N/A	numeric	
vw_PointExNumerics	nUpdateUserUID	N/A	numeric	
vw_PointExNumerics	tUpdateTime	N/A	datetime	
vw_PointExNumerics	tMobileTime	N/A	datetime	
vw_PointExNumerics	tSystemUpdateTime	N/A	datetime	
vw_PointReadings	nPointReadingUID	N/A	numeric	
vw_PointReadings	nPointUID	N/A	numeric	
vw_PointReadings	nAssetUID	N/A	numeric	
vw_PointReadings	nReading	1051	nvarchar	
vw_PointReadings	tReadingDateTime	N/A	datetime	
vw_PointReadings	nReadingOrdinal	N/A	int	
vw_PointReadings	cReadingUnit	50	nvarchar	
vw_PointReadings	cReadingLabel	50	nvarchar	
vw_PointReadings	cReadingType	50	nvarchar	
vw_PointReadings	lActive	N/A	int	
vw_PointReadings	lDeleted	N/A	int	
vw_PointReadings	lApproved	N/A	int	
vw_PointReadings	lAdded	N/A	int	
vw_PointReadings	nAddFacilityUID	N/A	numeric	
vw_PointReadings	nAddUserUID	N/A	numeric	
vw_PointReadings	tAddTime	N/A	datetime	
vw_PointReadings	nUpdateFacilityUID	N/A	numeric	
vw_PointReadings	nUpdateUserUID	N/A	numeric	
vw_PointReadings	tUpdateTime	N/A	datetime	
vw_PointReadings	tMobileTime	N/A	datetime	
vw_PointReadings	tSystemUpdateTime	N/A	datetime	
vw_Points	nPointUID	N/A	numeric	
vw_Points	nCallSheetResultUID	N/A	numeric	
vw_Points	nUUT	1051	nvarchar	
vw_Points	nReference	1051	nvarchar	
vw_Points	nCardinalPoint	1051	nvarchar	
vw_Points	nCorrection	1051	nvarchar	
vw_Points	nUUTRange	1051	nvarchar	
vw_Points	nSystemAccuracy	1051	nvarchar	
vw_Points	nTemplateItemUID	N/A	numeric	
vw_Points	nPointOrdinal	N/A	int	
vw_Points	tPointDateTime	N/A	datetime	
vw_Points	cPointLabel	150	nvarchar	
vw_Points	cPointStatusFlags	50	nvarchar	
vw_Points	cPointPassFailStatus	50	nvarchar	
vw_Points	cFunctionSelectCode	50	nvarchar	
vw_Points	cPointDescription	300	nvarchar	
vw_Points	cRemarks	300	nvarchar	
vw_Points	cOverrideRemarks	300	nvarchar	
vw_Points	cDesignation	10	nvarchar	
vw_Points	cTagId	50	nvarchar	
vw_Points	nSetTime	N/A	numeric	
vw_Points	cCondition	50	nvarchar	
vw_Points	nClaim	N/A	numeric	
vw_Points	lAccredited	N/A	int	
vw_Points	lPrinted	N/A	int	
vw_Points	lUUTIsFixed	N/A	int	
vw_Points	lOverride	N/A	int	
vw_Points	lHeader	N/A	int	
vw_Points	lActive	N/A	int	
vw_Points	lDeleted	N/A	int	
vw_Points	lApproved	N/A	int	
vw_Points	lAdded	N/A	int	
vw_Points	nAddFacilityUID	N/A	numeric	
vw_Points	nAddUserUID	N/A	numeric	
vw_Points	tAddTime	N/A	datetime	
vw_Points	nUpdateFacilityUID	N/A	numeric	
vw_Points	nUpdateUserUID	N/A	numeric	
vw_Points	tUpdateTime	N/A	datetime	
vw_Points	tMobileTime	N/A	datetime	
vw_Points	tSystemUpdateTime	N/A	datetime	
vw_PointStatistics	nPointStatisticUID	N/A	numeric	
vw_PointStatistics	nPointUID	N/A	numeric	
vw_PointStatistics	nMaximumReference	1051	nvarchar	
vw_PointStatistics	nMaximumUUT	1051	nvarchar	
vw_PointStatistics	nMinimumReference	1051	nvarchar	
vw_PointStatistics	nMinimumUUT	1051	nvarchar	
vw_PointStatistics	nReference2StandardDeviation	1051	nvarchar	
vw_PointStatistics	nReferenceRaw2StandardDeviation	1051	nvarchar	
vw_PointStatistics	nReferenceRawStandardDeviation	1051	nvarchar	
vw_PointStatistics	nReferenceStandardDeviation	1051	nvarchar	
vw_PointStatistics	nSampleRate	1051	nvarchar	
vw_PointStatistics	nUUTRawStandardDeviation	1051	nvarchar	
vw_PointStatistics	nUUTStandardDeviation	1051	nvarchar	
vw_PointStatistics	nNumberOfSamplesReference	N/A	int	
vw_PointStatistics	nNumberOfSamplesUUT	N/A	int	
vw_PointStatistics	nNumberOfSamplesDiscarded	N/A	int	

Table Name	Column Name	Max Length	Data Type	Description
vw_PointStatistics	nChiSquared	N/A	numeric	
vw_PointStatistics	nNoisy	N/A	int	
vw_PointStatistics	nReliable	N/A	int	
vw_PointStatistics	nActive	N/A	int	
vw_PointStatistics	nDeleted	N/A	int	
vw_PointStatistics	nApproved	N/A	int	
vw_PointStatistics	nAdded	N/A	int	
vw_PointStatistics	nAddFacilityUID	N/A	numeric	
vw_PointStatistics	nAddUserUID	N/A	numeric	
vw_PointStatistics	tAddTime	N/A	datetime	
vw_PointStatistics	nUpdateFacilityUID	N/A	numeric	
vw_PointStatistics	nUpdateUserUID	N/A	numeric	
vw_PointStatistics	tUpdateTime	N/A	datetime	
vw_PointStatistics	tMobileTime	N/A	datetime	
vw_PointStatistics	tSystemUpdateTime	N/A	datetime	
vw_PointTolerances	nPointToleranceUID	N/A	numeric	
vw_PointTolerances	nPointUID	N/A	numeric	
vw_PointTolerances	nError	1051	nvarchar	
vw_PointTolerances	nReferenceTolerance	1051	nvarchar	
vw_PointTolerances	nTolerance	1051	nvarchar	
vw_PointTolerances	nToleranceError	1051	nvarchar	
vw_PointTolerances	nToleranceNegative	1051	nvarchar	
vw_PointTolerances	nTolerancePositive	1051	nvarchar	
vw_PointTolerances	cToleranceReference	50	nvarchar	
vw_PointTolerances	nReadingErrorPercent	N/A	numeric	
vw_PointTolerances	nReadingErrorReferencePercent	N/A	numeric	
vw_PointTolerances	nFullScaleErrorPercent	N/A	numeric	
vw_PointTolerances	nFullScaleErrorReferencePercent	N/A	numeric	
vw_PointTolerances	nSetErrorPercent	N/A	numeric	
vw_PointTolerances	nSetFullScaleErrorPercent	N/A	numeric	
vw_PointTolerances	nToleranceErrorPercent	N/A	numeric	
vw_PointTolerances	nActive	N/A	int	
vw_PointTolerances	nDeleted	N/A	int	
vw_PointTolerances	nApproved	N/A	int	
vw_PointTolerances	nAdded	N/A	int	
vw_PointTolerances	nAddFacilityUID	N/A	numeric	
vw_PointTolerances	nAddUserUID	N/A	numeric	
vw_PointTolerances	tAddTime	N/A	datetime	
vw_PointTolerances	nUpdateFacilityUID	N/A	numeric	
vw_PointTolerances	nUpdateUserUID	N/A	numeric	
vw_PointTolerances	tUpdateTime	N/A	datetime	
vw_PointTolerances	tMobileTime	N/A	datetime	
vw_PointTolerances	tSystemUpdateTime	N/A	datetime	
vw_PointUncertainties	nPointUncertaintyUID	N/A	numeric	
vw_PointUncertainties	nPointUID	N/A	numeric	
vw_PointUncertainties	nGuardBandLower	1051	nvarchar	
vw_PointUncertainties	nGuardBandUpper	1051	nvarchar	
vw_PointUncertainties	nLowerLimit	1051	nvarchar	
vw_PointUncertainties	nModifier1	1051	nvarchar	
vw_PointUncertainties	nModifier2	1051	nvarchar	
vw_PointUncertainties	nS1	1051	nvarchar	
vw_PointUncertainties	nS2	1051	nvarchar	
vw_PointUncertainties	nUncertainty	1051	nvarchar	
vw_PointUncertainties	nUncertaintyDominant	1051	nvarchar	
vw_PointUncertainties	nUncertaintyExpanded	1051	nvarchar	
vw_PointUncertainties	nUncertaintyParameter1	1051	nvarchar	
vw_PointUncertainties	nUncertaintyParameter2	1051	nvarchar	
vw_PointUncertainties	nUncertaintyParameter3	1051	nvarchar	
vw_PointUncertainties	nUncertaintyParameter4	1051	nvarchar	
vw_PointUncertainties	nUncertaintyParameter5	1051	nvarchar	
vw_PointUncertainties	nUncertaintyParameter6	1051	nvarchar	
vw_PointUncertainties	nUncertaintyParameter7	1051	nvarchar	
vw_PointUncertainties	nUncertaintyParameter8	1051	nvarchar	
vw_PointUncertainties	nUncertaintyParameter9	1051	nvarchar	
vw_PointUncertainties	nUncertaintyParameter10	1051	nvarchar	
vw_PointUncertainties	nUncertaintyStandard	1051	nvarchar	
vw_PointUncertainties	nUpperLimit	1051	nvarchar	
vw_PointUncertainties	cGuardBandMethod	32	nvarchar	
vw_PointUncertainties	cUncertaintyMethod	50	nvarchar	
vw_PointUncertainties	nCoverageFactor	N/A	numeric	
vw_PointUncertainties	nSystemCoverageFactor	N/A	numeric	
vw_PointUncertainties	nConfidenceLevel	N/A	numeric	
vw_PointUncertainties	cStudentsT	32	nvarchar	
vw_PointUncertainties	cSensitivity1	32	nvarchar	
vw_PointUncertainties	cSensitivity2	32	nvarchar	
vw_PointUncertainties	cSensitivity3	32	nvarchar	
vw_PointUncertainties	cSensitivity4	32	nvarchar	
vw_PointUncertainties	cSensitivity5	32	nvarchar	
vw_PointUncertainties	cSensitivity6	32	nvarchar	
vw_PointUncertainties	cSensitivity7	32	nvarchar	
vw_PointUncertainties	cSensitivity8	32	nvarchar	
vw_PointUncertainties	cSensitivity9	32	nvarchar	
vw_PointUncertainties	cSensitivity10	32	nvarchar	
vw_PointUncertainties	cDegreesOfFreedom1	16	nvarchar	
vw_PointUncertainties	cDegreesOfFreedom2	16	nvarchar	
vw_PointUncertainties	cDegreesOfFreedom3	16	nvarchar	
vw_PointUncertainties	cDegreesOfFreedom4	16	nvarchar	
vw_PointUncertainties	cDegreesOfFreedom5	16	nvarchar	
vw_PointUncertainties	cDegreesOfFreedom6	16	nvarchar	
vw_PointUncertainties	cDegreesOfFreedom7	16	nvarchar	
vw_PointUncertainties	cDegreesOfFreedom8	16	nvarchar	
vw_PointUncertainties	cDegreesOfFreedom9	16	nvarchar	
vw_PointUncertainties	cDegreesOfFreedom10	16	nvarchar	
vw_PointUncertainties	cEquilibrationParameters	50	nvarchar	
vw_PointUncertainties	nStudentsT	N/A	int	
vw_PointUncertainties	nDominant	N/A	int	
vw_PointUncertainties	nWelchSatterthwaite	N/A	int	

Table Name	Column Name	Max Length	Data Type	Description
vw_PointUncertainties	lActive	N/A	int	
vw_PointUncertainties	lDeleted	N/A	int	
vw_PointUncertainties	lApproved	N/A	int	
vw_PointUncertainties	lAdded	N/A	int	
vw_PointUncertainties	nAddFacilityUID	N/A	numeric	
vw_PointUncertainties	nAddUserUID	N/A	numeric	
vw_PointUncertainties	tAddTime	N/A	datetime	
vw_PointUncertainties	nUpdateFacilityUID	N/A	numeric	
vw_PointUncertainties	nUpdateUserUID	N/A	numeric	
vw_PointUncertainties	tUpdateTime	N/A	datetime	
vw_PointUncertainties	tMobileTime	N/A	datetime	
vw_PointUncertainties	tSystemUpdateTime	N/A	datetime	
vw_ProblemReports	nProblemReportsUID	N/A	numeric	Unique system identifier used by the system
vw_ProblemReports	nProcedureUID	N/A	numeric	Links to Procedure table indicating procedure with problem
vw_ProblemReports	nTypeProcedureDefaultUID	N/A	numeric	Links to TypeProcedureDefault table indicating problem area
vw_ProblemReports	nTypeID	N/A	numeric	Links to type table indicating type with problem
vw_ProblemReports	nSubmittedByUID	N/A	numeric	Indicates who submitted
vw_ProblemReports	nApprovedByUID	N/A	numeric	Indicates who approved
vw_ProblemReports	nFacilityUID	N/A	numeric	Indicates the facility this record is used for
vw_ProblemReports	nWorkingFacilityUID	N/A	numeric	
vw_ProblemReports	nCallSheetUID	N/A	numeric	
vw_ProblemReports	cAuthority	50	nvarchar	Authority of facility submitting problem report
vw_ProblemReports	cProblemNumber	50	nvarchar	Number for Problem Report
vw_ProblemReports	cReferenceNumber	50	nvarchar	Reference number for problem report
vw_ProblemReports	cEngineer	50	nvarchar	Engineer assigned
vw_ProblemReports	cArea	50	nvarchar	The area of the lab submitting problem
vw_ProblemReports	cCategory	50	nvarchar	Category of the problem
vw_ProblemReports	cProblemType	50	nvarchar	
vw_ProblemReports	cStatus	50	nvarchar	
vw_ProblemReports	tStatusDate	N/A	datetime	
vw_ProblemReports	tIssueDate	N/A	datetime	Date problem was issued
vw_ProblemReports	tSubmittedDate	N/A	datetime	Date Problem was submitted
vw_ProblemReports	tResolvedDate	N/A	datetime	Date problem was resolved
vw_ProblemReports	tClosedDate	N/A	datetime	Date the problem report was concluded
vw_ProblemReports	mProblem	2147483647	text	Description of Problem
vw_ProblemReports	mLocalResponse	2147483647	text	QA auditors response
vw_ProblemReports	mTechnicalResponse	2147483647	text	Engineer's response
vw_ProblemReports	lSubmitted	N/A	int	Indicates it has been submitted
vw_ProblemReports	lActive	N/A	int	If value is -1 record is active in the system
vw_ProblemReports	lDeleted	N/A	int	Indicates if the record has been marked for deletion
vw_ProblemReports	lApproved	N/A	int	Indicates if changes to the record have been approved
vw_ProblemReports	lAdded	N/A	int	Indicates if the record has been added locally
vw_ProblemReports	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
vw_ProblemReports	nAddUserUID	N/A	numeric	UID of the user that added the record
vw_ProblemReports	tAddTime	N/A	datetime	Time the record was added
vw_ProblemReports	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
vw_ProblemReports	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
vw_ProblemReports	tUpdateTime	N/A	datetime	Time the record was last updated
vw_ProblemReports	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
vw_ProblemReports	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
vw_ProblemReports	cProcedureName	150	nvarchar	Name of procedure used
vw_ProblemReports	cDescription	100	nvarchar	Description from Types
vw_ProblemReports	cModelNumber	50	nvarchar	Model number from Types
vw_ProblemReports	Manufacturer	100	nvarchar	Manufacturer from Types
vw_ProblemReports	Lab	100	nvarchar	Facility name for the Lab submitting the problem report
vw_ProblemReports	Owner	100	nvarchar	
vw_ProblemReports	OwnerNumber	50	nvarchar	
vw_ProblemReports	Name	101	nvarchar	Name of user submitting problem report
vw_ProblemReports	Approved By	101	nvarchar	Name of user approving problem report
vw_ProblemReports	cCallSheetNumber	50	nvarchar	
vw_ProblemReports	cCertificationNumber	50	nvarchar	
vw_ProblemReports	cs_ID	100	nvarchar	
vw_ProblemReports	cs_cModelNumber	50	nvarchar	
vw_ProblemReports	cs_cDescription	100	nvarchar	
vw_ProblemReports	cs_cManufacturer	100	nvarchar	
vw_ProblemReports	cs_cTechnician	101	nvarchar	
vw_Procedures	nProcedureUID	N/A	numeric	Unique system identifier used by the system
vw_Procedures	nCategoryUID	N/A	numeric	Category indicator
vw_Procedures	cProcedureName	150	nvarchar	Name of procedure
vw_Procedures	cProcedureNumber	50	nvarchar	Number of the procedure
vw_Procedures	cAuthority	50	nvarchar	Authority for the procedure
vw_Procedures	cProcedureType	50	nvarchar	Type of procedure (Cal, Repair, PM)
vw_Procedures	cVersion	50	nvarchar	Version number
vw_Procedures	cRevision	50	nvarchar	Revision number
vw_Procedures	tProcedureDate	N/A	datetime	Date of the procedure
vw_Procedures	tRevisionDate	N/A	datetime	Date of the revision
vw_Procedures	mNotes	-1	nvarchar	Notes on the procedure
vw_Procedures	lActive	N/A	int	If value is -1 record is active in the system
vw_Procedures	lDeleted	N/A	int	Indicates if the record has been marked for deletion
vw_Procedures	lApproved	N/A	int	Indicates if changes to the record have been approved
vw_Procedures	lAdded	N/A	int	Indicates if the record has been added locally
vw_Procedures	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
vw_Procedures	nAddUserUID	N/A	numeric	UID of the user that added the record
vw_Procedures	tAddTime	N/A	datetime	Time the record was added
vw_Procedures	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
vw_Procedures	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
vw_Procedures	tUpdateTime	N/A	datetime	Time the record was last updated
vw_Procedures	cCategory	80	nvarchar	Category of procedure
vw_Procedures	mNotesText	2147483647	text	
vw_ProcedureStandards	nProcedureStandardUID	N/A	numeric	Unique system identifier used by the system
vw_ProcedureStandards	nProcedureUID	N/A	numeric	Links to procedures table
vw_ProcedureStandards	nTypeID	N/A	numeric	Links to type table
vw_ProcedureStandards	lAlternate	N/A	int	Indicates if can be used as alternate procedure
vw_ProcedureStandards	lActive	N/A	int	If value is -1 record is active in the system
vw_ProcedureStandards	lDeleted	N/A	int	Indicates if the record has been marked for deletion
vw_ProcedureStandards	lApproved	N/A	int	Indicates if changes to the record have been approved
vw_ProcedureStandards	lAdded	N/A	int	Indicates if the record has been added locally

Table Name	Column Name	Max Length	Data Type	Description
vw_ProcedureStandards	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
vw_ProcedureStandards	nAddUserUID	N/A	numeric	UID of the user that added the record
vw_ProcedureStandards	tAddTime	N/A	datetime	Time the record was added
vw_ProcedureStandards	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
vw_ProcedureStandards	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
vw_ProcedureStandards	tUpdateTime	N/A	datetime	Time the record was last updated
vw_ProcedureStandards	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
vw_ProcedureStandards	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
vw_ProcedureStandards	nTyTypeUID	N/A	numeric	Type UID for Types
vw_ProcedureStandards	nTyCategoryUID	N/A	numeric	Category of Type UID
vw_ProcedureStandards	nTySubCategoryUID	N/A	numeric	Subcategory of Type UID
vw_ProcedureStandards	nTyImageUID	N/A	numeric	Image of Type UID
vw_ProcedureStandards	nTyManufacturerUID	N/A	numeric	Manufacturer of Type UID
vw_ProcedureStandards	nTyItemCost	N/A	numeric	Item cost from type
vw_ProcedureStandards	nTyReplacementCost	N/A	numeric	Replacement cost from type
vw_ProcedureStandards	cTyModelNumber	50	nvarchar	Model Number from type
vw_ProcedureStandards	cTyDescription	100	nvarchar	Description from type
vw_ProcedureStandards	cTyPartNumber	50	nvarchar	Part number from type
vw_ProcedureStandards	cTyStockNumber	50	nvarchar	Stock number from type
vw_ProcedureStandards	cTyAuthority	50	nvarchar	Authority from type
vw_ProcedureStandards	cTyClass	50	nvarchar	Class from type
vw_ProcedureStandards	cTyFamily	50	nvarchar	Family from type
vw_ProcedureStandards	cTyWeight	50	nvarchar	Weight from type
vw_ProcedureStandards	cTyWeightUOM	50	nvarchar	Weight UOM from type
vw_ProcedureStandards	cTyDimension	50	nvarchar	Dimension from type
vw_ProcedureStandards	cTyArea	50	nvarchar	Area from type
vw_ProcedureStandards	mTyAccuracy	-1	nvarchar	Accuracy from type
vw_ProcedureStandards	mTyUncertaintyNotes	-1	nvarchar	UncertaintyNotes from type
vw_ProcedureStandards	mTyReceivingNotes	-1	nvarchar	Receiving notes from type
vw_ProcedureStandards	mTyNotes	-1	nvarchar	Notes from type
vw_ProcedureStandards	lTyActive	N/A	int	Type, if value is -1 record is active in the system
vw_ProcedureStandards	lTyDeleted	N/A	int	Indicates if the type record has been marked for deletion
vw_ProcedureStandards	lTyApproved	N/A	int	Indicates if the type changes to the record have been approved
vw_ProcedureStandards	lTyAdded	N/A	int	Indicates if the type record has been added locally
vw_ProcedureStandards	nTyAddFacilityUID	N/A	numeric	Type UID of the facility that added the record
vw_ProcedureStandards	nTyAddUserUID	N/A	numeric	Type UID of the user that added the record
vw_ProcedureStandards	tTyAddTime	N/A	datetime	Time the type record was added
vw_ProcedureStandards	nTyUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
vw_ProcedureStandards	nTyUpdateUserUID	N/A	numeric	Type UID of the last user to update the record
vw_ProcedureStandards	tTyUpdateTime	N/A	datetime	Time the type record was last updated
vw_ProcedureStandards	cTyCategory	80	nvarchar	Category for type
vw_ProcedureStandards	cTySubCategory	50	nvarchar	Subcategory for type
vw_ProcedureStandards	cTyManufacturer	100	nvarchar	Manufacturer for type
vw_ProcedureStandards	mTyAccuracyText	2147483647	text	
vw_ProcedureStandards	mTyUncertaintyNotesText	2147483647	text	
vw_ProcedureStandards	mTyReceivingNotesText	2147483647	text	
vw_ProcedureStandards	mTyNotesText	2147483647	text	
vw_Projects	nProjectUID	N/A	numeric	
vw_Projects	nCategoryUID	N/A	numeric	
vw_Projects	nFileUID	N/A	numeric	
vw_Projects	nItems	N/A	int	
vw_Projects	nProjectAmount	N/A	numeric	
vw_Projects	cProjectName	50	nvarchar	
vw_Projects	cProjectNumber	50	nvarchar	
vw_Projects	cManager	50	nvarchar	
vw_Projects	cContact	50	nvarchar	
vw_Projects	cClass	50	nvarchar	
vw_Projects	cCode	50	nvarchar	
vw_Projects	cLocation	50	nvarchar	
vw_Projects	cStatus	50	nvarchar	
vw_Projects	tProjectStart	N/A	datetime	
vw_Projects	tProjectEnd	N/A	datetime	
vw_Projects	mTask	30	varchar	
vw_Projects	mProjectNotes	30	varchar	
vw_Projects	lFunded	N/A	int	
vw_Projects	lDelayed	N/A	int	
vw_Projects	lCertified	N/A	int	
vw_Projects	lFinished	N/A	int	
vw_Projects	lNoCalibration	N/A	int	
vw_Projects	lActive	N/A	int	
vw_Projects	lDeleted	N/A	int	
vw_Projects	lApproved	N/A	int	
vw_Projects	lAdded	N/A	int	
vw_Projects	nAddFacilityUID	N/A	numeric	
vw_Projects	nAddUserUID	N/A	numeric	
vw_Projects	tAddTime	N/A	datetime	
vw_Projects	nUpdateFacilityUID	N/A	numeric	
vw_Projects	nUpdateUserUID	N/A	numeric	
vw_Projects	tUpdateTime	N/A	datetime	
vw_Projects	tMobileTime	N/A	datetime	
vw_Projects	tSystemUpdateTime	N/A	datetime	
vw_Projects	cProjCategory	80	nvarchar	
vw_Projects	cFileName	50	nvarchar	
vw_Projects	OpenCS	N/A	int	
vw_Projects	ClosedCS	N/A	int	
vw_Projects	TotalCS	N/A	int	
vw_ToolAssignments	nToolAssignmentUID	N/A	numeric	Unique system identifier used by the system
vw_ToolAssignments	nAssetUID	N/A	numeric	Indicates asset used
vw_ToolAssignments	nContactUID	N/A	numeric	Contact used to uplink
vw_ToolAssignments	cAssignmentNumber	50	nvarchar	Number assigned to tool
vw_ToolAssignments	cAssignedLocation	50	nvarchar	Location assigned to tool
vw_ToolAssignments	tLoanDate	N/A	datetime	Date loaned
vw_ToolAssignments	tExpectedReturnDate	N/A	datetime	Date to be expecting return
vw_ToolAssignments	tReturnDate	N/A	datetime	Date returned
vw_ToolAssignments	nUseCount	N/A	int	
vw_ToolAssignments	mNotes	-1	nvarchar	Notes on Tool Assignments
vw_ToolAssignments	lActive	N/A	int	Indicates if the record is active or not

Table Name	Column Name	Max Length	Data Type	Description
vw_ToolAssignments	lDeleted	N/A	int	Indicates if the record has been marked for deletion
vw_ToolAssignments	lApproved	N/A	int	Indicates if changes to the record have been approved
vw_ToolAssignments	lAdded	N/A	int	Indicates if the record has been added locally
vw_ToolAssignments	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
vw_ToolAssignments	nAddUserID	N/A	numeric	UID of the user that added the record
vw_ToolAssignments	tAddTime	N/A	datetime	Time the record was added
vw_ToolAssignments	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
vw_ToolAssignments	nUpdateUserID	N/A	numeric	UID of the last user to update the record
vw_ToolAssignments	tUpdateTime	N/A	datetime	Time the record was last updated
vw_ToolAssignments	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
vw_ToolAssignments	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
vw_ToolAssignments	cFirstName	50	nvarchar	First name of contact tool was assigned to
vw_ToolAssignments	cLastName	50	nvarchar	Last name of contact tool was assigned to
vw_ToolAssignments	cEmail2	100	nvarchar	Email2 (employee #) of the contact tool was assigned to
vw_ToolAssignments	cOwnerName	100	nvarchar	Name of the tool's owner
vw_ToolAssignments	cOwnerNumber	50	nvarchar	Number of the tool's owner
vw_ToolAssignments	cManufacturer	100	nvarchar	Manufacturer of tool
vw_ToolAssignments	cDepartment	100	nvarchar	Department name for tool's department
vw_ToolAssignments	cDepartmentNumber	50	nvarchar	Department number for tool's department
vw_ToolAssignments	nTypeUID	N/A	numeric	Type link from the tool
vw_ToolAssignments	cBarcode	100	nvarchar	Barcode for tool
vw_ToolAssignments	cID	100	nvarchar	ID for tool
vw_ToolAssignments	cSerialNumber	50	nvarchar	Serial number for tool
vw_ToolAssignments	cModelNumber	50	nvarchar	Model number of tool
vw_ToolAssignments	cPartNumber	50	nvarchar	Part number for tool
vw_ToolAssignments	cDescription	100	nvarchar	Description of tool
vw_ToolAssignments	cPhysicalLocation	50	nvarchar	Physical location of tool
vw_ToolAssignments	cNextMaintType	50	nvarchar	Next maintenance type for tool
vw_ToolAssignments	cInterval	50	nvarchar	Interval for which the maintenance is done
vw_ToolAssignments	cIntervalUOM	50	nvarchar	Unit of measure for the interval
vw_ToolAssignments	tNextMaintDate	N/A	datetime	Tool's next maintenance date
vw_ToolAssignments	cTyModelNumber	50	nvarchar	Model Number from type
vw_ToolAssignments	cTyDescription	100	nvarchar	Description from type
vw_ToolAssignments	cTyPartNumber	50	nvarchar	Part number from type
vw_ToolAssignments	cTyManufacturer	100	nvarchar	Manufacturer for type
vw_ToolAssignments	mNotesText	2147483647	text	
vw_Types	nTyTypeUID	N/A	numeric	Type UID for Types
vw_Types	nTyCategoryUID	N/A	numeric	Category of Type UID
vw_Types	nTySubCategoryUID	N/A	numeric	Subcategory of Type UID
vw_Types	nTyImageUID	N/A	numeric	Image of Type UID
vw_Types	nTyManufacturerUID	N/A	numeric	Manufacturer of Type UID
vw_Types	nTyItemCost	N/A	numeric	Item cost from type
vw_Types	nTyReplacementCost	N/A	numeric	Replacement cost from type
vw_Types	cTyModelNumber	50	nvarchar	Model Number from type
vw_Types	cTyDescription	100	nvarchar	Description from type
vw_Types	cTyPartNumber	50	nvarchar	Part number from type
vw_Types	cTyStockNumber	50	nvarchar	Stock number from type
vw_Types	cTyAuthority	50	nvarchar	Authority from type
vw_Types	cTyClass	50	nvarchar	Class from type
vw_Types	cTyFamily	50	nvarchar	Family from type
vw_Types	cTyWeight	50	nvarchar	Weight from type
vw_Types	cTyWeightUOM	50	nvarchar	Weight UOM from type
vw_Types	cTyDimension	50	nvarchar	Dimension from type
vw_Types	cTyArea	50	nvarchar	Area from type
vw_Types	mTyAccuracy	-1	nvarchar	Accuracy from type
vw_Types	mTyUncertaintyNotes	-1	nvarchar	Uncertainty Notes
vw_Types	mTyReceivingNotes	-1	nvarchar	Receiving notes from type
vw_Types	mTyNotes	-1	nvarchar	Notes from type
vw_Types	lTyActive	N/A	int	Type, if value is -1 record is active in the system
vw_Types	lTyDeleted	N/A	int	Indicates if the type record has been marked for deletion
vw_Types	lTyApproved	N/A	int	Indicates if the type changes to the record have been approved
vw_Types	lTyAdded	N/A	int	Indicates if the type record has been added locally
vw_Types	nTyAddFacilityUID	N/A	numeric	Type UID of the facility that added the record
vw_Types	nTyAddUserID	N/A	numeric	Type UID of the user that added the record
vw_Types	tTyAddTime	N/A	datetime	Time the type record was added
vw_Types	nTyUpdateFacilityUID	N/A	numeric	The facility type the last update occurred at
vw_Types	nTyUpdateUserID	N/A	numeric	Type UID of the last user to update the record
vw_Types	tTyUpdateTime	N/A	datetime	Time the type record was last updated
vw_Types	cTyCategory	80	nvarchar	Category for type
vw_Types	cTySubCategory	50	nvarchar	Subcategory for type
vw_Types	cTyManufacturer	100	nvarchar	Manufacturer for type
vw_Types	mTyAccuracyText	2147483647	text	Accuracy from type
vw_Types	mTyUncertaintyNotesText	2147483647	text	Uncertainty Notes
vw_Types	mTyReceivingNotesText	2147483647	text	Receiving notes from type
vw_Types	mTyNotesText	2147483647	text	Notes from type
vw_UnbilledLabor	cFirstName	50	nvarchar	First name of labor that hasn't been billed
vw_UnbilledLabor	cLastName	50	nvarchar	Last name of labor that hasn't been billed
vw_UnbilledLabor	Category	80	nvarchar	Category of labor that hasn't been billed
vw_UnbilledLabor	SubCategory	50	nvarchar	Subcategory of labor that hasn't been billed
vw_UnbilledLabor	nLaborUID	N/A	numeric	Link of labor that hasn't been billed
vw_UnbilledLabor	nCallSheetUID	N/A	numeric	Callsheet link
vw_UnbilledLabor	nUserID	N/A	numeric	User link
vw_UnbilledLabor	nJobNumberUID	N/A	numeric	Job number link
vw_UnbilledLabor	nCost	N/A	numeric	Cost of labor that hasn't been billed
vw_UnbilledLabor	nRate	N/A	numeric	Rate of labor that hasn't been billed
vw_UnbilledLabor	nCategoryUID	N/A	numeric	Category link of labor that hasn't been billed
vw_UnbilledLabor	nSubCategoryUID	N/A	numeric	Subcategory link of labor that hasn't been billed
vw_UnbilledLabor	cLaborAccount	50	nvarchar	Labor account for bill
vw_UnbilledLabor	nDuration	N/A	numeric	Duration of bill
vw_UnbilledLabor	tStartTime	N/A	datetime	Start time of labor that hasn't been billed
vw_UnbilledLabor	tEndTime	N/A	datetime	End time of labor that hasn't been billed
vw_UnbilledLabor	lActive	N/A	int	If value is -1 record is active in the system
vw_UnbilledLabor	lDeleted	N/A	int	Indicates if the record has been marked for deletion
vw_UnbilledLabor	lApproved	N/A	int	Indicates if changes to the record have been approved
vw_UnbilledLabor	lAdded	N/A	int	Indicates if the record has been added locally
vw_UnbilledLabor	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
vw_UnbilledLabor	nAddUserID	N/A	numeric	UID of the user that added the record

Table Name	Column Name	Max Length	Data Type	Description
vw_UnbilledLabor	tAddTime	N/A	datetime	Time the record was added
vw_UnbilledLabor	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
vw_UnbilledLabor	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
vw_UnbilledLabor	tUpdateTime	N/A	datetime	Time the record was last updated
vw_UnbilledLabor	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
vw_UnbilledLabor	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
vw_UnbilledLabor	cJobOrderNumber	50	nvarchar	Job order number for unbilled labor
vw_XLS_TPD_Missing	nTyTypeUID	N/A	numeric	
vw_XLS_TPD_Missing	nProcedureUID	N/A	numeric	
vw_XLS_TPD_Missing	Description	255	nvarchar	
vw_XLS_TPD_Missing	Model	255	nvarchar	
vw_XLS_TPD_Missing	Manufacturer	255	nvarchar	
vw_XLS_TPD_Missing	Procedure	255	nvarchar	
vw_XLS_With_EMX_Data	nProcedureUID	N/A	numeric	
vw_XLS_With_EMX_Data	TypeAndProcUIDs	100	varchar	
vw_XLS_With_EMX_Data	Description	255	nvarchar	
vw_XLS_With_EMX_Data	Model	255	nvarchar	
vw_XLS_With_EMX_Data	Manufacturer	255	nvarchar	
vw_XLS_With_EMX_Data	Procedure	255	nvarchar	
vw_XLS_With_EMX_Data	Interval	2	nvarchar	
vw_XLS_With_EMX_Data	UOM	1	nvarchar	
vw_XLS_With_EMX_Data	nManufacturerUID	N/A	numeric	
vw_XLS_With_EMX_Data	nTypeUID	N/A	numeric	
vw_XLS_With_EMX_Data	F1	255	nvarchar	
vw_XLS_With_EMX_Data	F2	255	nvarchar	
vw_XLS_With_EMX_Data	F3	255	nvarchar	
vw_XLS_With_EMX_Data	F4	255	nvarchar	
vw_XLS_With_EMX_Data	F5	255	nvarchar	
vw_XLS_With_EMX_Data	F6	255	nvarchar	
vw_XLS_With_EMX_Data	F7	255	nvarchar	
vw_XLS_With_EMX_Data	F8	255	nvarchar	
vw_XLS_With_EMX_Data	F9	255	nvarchar	
vw_XLS_With_EMX_Data	F10	255	nvarchar	
vw_XLS_With_EMX_Data	F11	255	nvarchar	
vw_XLS_With_EMX_Data	F12	255	nvarchar	
vw_XLS_With_EMX_Data	F13	255	nvarchar	
vw_XLS_With_EMX_Data	F14	255	nvarchar	
vw_XLS_With_EMX_Data	F15	255	nvarchar	
vw_XLS_With_EMX_Data	F16	255	nvarchar	
vw_XLS_With_EMX_Data	F17	255	nvarchar	
vw_XLS_With_EMX_Data	F18	255	nvarchar	
vw_XLS_With_EMX_Data	F19	255	nvarchar	
vw_XLS_With_EMX_Data	F20	255	nvarchar	
vw_XLS_With_EMX_Data	F21	255	nvarchar	
vw_XLS_With_EMX_Data	F22	255	nvarchar	
vw_XLS_With_EMX_Data	F23	255	nvarchar	
vw_XLS_With_EMX_Data	F24	255	nvarchar	
vw_XLS_With_EMX_Data	F25	255	nvarchar	
vw_XLS_With_EMX_nTypeUID	nTypeUID	N/A	numeric	
vw_XLS_With_EMX_nTypeUID	F1	255	nvarchar	
vw_XLS_With_EMX_nTypeUID	F2	255	nvarchar	
vw_XLS_With_EMX_nTypeUID	F3	255	nvarchar	
vw_XLS_With_EMX_nTypeUID	F4	255	nvarchar	
vw_XLS_With_EMX_nTypeUID	F5	255	nvarchar	
vw_XLS_With_EMX_nTypeUID	F6	255	nvarchar	
vw_XLS_With_EMX_nTypeUID	F7	255	nvarchar	
vw_XLS_With_EMX_nTypeUID	F8	255	nvarchar	
vw_XLS_With_EMX_nTypeUID	F9	255	nvarchar	
vw_XLS_With_EMX_nTypeUID	F10	255	nvarchar	
vw_XLS_With_EMX_nTypeUID	F11	255	nvarchar	
vw_XLS_With_EMX_nTypeUID	F12	255	nvarchar	
vw_XLS_With_EMX_nTypeUID	F13	255	nvarchar	
vw_XLS_With_EMX_nTypeUID	F14	255	nvarchar	
vw_XLS_With_EMX_nTypeUID	F15	255	nvarchar	
vw_XLS_With_EMX_nTypeUID	F16	255	nvarchar	
vw_XLS_With_EMX_nTypeUID	F17	255	nvarchar	
vw_XLS_With_EMX_nTypeUID	F18	255	nvarchar	
vw_XLS_With_EMX_nTypeUID	F19	255	nvarchar	
vw_XLS_With_EMX_nTypeUID	F20	255	nvarchar	
vw_XLS_With_EMX_nTypeUID	F21	255	nvarchar	
vw_XLS_With_EMX_nTypeUID	F22	255	nvarchar	
vw_XLS_With_EMX_nTypeUID	F23	255	nvarchar	
vw_XLS_With_EMX_nTypeUID	F24	255	nvarchar	
vw_XLS_With_EMX_nTypeUID	F25	255	nvarchar	
WorkloadPlanning	nWorkloadPlanningUID	N/A	numeric	
WorkloadPlanning	nAssetUID	N/A	numeric	
WorkloadPlanning	nCost	N/A	numeric	
WorkloadPlanning	cCallSheetType	50	nvarchar	
WorkloadPlanning	cInterval	50	nvarchar	
WorkloadPlanning	tRecallDate	N/A	datetime	
WorkloadPlanning	nCalculatedDate	N/A	int	
WorkloadPlanning	lActive	N/A	int	
WorkloadPlanning	lDeleted	N/A	int	
WorkloadPlanning	lApproved	N/A	int	
WorkloadPlanning	lAdded	N/A	int	
WorkloadPlanning	nAddFacilityUID	N/A	numeric	
WorkloadPlanning	nAddUserUID	N/A	numeric	
WorkloadPlanning	tAddTime	N/A	datetime	
WorkloadPlanning	nUpdateFacilityUID	N/A	numeric	
WorkloadPlanning	nUpdateUserUID	N/A	numeric	
WorkloadPlanning	tUpdateTime	N/A	datetime	
WorkloadPlanning	tMobileTime	N/A	datetime	
WorkloadPlanning	tSystemUpdateTime	N/A	datetime	
Workstations	nWorkstationUID	N/A	numeric	Unique system identifier used by the system
Workstations	cWorkstationName	50	nvarchar	Name of workstation
Workstations	cWorkstationId	50	nvarchar	ID used for Workstation
Workstations	cUserName	50	nvarchar	User name for workstation

Table Name	Column Name	Max Length	Data Type	Description
Workstations	cMobileId	5	nvarchar	ID for Mobile
Workstations	cRemoteServer	100	nvarchar	Remote server for workstation
Workstations	cMode	20	nvarchar	
Workstations	tLoginDate	N/A	datetime	Login date
Workstations	tLastLogin	N/A	datetime	Last Login
Workstations	tMobileLoginDate	N/A	datetime	Mobile Login Date
Workstations	tCheckoutDate	N/A	datetime	Check Out Date
Workstations	lActive	N/A	int	If value is -1 record is active in the system
Workstations	lDeleted	N/A	int	Indicates if the record has been marked for deletion
Workstations	lApproved	N/A	int	Indicates if changes to the record have been approved
Workstations	lAdded	N/A	int	Indicates if the record has been added locally
Workstations	nAddFacilityUID	N/A	numeric	UID of the facility that added the record
Workstations	nAddUserUID	N/A	numeric	UID of the user that added the record
Workstations	tAddTime	N/A	datetime	Time the record was added
Workstations	nUpdateFacilityUID	N/A	numeric	The facility the last update occurred at
Workstations	nUpdateUserUID	N/A	numeric	UID of the last user to update the record
Workstations	tUpdateTime	N/A	datetime	Time the record was last updated
Workstations	tMobileTime	N/A	datetime	Time the record was last updated by EMX for creating EMXm exports
Workstations	tSystemUpdateTime	N/A	datetime	Time the record was last updated by the EMX Warehouse
XLS_Export	F1	255	nvarchar	
XLS_Export	F2	255	nvarchar	
XLS_Export	F3	255	nvarchar	
XLS_Export	F4	255	nvarchar	
XLS_Export	F5	255	nvarchar	
XLS_Export	F6	255	nvarchar	
XLS_Export	F7	255	nvarchar	
XLS_Export	F8	255	nvarchar	
XLS_Export	F9	255	nvarchar	
XLS_Export	F10	255	nvarchar	
XLS_Export	F11	255	nvarchar	
XLS_Export	F12	255	nvarchar	
XLS_Export	F13	255	nvarchar	
XLS_Export	F14	255	nvarchar	
XLS_Export	F15	255	nvarchar	
XLS_Export	F16	255	nvarchar	
XLS_Export	F17	255	nvarchar	
XLS_Export	F18	255	nvarchar	
XLS_Export	F19	255	nvarchar	
XLS_Export	F20	255	nvarchar	
XLS_Export	F21	255	nvarchar	
XLS_Export	F22	255	nvarchar	
XLS_Export	F23	255	nvarchar	
XLS_Export	F24	255	nvarchar	
XLS_Export	F25	255	nvarchar	
XLS_Import	F1	255	nvarchar	
XLS_Import	F2	255	nvarchar	
XLS_Import	F3	255	nvarchar	
XLS_Import	F4	255	nvarchar	
XLS_Import	F5	255	nvarchar	
XLS_Import	F6	255	nvarchar	
XLS_Import	F7	255	nvarchar	
XLS_Import	F8	255	nvarchar	
XLS_Import	F9	255	nvarchar	
XLS_Import	F10	255	nvarchar	
XLS_Import	F11	255	nvarchar	
XLS_Import	F12	255	nvarchar	
XLS_Import	F13	255	nvarchar	
XLS_Import	F14	255	nvarchar	
XLS_Import	F15	255	nvarchar	
XLS_Import	F16	255	nvarchar	
XLS_Import	F17	255	nvarchar	
XLS_Import	F18	255	nvarchar	
XLS_Import	F19	255	nvarchar	
XLS_Import	F20	255	nvarchar	
XLS_Import	F21	255	nvarchar	
XLS_Import	F22	255	nvarchar	
XLS_Import	F23	255	nvarchar	
XLS_Import	F24	255	nvarchar	
XLS_Import	F25	255	nvarchar	